# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781/24014701

Fax: 24024068 /24023515 Website: http://mpcb.gov.in E-mail: mpcb@ysnl.net



Kalpataru Point, 2<sup>nd</sup> - 4<sup>th</sup> Floor, Opp. Cine Planet Cinema, Near Slon Circle, Sion (E) Mumbai - 400 022

Date: 03/06/2019.

Red/LSI

Consent No: Format 1.0/BO/PSO/CC- 1906000 109

To.

M/s. Riddhi Vinayak Multispecialty Hospital,

Virar Nallasopara link Road,

Beside Railway Carshed, Nallasopara (W).

Tal-Vasai, Dist-Palghar- 401203

Sub : Combined Consent to Operate & BMW Authorization under RED Category.

Ref : 1. Your BMW Authorization & Consent application resubmitted to MPCB, HQ, Sion,

Mumbai on 16/03/2019

2. Minutes of 1st CC- meeting held on 02.05.2019

3. Analysis report uploaded by SRO-Thane II on (5:05-2019

Consent to Operate 59466
under Section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981, Authorization under Rule 5 of the Hazardous Wastes Rules 2016 and Biomedical Waste Management Rules 2016 is considered and the consent is hereby granted subject to following terms and conditions and as detailed in the schedule I, II, III, IV & V annexed to this order:

1. The conditional consent to operate is granted for period from 12.10.2018 to 12.08.2023

2. The capital investment of the HCE is Rs. 7.49 Crore.

(As per C. A. Certificate submitted)

3. The Consent is valid for the Activity of

	Sr. No.	Activity	Beds
	THE RESIDENCE OF THE PARTY OF T		200 Nos.
500			19670:00 sq. mtrs
			15717.98 sq. mtrs
h.	7 401-201 F	The part of the manufacture and the part of the part o	MA TO STATE OF THE

Conditions under Water (P&CP), 1974 Act for discharge of effluent:

į.	Sr. Description	Permitted quantity ( of discharge (CMD)	Standards to be achieved	Disposal
	1. Trade effluent		As per Schedule -I	I total to the second of the s
	2. Domestic effluent	20.0	As per Schedule -I	gardening

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

	Collection and the collection of the collection	
	Sr. Description of stack / Number of Stack Standards to be achieved	
	no. source	1
	1. D.G Set (160.0 KVA). As per Schedule - II	
-		

## 6. Non-Hazardous Solid Wastes:

Sr. Type of Waste	Quantity	UOM	Disposal
Sludge from Sewage Water	As per	MT/	
treatment	Actual	Year	

- 7. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- 8. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.
- 9. This consent is issued subject to conditions mentioned below.
  - i) The "authorized Person" M/s. Riddhi Vinayak Multispecialty Hospital, Tal-Vasal, Dist-Palghar shall comply with the provisions of the Environment (Protection) Act, 1986, and Rules made there under.
  - ii) Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorization.
  - iii) If the built up area exceeds more than 20,000 sq. mtrs. and if the hospitalis commissioned after 14.09.2006, the project proponent shall comply EIA Notification 14.09.2006 by obtaining Environment Clearance.
  - You shall submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs generated in the Cancer centers, research and health care in the format prescribed by CPCB which is available on <a href="https://www.cpcb.nic.in">www.cpcb.nic.in</a> alongwith Annual Report to MPCB with a copy to CPCB before 30th June every year.
  - (iv) You shall manage the Mercury Waste in the HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website <a href="www.cpcb.nic.in.dated">www.cpcb.nic.in.dated</a>: 07.09.2010 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities".
  - (v) You shall ensure phase out of chlorinated plastic bags, gloves and blood bags by HCEs within two years;
  - (vi) You shall establish Bar code system within one year.
  - (vii) You shall ensure that the liquid waste is treated and disposed by all the occupier or operator of a CBWTF in accordance with the Water Act, 1974;
  - (viii) You shall maintain day to day basis and display the monthly record including Annual report on its website within two years from the date of notification.
  - (ix) As per report of SRO Thane-II, Bank Guarantee of Rs. 50,000/- is eligible for reclease for providing separate BMW storage facility.

- You shall submit separate Bank Guarantee of Rs.1,50,000/- towards compliance of condition mentioned at Annexure - IV to Regional Office, Thane within 30 days.
- You shall submit compliance of Bank Guarantee conditions every six months to (ix)Regional Officer, Thane for verification purpose.
- You shall submit application for renewal of Combined Consent and Biomedical (xiii) Waste authorization before 120 days along with appropriate fees

For and on behalf of the Maharashtra Pollution Control Board

> (E. Ravenliran Member Secreta

Received Consent / Authorization fee of -

Sr.	Amount (')	Dr no. Date
No.	60,000/-	TXN1903003195 27.03.2019
2	5,000/-	TXN1901003452 31.01.2019
3	15,000/-	TXN1901002511 23.01.2019

As per the earlier CCA granted by Board on 27, 12, 2017 fees of Rs. 70,000/was remaining with Board shall be considered for the said renewal of CCA.

Copy to:

- Regional Officer MPCB, Thate and Sub-Regional Officer Thane -II, MPCB They are directed to ensure the compliance of the CCA conditions.
- Chief Accounts Officer, MPCB, Mumbai-for information.

#### Schedule-I

- I) Terms & Conditions for compliance of Water Pollution Control
- 1) A] You shall provide combined waste water primary treatment for the Trade effluent and domestic sewage generated from the hospital and thereafter the treated effluent shall be discharged in to Sewage Treatment Plant with the adequate design capacity followed by Chlorination and the treated water shall be disposal to Municipal Sewer / Land application after achieving standard prescribed below:
  - B] The Applicant shall operate the combined waste water treatment plant to treat the trade and domestic effluent so as to achieve the following standards prescribed by the Board or under E P Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr. No.	Parameters	Discharge Standards applicable
		L THE THE PARTY OF
01	2011年 · 图目的原则 [1]	[ ] The state of t
02	Oil & Grease	
03	BOD (3 days 27°C)	
0.5	COD	2350
06	Total Suspended Solids	100
08.	Bio-Assay test	90 % survival of fish after 96 hours in 100 % effluent

- The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waste water & the system for the disposal of effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps for expansion / modify or establish any modification to treatment and disposal system or an extension or addition thereto.
- 3) You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 4) You shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time.

II) Water Consumption

Industrial Cooling and boiler feed etc.,	The state of the s
Domestic purpose	30.0
Processing whereby water gets polluted & pollutants are easily biodegradable	- And the second
Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	

#### Schedule-II

#### Terms & conditions for compliance of Air Pollution Control

A per your application, you have proposed / provided the Air pollution control (APC) system and also proposed to erected following stack (i) to observe the following fuel and the administration of the second of the

Man	Sr. No.	Stack Attached to	Height in meter	Type of Fuel	Quantity lit/hr
	續了!	D.(1, Set (160.0 KVA)	4.0	Dichel	20,0

The applicant thall provide stack of indequate height to operate and punguin above mentioned air pollution control system, slo as to achieve the level of pollutions to the LANG Sail following standards

Not to exceed 150 mg/Nm l'amoulate matter

- The Applicant shall, obtain necessary, prior permission for probaling additional control replacement/alteration well before italife come to an end or crection of new pollution. control equipment?
- The Board receives, its rights to vary all or any of the condition in the consent if due to any technological improvement of otherwise such variation (including the change of any control equipment, other in whole or in part is accessary).
- Conditions for D.G. Set
  - a. Notice from the D.G. Set should be controlled by providing an acoustic enclosure or by
  - treating the room acoustically.

    b. Industry, should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffle with insection loss of 25 dB (A) shall also be provided. The measurement of intertion loss will be done at different points; at 0.5 meters from acoustic enclosure/room and then average
  - Industry should make efforts to bring down moise level due to DG set, outside industrial premises, within ambient poise requirement by proper litting and control
  - of DO, Set must be strictly in compliance with recommendations of DO,
  - e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DO manifacturer which would help to prevent noise Jevels of DO set from deteriorating with use
  - D.G. Set shall be operated only in case of power failure,
  - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.

The applicant shall comply with the notification of MoBF dated 17.05,2002 regarding noise limit for generator sets run with diesel.

VINAYAR COL

#### Schedule-II

## & conditions for compliance of Air Pollution Control

s per your application, you have proposed / provided the Air pollution control (APC) system and also proposed to ercet/erected following stack (s) to observe the following fuel

Sr. No.	Stack Attached to	Height in meter	Type of Fuel	Quantity lit/hr
	D.G. Set (160.0 KVA)	4.0	Diesel	20.0

The applicant shall provide stack of adequate height to operate and maintain above. mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

150 mg/Nm<sup>3</sup> Not to exceed Particulate matter

- The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well-before its life come to an end or erection of new pollution control equipment.
- The Board reserves its rights to vary all or any of the condition in the consent; if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary). 5.
  - Conditions for D.G. Set a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
  - b. Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust multile with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different-points at 0.5 meters from acoustic enclosure/room and then average.
    - c. Industry should make efforts to bring down noise level due to DG set; outside industrial premises, within ambient noise requirements by proper sitting and control
    - Installation of DG Set must be strictly in compliance with recommendations of DG Ser manufacturer.
    - A prope routine and preventive maintenance procedure for DG; set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.

D.G. Set shall be operated only in case of power failure, at a

The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.

The applicant shall comply with the notification of MoEF dated 17,05.2002 regarding noise limit for generator sets run with diesel.

DOHIVINAYAK GO NURSING (RVHSF

## Schedule-III

## Treatment and Disposal of Biomedical Waste generated from Hospital to CBMWTSDF

The authorisation is granted for generation and disposal of Bio-Medical Waste (BMW) to CBMWTSDF in waste categories and quantities listed here in below:

Sr. No.	Category	Type of Waste	Quantity y not to exceed. (Kg/M)	Segregation Colour coding	Treatment & Disposal
	Yellow	a) Human Anatomical waste b) Animal Anatomical Waste c) Soiled Waste d) Expired or Discarded Medicines e) Chemical Waste	530.0 22 <b>0</b> 0.0 900.0	Yellow coloured non- chlorinated plastic bags	No onsite treatment of BMW to permitted. The above mentioned Bio medical Waste shall be sent to
		f) Chemical Liquid Waste  A  g) Discarded linen, mattresses,	100.0	Separate collection system eating to effluent treatment system 22	Common BMW! Treatment & Disposal facility authorized by MPCB re. M/s.
		beddings contaminated with blood or body fluid.		fellow coloured non chlorinated plastic bags, for suitable packing material	Touch'N Glow CBMWTSDF; Palghar
		h) Microbiology Biotechnology and other clinical laboratory waste	And the second	Autoclave safe plastic bags or containers	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
2	Red	Contaminated waste (Recyclable)	<b>~</b> 5 <b>0</b> 0.0	Red coloured non- chlorinated plastic bags or containers	Andrew Care
3	White (Translucent)	Wastesharps including Metals	/1500.0	Functure proof.  Leak proof, tamper  proof container	
4	Blue	a) Glässware b) Metallic bödy implants	50.0	Leak proof and puncture, proof boxes with Blue colored marking	

Printipal
RIDDHIVINAYAK COLLEGE OF
NURGING (RVHSPCT),
Nallasopara (N), Diet Palghar af 1780



# Schedule-V General Conditions

## The following general conditions shall apply as per the type of the industry

- 1) You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) You should monitor effluent quality, stack emissions, noise and ambient air quality quarterly.
- 3) You shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 4) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 5) You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 6) You shall submit, the Environmental Statement Report for the financial year ending 31" March in the prescribed Form V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992 to Regional Office, Thane, the 30th day of September every year.
- 7) You shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW Rules 2016, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose in order to reduce load on incineration and landfill site/environment.
- 8) You shall comply with the Hazardous Waste Rules, 2016, and submit the Annual Returns to RO. Thank as per Rule Hazardous Waste Rules, 2016 for the preceding year April to March in Form IV by 30th June of every year.
- 9) An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.

Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).

11) You shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.

- 12) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 13) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
- 14) You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 15) You should not cause any nuisance in surrounding area.
- 16) You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB.

  (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 17) You shall maintain good housekeeping.
- 18) You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement to Regional Office, Thane by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end
- 19) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 20) You shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. You will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 21) You shall submit Six Monthly statement in respect of obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
- 22) You shall submit official e-mail address and any change will be duly informed to the MPCB, forthwith.
- 23) You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended
- 24) You shall observe provisions of E-waste (Management and Handling) Rules 2011 and Battery Waste (Management and Handling) Rules 2001, as amended.

waste (ivianagement and manufing) ivutes 20

---0000---