

Maharashtra University of Health Sciences, Nashik
Inspection Committee Report for Academic Year 202----202---

Clinical Material in Hospital

Name of College/Institute..... Riddhi Vinayak College of Nursing.
Faculty..... Nursing

HOSPITAL DETAILS

| Sr. No. | Particulars to be verified | Particular | Adequate/ Inadequate |
|---|--|---|----------------------|
| 1 | The Institute / College shall execute a MoU with any institute for affiliation of hospital in addition to minimum 100 bedded own/parent Hospital (Affiliated hospital must be 50 bedded or more.) To be made available on web site | <u>MOU Made as per the requirement.</u> | <u>Adequate.</u> |
| a. | Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.: Copy to be made available on web site | | |
| b. | Student Bed Ratio for UG & PG to be verified:(As per MSR) Calculate at Actual | <u>2:1</u> | <u>Appropriate.</u> |
| c. | Average Bed Occupancy in % : (Minimum 75%) | <u>83%</u> | |
| d. | Clinical facilities for PG to be verified:-(As per MSR) | <u>← N.A. →</u> | |
| | (i) Whether OPD is functioning to be verified (ii) Total No of OPD (on the day of inspection) (iii) Average Number of patients attending OPD(current year) (iv) Average Number of Delivery (Current year) (v) Average Number of abnormal Delivery (Current year) | <u>yes</u> | <u>Adequate.</u> |
| <ul style="list-style-type: none"> As per Central Council Norms/ University Norms, above Infrastructure must be available at College. If Infrastructure is available, then mark "Adequate"& do not attach any Documents it should be available on college website In case of "Inadequate", it must be marked as "Inadequate" with evidence. To be submit to university with report | | | |

Here we declare all relevant document uploaded are clear and visible on web site & are true as per my knowledge & Belief
Any Other, Please Specify:-

Date:-

Chairman of LIC

Member Of LIC



Dean/ Principal Stamp & Signature
Principal
RIDDHI VINAYAK COLLEGE OF NURSING
Nallasopara (W), Dist. Palghar 401 203.


स्वातंत्र्याचा अमृत महोत्सव

मुख्य

ता. वर



३०५.



दूरध्वनी : ०२५०-२५२५१०१/०२/०३/०४/०५/०६
फॅक्स : ०२५०-२५२५१०७
ई-मेल : vasaivirarcorporation@yahoo.com

जायक क्र. : व.वि.श.म. / २४/५ / २४/२२
दिनांक : ०८/०५/२०२२

Annexure- III
Form - C

**Certificate of Registration under Section 5 of the Bombay Nursing Homes
Registration Act, 1949 & Amendment 2006**

(नियम ५ अन्वये) (Under Rule 5)

नोंदणी क्रमांक/ Reg. No.: VVCMC/C-H-138/2013.

दि चोंबे नर्सिंग होम्स रजिस्ट्रेशन ॲक्ट, १९४९ (सुधारणा २००६) अन्वये श्री./श्रीमती --
डॉ. वेंकट गोचल (एम.डी., डी.एम. (कार्डिओलॉजी)) यांचे “ रिद्धी विनायक मल्टीस्पेशलिटी
हॉस्पिटल ”, ‘ प्लॉट नं.३०२, नालासोपारा-विरार लिंक रोड, रेल्वे कारशेडच्या चाजूला,
नालासोपारा (प.) ’ येथील नर्सिंग होम/मॅटर्निटी होम नोंदणी केले असून सदरचे नर्सिंग होम व मॅटर्निटी होम
चालविण्यास प्रमाणपत्र देण्यात येत आहे.

This is to Certify that Shri/ Shrimati - Dr. Venkat Goyal (M.D., D.M.,
(Cardiology)) has been registered under The Bombay Nursing Home Registration Act 1949
(Amendment 2006) in respect of “ **RIDDHI VINAYAK MULTISPECIALITY
HOSPITAL**” Situated at ‘ Plot No. 302, Nallasopara-Virar Link Road, Beside Railway
Carshed, Nallasopara (W.) ’ and has been authorised to carry on the said Nursing Home.

नोंदणी क्र.: वचिशम/सी-एच-१३८/२०१३
Registration No. VVCMC/C-H-138/2013

प्रसूतीसाठी खाटा : २० P.I.C.U. - 06
Maternity Beds : 20 I.C.C.U. - 21

नोंदणी दिनांक.: ०१/०४/२०२२
Date of Registration: 01/04/2022
ठिकाण /Place: विरार/ Virar

इतर रुग्णासाठी खाटा : १२९ N.I.C.U. - 04
Other Patients Bed : 129 Dialysis - 20
एकूण खाटा Total Beds: २००/२००

प्रमाणपत्र दिल्याचा दिनांक: ०८/०५/२०२२

Date of issue of Certificate: 16/05/2022

प्रमाणपत्र दिनांक ३१ मार्च २०२५ पर्यंत कार्यवाहीत राहील.


**RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),**

Nallasopara (W), Dist. Palghar 401 203.



(डॉ. भक्ती चौधरी)

प्रभारी वैद्यकीय आरोग्य अधिकारी



[विशेष-च. भा. (मु. वा. वि.) २-म.



82

नौदण्डिय प्रमाणपत्र

याद्वारे प्रमाणपत्र देण्यात येते की, खाली द्यांत दिलेली सार्वजनिक विद्वत्स्तव्यवस्था ही आज, मुंबई सार्वजनिक विद्वत्स्तव्यवस्था अधिनियम, १९५० (सन १९५० चा मुंबई अधिनियम क्रमांक २९) या अन्वये मुंबई विद्यापीठ विकास सुंदर येथील सार्वजनिक विद्वत्स्तव्यवस्था नोंदणी कार्यालयात योग्य रीतीने नोंदण्यात आलेली आहे.

सार्वजनिक विद्वत्स्तव्यवस्थेचे नाव मुंबई विद्यापीठ
मुंबई विद्यापीठ या विद्वत्स्तव्यवस्थेचे
सार्वजनिक विद्वत्स्तव्यवस्था नोंदणी कार्यालयात क्रमांक २६९७०
श्री. विद्यापीठ यास प्रमाणपत्र दिले.

२०० रोजी मान्यता देण्यात आली आहे.


TRUE COPY



A. KALAM KHAN
Advocate & Notary Govt. of India
Green View CHS. Ltd., Patel Complex,
Behind Amar Palace, Fort
Mira Thane, Maharashtra State

Principal
RIDDHI VINAYAK COLLEGE OF NURSING (RVHSPCT)
Nallasopara (W), Dist. Palghat 401 203

Principal
RIDDHI VINAYAK COLLEGE OF NURSING (RVHSPCT)
Nallasopara (W), Dist. Palghat - 401 203



MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

Date: 21/01/2024

RED/L.S.I

No:- Format1.0/CC/UAN No.0000177435/CO/2401002259

To,
Riddhi Vinayak Multispecialty Hospital
,Virar Nallasopara link Road,
Beside Railway Carshed, Nallasopara (W),
Tal-Vasai, Dist-Palghar,
Palghar-401203
Email:torsylopes@gmail.com
Contact No.:9987124957



Renewal of Combined Consent to Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref: 1. Combined Consent and Bio-Medical Waste Authorization granted by the Board vide no. Formate 1.0/BO/PSO/CC-1906000109 dated 03.06.2019
2. Your application for Combined Consent and Bio-Medical Waste Authorization dated 31/07/2023
3. Minutes of 24th CC meeting held on 23.12.2023

After examining the proposal, The Maharashtra Pollution Control Board hereby renew Combined Consent to Operate and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period-From **13-08-2023 To 12-08-2025**
2. The capital investment of the HCF is **₹846.79 Lakhs** (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 19670.00 M² with Built-up area 1982.98 M².
4. **Activities Included**
 - a. Total Number of Beds : **200 Nos.** (As per BNH certificate no. 138 valid upto 31-03-2025)
 - I. ICU/ICU Beds : **31 Nos**
 - II. Maternity Beds : **20 Nos**
 - III. Other Beds : **149 Nos**

Principal
**RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203.**



5. Conditions under the Water (P&CP) Act, 1974:-

1. Quantity of total water consumption shall not exceed 30 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act, 1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

| Sr No | Type of Waste | HW Category no. | Quantity | UOM | Disposal |
|-------|---------------|-----------------|----------|-----|----------|
| | | NA | | | |

8. Conditions under Solid Waste-Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Touch N Glow, Palghar** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).

10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.

11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. You shall submit the bank guarantee of INR 1.5 lakh towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Thane within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice
18. Balance fees of Rs 70000/- from the previous CCA dated 03.06.2019 is considered in this renewal.



Disnazy



Signed by: Dr. Avinash Dhakne
Member Secretary
For and on behalf of
Maharashtra Pollution Control Board
ms@mpcb.gov.in
2024-01-21 15:30 IST

Received Consent/Authorization fee of -

| Sr.No | Amount(Rs.) | Transaction/DR.No. | Date | Transaction Type |
|-------|-------------|--------------------|------------|------------------|
| 1 | 125000.00 | MPCB-DR-20557 | 31/07/2023 | NEFT |

Balance amount of Rs. 140000 will be considered at the time of next renewal of consent.

Copy to:

1. Regional Officer, MPCB, Thane and Sub-Regional Officer, MPCB, Thane II
- - They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

Principal
Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203.



AKC

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

| Sr. No. | Purpose for water consumed | Water consumption quantity (CMD) |
|---------|--|----------------------------------|
| 1. | Industrial Cooling, spraying in mine pits or boiler feed | 0.00 |
| 2. | Domestic purpose | 30.00 |
| 3. | Processing whereby water gets polluted & pollutants are easily biodegradable | 0.00 |
| 4. | Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic | 0.00 |
| 5. | Other such as agriculture, gardening, etc. | 0.00 |

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

| Sr. No. | Description | Permitted quantity of discharge (CMD) | Standards to be achieved | Disposal |
|---------|-----------------|---------------------------------------|--------------------------|---------------------|
| 1 | Domestic Sewage | 20 | As per clause 'C' | To Municipal Sewers |
| 2 | Trade effluent | 0 | As per clause 'C' | NA |

- C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below:

| Sr. No. | Parameters | Discharge Standards applicable | |
|---------|------------------------|--|--|
| | | Limiting Concentration in mg/except for pH | |
| 1 | pH | 6.5-9.0 | |
| 2 | Oil & Grease | 10 | |
| 3 | BOD (3 days 27°C) | 30 | |
| 4 | COD | 250 | |
| 5 | Total Suspended Solids | 100 | |
| 6 | Bio-Assay Test | 90 % survival of fish after 96 hours in 100 % effluent | |

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

Principal
 RIDDHI VINAYAK COLLEGE OF
 NURSING (RVHSPCT),
 Nallasopara (W), Dist. Palghar 401 203.




(Signature)

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

| Sr. No. | Stack Attached to | Fuel Type | Quantity | Stack Height (Mtr) |
|---------|-------------------|-----------|--------------|--------------------|
| 1 | DG set 160 KVA | Diesel | 20.00 Ltr/Hr | 4.00 |

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.


Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203.





SCHEDULE-I**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

| Sr. No | Category | Type of Waste | Quantity not to exceed (Kg/Month) | Segregation Colour coding | Treatment & Disposal |
|--------|---------------------|---|-----------------------------------|--|--|
| 1 | Yellow | a) Human Anatomical waste | 300.00 | Yellow coloured non- chlorinated plastic bags. | Bio medical Waste shall be sent to MPCB authorized BMW-CTF Touch N Glow, Palghar Palghar |
| | | b) Animal Anatomical Waste | 0.00 | | |
| | | c) Soiled Waste | 100.00 | | |
| | | d) Expired or Discarded Medicines | 79.00 | | |
| | | e) Chemical Waste | 0.00 | | |
| | | f) Chemical Liquid Waste | 0.00 | Separate collection system leading to effluent treatment system. | |
| | | g) Discarded linen, mattresses, beddings contaminated with blood or body fluid. | 100.00 | Yellow coloured non - chlorinated plastic bags or suitable packing material. | |
| | | h) Microbiology Biotechnology and other clinical laboratory waste | 0.00 | Autoclave safe plastic bags or containers. | |
| 2 | Red | Contaminated waste (Recyclable) | 1915.41 | Red coloured non chlorinated plastic bags or containers. | Bio medical Waste shall be sent to MPCB authorized BMW-CTF Touch N Glow, Palghar Palghar |
| 3 | White (Translucent) | Waste sharps including Metals | 41.72 | Puncture proof, Leak proof, tamper proof container. | Bio medical Waste shall be sent to MPCB authorized BMW-CTF Touch N Glow, Palghar Palghar |
| 4 | Blue | a) Glassware | 406.62 | Puncture proof, Leak proof with Blue coloured marking. | Bio medical Waste shall be sent to MPCB authorized BMW-CTF Touch N Glow, Palghar Palghar |
| | | b) Metallic body implants | 0.00 | | |

Principal
RIDDHI VINAYAK COLLEGE OF NURSING (RVHSPCT),
 Nallasopara (W), Dist. Palghar 401 203.



SCHEDULE-I**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

| Sr. No | Category | Type of Waste | Quantity not to exceed (Kg/Month) | Segregation Colour coding | Treatment & Disposal |
|--------|---------------------|---|-----------------------------------|--|--|
| 1 | Yellow | a) Human Anatomical waste | 300.00 | Yellow coloured non- chlorinated plastic bags. | Bio medical Waste shall be sent to MPCB authorized BMW-CTF Touch N Glow, Palghar Palghar |
| | | b) Animal Anatomical Waste | 0.00 | | |
| | | c) Soiled Waste | 100.00 | | |
| | | d) Expired or Discarded Medicines | 79.00 | | |
| | | e) Chemical Waste | 0.00 | | |
| | | f) Chemical Liquid Waste | 0.00 | Separate collection system leading to effluent treatment system. | |
| | | g) Discarded linen, mattresses, beddings contaminated with blood or body fluid. | 100.00 | Yellow coloured non - chlorinated plastic bags or suitable packing material. | |
| | | h) Microbiology Biotechnology and other clinical laboratory waste | 0.00 | Autoclave safe plastic bags or containers. | |
| 2 | Red | Contaminated waste (Recyclable) | 1915.41 | Red coloured non chlorinated plastic bags or containers. | Bio medical Waste shall be sent to MPCB authorized BMW-CTF Touch N Glow, Palghar Palghar |
| 3 | White (Translucent) | Waste sharps including Metals | 41.72 | Puncture proof, Leak proof, tamper proof container. | Bio medical Waste shall be sent to MPCB authorized BMW-CTF Touch N Glow, Palghar Palghar |
| 4 | Blue | a) Glassware | 406.62 | Puncture proof, Leak proof with Blue coloured marking. | Bio medical Waste shall be sent to MPCB authorized BMW-CTF Touch N Glow, Palghar Palghar |
| | | b) Metallic body implants | 0.00 | | |

Principal
RIDDHI VINAYAK COLLEGE OF NURSING (RVHSPCT),
 Nallasopara (W), Dist. Paighar 401 203.





SCHEDULE-III

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

| Sr.No | Activity / Condition to be Complied | Compliance Timeline (Months) | Bank Guarantee Amount |
|--------------|--|-------------------------------------|------------------------------|
| 1A | Operation and Maintenance | | |
| 1 | To Segregate and Handle BMW as per Schedule I | Continuous | 50,000.00 |
| 2 | Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards | Continuous | 50,000.00 |
| 1B | Records | | |
| 1 | To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year | Continuous | 25,000.00 |
| 2 | To maintain records of BMW handed over to CBMWTF | Continuous | 25,000.00 |
| Total | | | 1,50,000.00 |

Note: You shall extend the existing-submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.


Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Paighar 401 203.



SCHEDULE-IV

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Thane.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

Principal
KIDDI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Palghar (W), Dist. Palghar 401 203.
401203
KIDDI VINAYAK COLLEGE OF NURSING
Palghar
401203
Killasopara





14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.



Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203.

Principal
RIDDHIVINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203.



मुख्य कार्यालय, विरार (पूर्व)

दुरध्वनी : ०२५०-२५२५१/०१/०२/०३/०४/०५/०६

ई-मेल: vasavirarcorporation@yahoo.com

ता.वसई, जि.पालघर- ४०१ ३०५



अग्निशमन व आपत्कालीन सेवा विभाग

मुख्य कार्यालय आचोळे, वसई (पूर्व)

भ्रमणध्वनी क्र.१८२२३२१६८४

ता.वसई, जि.पालघर- ४०१ २०९

ई-मेल: fire.vvmc@gov.in

जा.क्र.: व.वि.श.म./अग्नि/मुका/ ३४९६ /२०२४

दिनांक : १६/०३ /२०२४.

ना हरकत दाखला

प्रति,

मे.रिद्धीविनायक मल्टीस्पेशलिटी हॉस्पिटल,

प्लॉट नं.३०२, वशवंत गौरव,

रेल्वे कारशेड मार्ग, नालासोपारा (पश्चिम),

ता.वसई जि.पालघर



संदर्भ:- १) मे. रिद्धीविनायक मल्टीस्पेशलिटी हॉस्पिटल यांचा दि.०७/०३/२०२४ रोजीचा अर्ज.

२) नोंदणीकृत अनुज्ञाप्रीधारक अभिकरणाच्या परवानाची प्रत.

३) उपलब्ध अग्निशमन यंत्रणांचे प्रमाणपत्र

४) उपलब्ध अग्निशमन यंत्रणेचे आय एस आय प्रमाणपत्र

५) अग्निशमन यंत्रणेचे रंगीत छायाचित्र.

६) टॅक्स पावती, करारनामा प्रत

७) महाराष्ट्र प्रदुर्षण नियंत्रण मंडळाचे प्रमाणपत्र

८) अंतर्गत रचना केलेला नकाशा

९) व्यवसायाच्या ठिकाणाचा नकाशा

१०) विज संघ मांडणीचे वीज परिक्षण केलेले प्रमाणपत्र

११) अग्निशमन यंत्रणा वापरात असल्या बाबतचे हमी पत्र प्रत.

१२) इमारतीचे स्ट्रक्चरल स्टेबिलिटी प्रमाणपत्र

१३) एअर कंडिशनड (वाताणुकुलीत यंत्रणा) देखभाल दुरुस्तीचे प्रमाणपत्र

१४) लिफ्ट (उद्धवाहक) देखभाल दुरुस्तीचे प्रमाणपत्र

१५) अग्निशमन विभागाची प्रत्यक्ष स्थळ पाहणी दि.०६/०३/२०२४.

वसई-विरार शहर महानगरपालिकेचे कार्यक्षेत्रात, अग्निशमन विभागात सादर केलेल्या अर्जांनुसार " मे. रिद्धीविनायक मल्टीस्पेशलिटी हॉस्पिटल " (१५७१७.९८ चौ.मि.) या नावाने सुरु केलेल्या व्यवसायाच्या ठिकाणी करावयाची अग्निसुरक्षा व्यवस्था व सार्वजनिक सुरक्षिततेच्या दृष्टीने घ्यावयाच्या खबरदारीचे अनुषंगाने अग्निशमन यंत्रणेची तपासणी करून या विभागाच्या खालील शर्ती व अटीची पूर्तता करण्याचे अधिन राहून केवळ दिलेल्या तारखेपासून फक्त ३१/१२/२०२४ या कालावधीसाठी अग्निशमन तांत्रिक अभिप्राय देण्यात येत असून तदनंतर नूतनीकरण करणे बंधनकारक राहिल.

"महाराष्ट्र आग प्रतिबंधक व जिवसंरक्षक उपाययोजना अधिनियम २००६ अन्वये अधिनियमाच्या कलम ३ च्या पोटकलम (१) मध्ये विनिर्दिष्ट केल्याप्रमाणे इमारतीमधील आग प्रतिबंधक जीवसंरक्षक उपाययोजना सदैव कार्यान्वीत ठेवणे आपणास बंधनकारक आहे. कलम ३ (३) नुसार सदर यंत्रणा सदैव सुरक्षित व कार्यक्षम ठेवणे बंधनकारक आहे.

१. व्यवसाय इमारतीत दोन जीने, पॅसेज इत्यादी भाग जसे आता मोकळे आहेत. तसे ते कायम स्वरूपी मोकळे राहतील याची दक्षता घ्यावी
२. व्यवसायस्थळी बाहेर पडण्याचे मार्ग चिन्हाने दर्शविण्यात आलेले आहेत तसे ते कायम स्वरूपी दिसतील याची खबरदारी घ्यावी.
३. व्यवसायस्थळी सधा करण्यात आलेली विद्युत व्यवस्था सदैव सुस्थितीत राहिल याची खबरदारी घेण्यात यावी.
४. व्यवसायस्थळी आवश्यकतेनुसार अधिक विद्युत व्यवस्था करावयाची असल्यास ती स्पार्कप्लूफ व आपोआप खंडीत होणारी असावी व ती आय.एस.आय मार्क प्रमाणित साहित्याने परिपूर्ण असावी. तसेच मान्यताप्राप्त विद्युत ठेकेदारांकडून करून घेऊन ती पूर्णतः सुरक्षित असल्याचे प्रमाणपत्र घ्यावे.
५. दोन रुग्णांच्या मध्ये पार्टीशनचे पडदे आग प्रतिरोधक साहित्याचे (Fire Retardant Material) बसविण्यात आलेले आहेत. ते सदैव तश्याच प्रकारचे असावेत. याची खबरदारी घेण्यात यावी.

Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203.





Touch N Glow

P.No. 31, Bidco Indl Estate, Chintupada,
Palghar, Dist. Palghar - 401404



TOUCH N GLOW

Maharashtra Pollution Control Board
Palghar Region, Palghar

Emergency Mobile No. : 9226316909,

e-mail: info@touchnglow.in

Unique Registration No. TNG/2023/03659



Offline QR Code

Registration Certificate



Online QR Code

Outward No.: TNG /2023/3544

Date: 21-07-2023

This is to certify that, **Riddhi Vinayak Multi Speciality Hospital, at Plot No.302, Near Railway Carshed, Ahead Of Fun Flesta, Nallasopara (W), Nallasopara, Maharashtra 401203** is registered with **M/s. Touch N Glow, Palghar** for Management of Bio Medical Waste in accordance with, the provision of **Bio Medical Waste Management Rules, 2016, as amended** and in compliance with the provisions of **CPCB guidelines**.

- 1. Authorized Person of HCE (Name and Designation) : Dr. Venkat Goyal
Doctor
- 2. Bombay Nursing Home Act Registration Details
 - a. BNH Registration Number : VVM/MC/C-II-138/2013
 - b. BNH Issue Date : 25-06-2021
 - c. Total Number of Beds : 60 Beds
 - d. BNH Validity (Form 'C') : 31-03-2025
- 3. Common Treatment Facility Registration Details
 - a. Date of Registration : 13-08-2018
 - b. No. of Beds Registered : 60 Beds
 - c. Registration Validity : 31-07-2025
- 4. Renewal of CTF Membership (if Applicable)
 - a. Renewal Date : 31-07-2025
 - b. No. of Beds : 60 Beds
- 5. MPCB Consent (Establish/ 1st Operate/Renewal) Details
 - a. Consent / CCA Number : NA
 - b. Issue Date : 01-01-0001
 - c. Validity up to : 01-01-0001

Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203.



Authorized Signature

Name : Mr. Nilesh Patil
Designation : Partner



Note: HCE shall display copy of Registration Certificate at Front Desk and Temporary BMW Storage area.

मिरा भाईंदर महानगरपालिका
MIRA-BHAINDAR MUNICIPAL CORPORATION

कार्यालय : स्व. इंदिरा गांधी भवन, छत्रपती शिवाजी महाराज मार्ग, भाईंदर (प.), ता. जि. ठाणे - ४०१ १०१.

दूरध्वनी: 022-28192828 / 28193028 / 28181183 / 28181353 / 28145985

ईमेल: mbmcho@gmail.com वेबसाईट: www.mbmc.gov.in

मुख्य कार्यालय

स्वातंत्र्याचा अमृत महोत्सव

दिनांक: 30/03/2022

क्र. मिभा / मनपा / 12323 / 2022-23

FORM 'C' - RENEWAL

SEE RULE - 5

This is to certify that DR. MADHAVI GOYAL has been registered under the Bombay Nursing Home Registration Act 1949 in respect PADMAVATI MATERNITY & NURSING HOME Situated at 209,210,211,213,213-A,215,216, 2nd Floor, Ostwal Ornèt, Building No.02, Opp Jain Temple, Jesal Park, Bhaïndar (E) and has been, authorized to carry out the said nursing home.

Registration No : MH/THN/MBMC/2022 - 92

Date of Renewal : 06/03/2022

Place : Head Office, M.B.M.C.

No. of Beds : 17

Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203.

This certificate of Renewal of Registration shall be valid upto- 31st MARCH 2025

However this registration shall stand cancelled, if any of the conditions which are considered while granting the registration are found to be breached.

Date: - 30/03/2022



(Dr. Nandkishor Lahane)
Medical Officer of Health

Mira Bhaïndar Municipal Corporation



"आपली जबाबदारी व अधिकार, मजबूत होण्याचा आधार"



Principal
RIDDHIVINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 022- 25829582
Fax: 022- 25805398
Website: <http://mpcb.gov.in>
Email: srothane2@mpcb.gov.in



Plot No. P - 30, 5th floor,
Office Complex Mulund
Checknaka , Thane.

ORANGE/S.S.I

Date: 23/11/2023

No:- Format1.0/SRO/UAN No.0000183486/CO/2311001946

To,
M/s. Padmawati maternity and nursing home
209,210,211,213, A-213,215,216, 2nd Floor,
Ostwal Ornate Bldg. No.02, Opp. Jain Temple,
Jesal Park, Bhayander (E) - 401105
Email:padmavatihospital@gmail.com
Contact No.:9820094036



Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref: 1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no.MPCB-CONSENT-0000183486
2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 07/10/2023

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **01-01-2024 To 31-12-2027**
2. The capital investment of the HCF is **₹15.55 Lakhs** (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 1500.00 M² with Built-up area 1400.00 M².
4. **Activities Included**
 - a. Total Number of Beds : **17 Nos.** (As per BNH certificate no. MH THN MBMC 2022 92 valid upto 31-03-2025)
 - I. General Beds : **5 Nos.**
 - II. ICCU/JCU Beds : **1 Nos**
 - III. Operation Theatre : **1 Nos**
 - IV. Maternity Beds : **5 Nos**
 - V. Other Beds : **5 Nos**

Principal

BIDDHIVINAYAK COLLEGE OF NURSING (RVHSPCT),

Nallasopara (W), Dist. Palghar 401 203.

Principal
BIDDHIVINAYAK COLLEGE OF NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203



5. Conditions under the Water (P&CP) Act, 1974:-

1. Quantity of total water consumption shall not exceed 2 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act,1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundry Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

| Sr No | Type of Waste | HW Category no. | Quantity | UOM | Disposal |
|-------|---------------|-----------------|----------|-----|----------|
| | | NA | | | |

8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
 2. You shall segregate and handover BMW to BMW T&D CTF **Touch N Glow, Palghar** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
 3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
 4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
- 10.** You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.



11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. Combine Consent & Authorization is granted subject to HCE shall renew/extend the membership of CBMWTSDF and certificate under Bombay Nursing Home Act time to time.



[Handwritten Signature]

99653d2
589ad133
0e13a428
a25b53a0
97540127
d5eed3a5
99138921
2db51e94

Signed by: Shri Anand Khatke
Sub Regional Officer
For and on behalf of
Maharashtra Pollution Control Board
strothane2@mpcb.gov.in
2023-11-23 08:22:56 IST

Received Consent/Authorization fee of -

| Sr.No | Amount(Rs.) | Transaction/DR.No. | Date | Transaction Type |
|-------|-------------|--------------------|------------|------------------|
| 1 | 4500.00 | TXN2310001115 | 07/10/2023 | Online Payment |
| 2 | 8334.00 | TXN2311002498 | 20/11/2023 | Online Payment |

Copy to:

1. Regional Officer, MPCB, Thane for Information.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

[Handwritten Signature]

Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (W) (PCT),
Nallasopara (W), Palghar 401 203.



[Handwritten Signature]
Principal
RIDDHIVINAYAK COLLEGE OF
NURSING (W) (PCT),
Nallasopara (W), Palghar 401 203



Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

| Sr. No. | Purpose for water consumed | Water consumption quantity (CMD) |
|---------|--|----------------------------------|
| 1. | Industrial Cooling, spraying in mine pits or boiler feed | 0.00 |
| 2. | Domestic purpose | 2.00 |
| 3. | Processing whereby water gets polluted & pollutants are easily biodegradable | 0.00 |
| 4. | Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic | 0.00 |
| 5. | Other such as agriculture, gardening, etc. | 0.00 |

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

| Sr. No. | Description | Permitted quantity of discharge (CMD) | Standards to be achieved | Disposal |
|---------|-----------------|---------------------------------------|--------------------------|--------------|
| 1. | Domestic Sewage | 1.5 | As per clause 'C' | 100% Recycle |
| 2. | Trade effluent | 0 | As per clause 'C' | 100% Recycle |

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

| Sr. No. | Parameters | Discharge Standards applicable | |
|---------|------------------------|--|--|
| | | Limiting Concentration in mg/except for pH | |
| 1. | pH | 6.5-9.0 | |
| 2. | Oil & Grease | 10 | |
| 3. | BOD (3 days 27°C) | 30 | |
| 4. | COD | 250 | |
| 5. | Total Suspended Solids | 100 | |
| 6. | Big-Assay Test | 90 % survival of fish after 96 hours in 100 % effluent | |

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RV/HSPCT)

Nallasopara (W) Dist. Palghar 401 203.



(Handwritten signature)



SCHEDULE-I

Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below.

| Sr. No | Category | Type of Waste | Quantity not to exceed (Kg/Month) | Segregation Colour coding | Treatment & Disposal |
|--------|---------------------|---|-----------------------------------|--|--|
| 1 | Yellow | a) Human Anatomical waste | 5.00 | Yellow coloured non-chlorinated plastic bags. | Bio medical Waste shall be sent to MPCB authorized BMW-CTF Touch N Glow, Palghar Palghar |
| | | b) Animal Anatomical Waste | 0.00 | | |
| | | c) Spilled Waste | 4.00 | | |
| | | d) Expired or Discarded Medicines | 0.00 | | |
| | | e) Chemical Waste | 4.00 | | |
| | | f) Chemical Liquid Waste | 1500.00 | Separate collection system leading to effluent treatment system. | |
| | | g) Discarded linen, mattresses, beddings contaminated with blood or body fluid. | 0.00 | Yellow coloured non-chlorinated plastic bags or suitable packing material. | |
| | | h) Microbiology, Biotechnology and other clinical laboratory waste | 0.00 | Autoclave safe plastic bags or containers. | |
| 2 | Red | Contaminated waste (Recyclable) | 3.00 | Red coloured non-chlorinated plastic bags or containers. | Bio medical Waste shall be sent to MPCB authorized BMW-CTF Touch N Glow, Palghar Palghar |
| 3 | White (Translucent) | Waste sharps including Metals | 2.00 | Puncture proof, Leak proof, tamper proof container. | Bio medical Waste shall be sent to MPCB authorized BMW-CTF Touch N Glow, Palghar Palghar |
| 4 | Blue | a) Glassware | 1.00 | Puncture proof, Leak proof with | Bio medical Waste shall be sent to MPCB authorized BMW-CTF Touch N Glow, Palghar Palghar |
| | | b) Metallic body implants | 1.00 | Blue coloured marking. | |

Principal
RIDHI VINAYAK COLLEGE OF NURSING (RVHSPT)
 Nallasopara (W), Dist. Palghar 401 203



SCHEDULE-II

Responsibilities of the Health Care Facility

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility Touch N Glow, Palghar and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Thane and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

[Handwritten signature]

Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203.



[Handwritten signature]



SCHEDULE-III**Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

| Sr.No | Activity / Condition to be Complied | Compliance Timeline (Months) | Bank Guarantee Amount |
|-------------------------------------|--|------------------------------|-----------------------|
| 1A Operation and Maintenance | | | |
| 1 | To Segregate and Handle BMW as per Schedule I | Continuous | 25,000.00 |
| 2 | Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards | Continuous | 25,000.00 |
| 1B Records | | | |
| 1 | To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year | Continuous | 15,000.00 |
| 2 | To maintain records of BMW handed over to CBMWTF | Continuous | 10,000.00 |
| 2 Performance | | | |
| 1 | To provide BMW separate storage facility as per guide lines of CPCB | Continuous | 25,000.00 |
| Total | | | 1,00,000.00 |

Note: You shall extend the previously submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.


Principal

**RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPT),
Nallasopara (W), Dist. Raichur-581 203.**







SCHEDULE-IV

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Thane.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated: 16/11/2009 as amended.

Principal
RIDDH VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203.



14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.

Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203



Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203



MAHARASHTRA

2023

79AA 331316

प्रधान मुद्रांक कार्यालय, मुंबई
प.मु.वि.क. ८००००२६

16 NOV 2023

सक्षम अधिकारी C

MOU WITH PADMAWATI MATERNITY AND NURSING HOME

This Agreement entered into this 01st day of January, 2024 between Dr. Madhvi V. Goyal, of Padmawati Maternity and Nursing Home, located at 215/16, 2nd floor, Ostwal Ornate, Bhayandar East, Thane – 401105 (Opposite Jain Temple, Above Karnataka Bank, Jesal Park), hereby which will be referred to as the "First Party"

AND

RIDDHI VINAYAK MULTISPECIALTY HOSPITAL, located at Plot No: 302, ahead of Fun Fiesta Multiplex, Yashwant Gaurav Road, Nallasopara (W), Dist: Palghar 401203, associated with RIDDHI VINAYAK HOSPITAL SERVICES PUBLIC CHARITABLE TRUST, referred to as the "Second Party"

Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203




..2..


Whereby, the First party located at about five Kms. Distances from the Second party, will allow nursing students from Second party to come to its clinic for clinical examination / learning practically about the patients coming there and also will be sending its patients to the Second party in case they are in any kind of medical emergency.

The period of Agreement will be 4 years from the date of commencement i.e., upto 1st December 2027, whereby it will be reviewed and continued further with mutual understanding and consent.

1) SIGNED AND SEALED

By the within named
Padmawati Maternity and Nursing Home,
Through Dr. Madhvi V. Goyal
Then "First Party"


Dr. (Mrs) MADHVI V. GOYAL
M.S. (Obst. & Gynaec.)
Reg. No. 071481


Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203.

2) SIGNED AND SEALED

RIDDHI VINAYAK MULTISPECIALTY HOSPITAL
Through DR. VENKAT S. GOYAL
The "Second Party"


Dr. VENKAT S. GOYAL
MD., DM.(CARDIOLOGY)
Consultant Cardiologist
Reg. No. 071481

RIDDHI VINAYAK MULTISPECIALTY HOSPITAL
Plot No. 302, Behind Railway Carshed,
Ahead Of Fun-fiesta Multiplex on,
Yashwant Gaurav Road, Nallasopara (W),
Pin - 401 203. Dist. Palghar.





अग्निशमन दल

मह. राज्य शासना भवन महाराष्ट्री मन्त्र मंडळ, माईदर पश्चिम. ना. जि. ठाणे
दुबई २०१९०३०/१०१



जाक/विधा/मनवा/अग्नि/११०१/२०१९-२०

दिनांक : १३/११/२०२०

॥ ना तरकल नुर्नाकरणी प्रमाणपत्र ॥


श्रीम,

म. पद्मवार्ता मॅटर्नटी अँड नर्सिंग सोम

२०९, २१०, २११, २१३, २१४-अ, २१५, २१६

दुबई मन्त्रालय, आग्नेय अर्बेट इमारत क्र. २

म. पश्चिम मंडळ, मन्त्र मंडळ, माईदर (पूर्व) ना. जि. ठाणे



- मंद्य :- १) म. पद्मवार्ता मॅटर्नटी अँड नर्सिंग सोम यांच्या ऊद्देश वि १२/०१/२०१९ मधील अर्ज.
- २) जाक. मनवा/अग्नि/१२००/२०१९-१९ दि. १३/०१/२०१९ मधील ना तरकल शासना नुर्नाकरणी
- ३) म. विजय फायर मॅटर्नटी अँड नर्सिंग सोम यांच्याकडील दि. ०१/०१/२०२० मधील प्रमाणपत्र

शासना मन्त्रालय विरुद्धात आपणा यांच्याकडील अर्ज, आपण २०९, २१०, २११, २१३-अ, २१५, २१६ दुबई मन्त्रालय, आग्नेय अर्बेट इमारत क्र. २, मन्त्र मंडळ, माईदर (पूर्व) ना. जि. ठाणे या ठिकाणी असलेल्या "म. पद्मवार्ता मॅटर्नटी अँड नर्सिंग सोम" या शासनाच्याकडील अग्निशमन विभागाकडून ना तरकल प्रमाणपत्र प्राप्त झालेले नाही. यदीय ना तरकल शासना नुर्नाकरणी काम निष्पत्तीत प्रस्ताव सादर करावा.

आपणा सादर केलेल्या अर्जाकडून २०९, २१०, २११, २१३-अ, २१५, २१६ दुबई मन्त्रालय, आग्नेय अर्बेट इमारत क्र. २ मन्त्र मंडळ, माईदर (पूर्व) ना. जि. ठाणे या ठिकाणी असलेल्या "म. पद्मवार्ता मॅटर्नटी अँड नर्सिंग सोम" या शासनाच्याकडील शासनाच्याकडून घ्यावी लागेल आणि अग्निशमन विभागाकडून आपण घ्यावे लागेल.

- १) वॉटर फायर एक्झॉन्ग्युअर (अवॉग) - १० नम (५ वि ५)
- २) फायरमन ग्राउंड मॅटर्नटी (अवॉग) - ०२ नम (२ वि ०)
- ३) मॉड अँड वॉटर चकटम - ६ नम
- ४) मॉड ट्रेनिंग - ०३ नम
- ५) मॉड ट्रेनिंग - ६ नम
- ६) फॅन्स - ५ नम
- ७) मॉड ट्रेनिंग - ०२ नम
- ८) इतर - ०२ नम

वरील प्रमाणे सुचवलेल्या आग्नेय अग्निशमन विभागाकडून "म. पद्मवार्ता मॅटर्नटी अँड नर्सिंग सोम" या शासनाच्याकडून घ्यावी लागेल आणि अग्निशमन विभागाकडून आपण घ्यावे लागेल. (म. विजय फायर मॅटर्नटी अँड नर्सिंग सोम) आपणाकडून घ्यावी लागेल आणि अग्निशमन विभागाकडून आपण घ्यावे लागेल.

वरील मन्त्रालय क्र. ३ नुसार "म. पद्मवार्ता मॅटर्नटी अँड नर्सिंग सोम" या शासनाच्याकडून आपणाकडून घ्यावी लागेल आणि अग्निशमन विभागाकडून आपण घ्यावे लागेल. (म. विजय फायर मॅटर्नटी अँड नर्सिंग सोम) यांच्याकडून आपणाकडून घ्यावी लागेल आणि अग्निशमन विभागाकडून आपण घ्यावे लागेल.

मध्य २०९, २१०, २११, २१३, २१४-अ, २१५, २१६ दुबई मन्त्रालय, आग्नेय अर्बेट इमारत क्र. २ मन्त्र मंडळ, माईदर (पूर्व) ना. जि. ठाणे या ठिकाणी असलेल्या "म. पद्मवार्ता मॅटर्नटी अँड नर्सिंग सोम" या शासनाच्याकडून आपणाकडून घ्यावी लागेल आणि अग्निशमन विभागाकडून आपण घ्यावे लागेल.

शासनाच्या अग्निशमन विभागाकडून आपणाकडून घ्यावी लागेल आणि अग्निशमन विभागाकडून आपण घ्यावे लागेल. (म. विजय फायर मॅटर्नटी अँड नर्सिंग सोम) यांच्याकडून आपणाकडून घ्यावी लागेल आणि अग्निशमन विभागाकडून आपण घ्यावे लागेल.



Principal

RIDDHI VINAYAK COLLEGE OF NURSING (RVHSPCT), Nallasopara (W), Dist. Palghar 401 203.

म. मुख्य अग्निशमन अधिकारी
अग्निशमन व आपत्तीबाधणी सेवा
मिना माईदर महानगरपालिका

GOVT. OF MAHARASHTRA



Public Health Department
(PRE-CONCEPTION & PRE-NATAL DIAGNOSTICS TECHNIQUES
(PROHIBITION OF SEX SELECTION) ACT, 2003)

SCHEDULE III
CERTIFICATE OF REGISTRATION

- In exercise of powers conferred under section 19 (1) of pre-natal diagnostic Techniques (Regulation & Prevention of Misuse) Act, 1994, (57 of 1994), the Appropriate Authority MOH VVCMC hereby grant registration to the Genetic Counseling Centre*/Genetic Laboratory*/Genetic Clinic* named below purposes of carrying out Genetic Counseling Pre-natal Diagnostic Procedures*/Prenatal diagnostic Tests as defined in the aforesaid Act for a period of five year sending on 27/08/2027
- This registration is granted subject to the aforesaid Act there under & any contravention there of shall result in suspension or cancellation of this Certificates of Registration before the expiry of the said period of five years

A. Name and address of the Genetic Counseling Centre */Genetic Laboratory*/Genetic Clinic* Ultrasound Clinic*/Imaging Centre* Riddhi Vimayak Multispeciality Hospital

Plot No: 302, Behind W.R. Car shed, on Funfiesta Multiplex Road, Yashwantrao Chavan, Nallasopara (W)

B Name of Applicant for registration Dr. Venkat S. Goyal

- C Name of User :
- Dr. Venkat Goyal Qualification : MBBS; DM Cardiology
 - Dr. Namita Divekar Qualification : MBBS; DMRD
 - Dr. Madhvi V. Goyal Qualification : MBBS; MS (OB/GY)
 - Dr. Anant Rathod Qualification : MBBS; DMRE, CPS

D Pre-natal diagnostic procedures approved for (Genetic Clinic).

- | | |
|---------------------------------|--------------------|
| (i) Ultrasound & 2DEcho | (ii) Amniocentesis |
| (iii) Chorionic vill biopsy | (iv) Foetoscopy |
| (v) Foetal skin or organ biopsy | (vi) Cordocentesis |
| (vii) Other..... | (viii) IVF Center |

E Pre-natal diagnostic tests approved for (Genetic Laboratory).

- | | |
|-------------------------|--------------------------|
| (i) Chromosomal studies | (ii) Biochemical studies |
| (iii) Molecular studies | |

- Model and make of equipments being used 1] WIPRO GE VVIP-E SR-NO: 407371WX4
2] WIPRO LOGIQ V2 SR-NO: 628804WX0
3] SIEMENS ACCUSON X300 PE SR-NO: 343382
4] SIEMENS EMOTIONS 16 CT SR-NO: 32577
- Registration No. allotted VVCMC/NSP/55

5 Period of validity of Registration 05 Years From 28/08/2022 To 27/08/2027

- * Name of User :
- Dr. Rahul Patil - MBBS; DNB (OB/GY)
 - Dr. Ramchand Yadav - MBBS; DMRD



DATE - 26/08/2022



[Signature]
Principal

Signature, Name and Designation of the Appropriate Authority



Form C
Government of Maharashtra
Food And Drug Administration
Food Safety and Standards Authority of India
License under FSS Act, 2006



License Number: 11517019000362



1. Name & Registered Office address of Licensee: M/S-RIDDHI VINAYAK CANTEEN / PROP-VENKAT S GOYAL
RIDDHI VINAYAK MULTISPECIALITY HOSPITAL
PLOT NO-302 YASHWANT GURAV BHND-WR
CARSHED ON FUN FIESTA MULTIPLEX ROAD
NALLASOPARA WEST PALGHAR, Palghar Zone
2, Maharashtra-401203
2. Address of Authorized Premises: RIDDHI VINAYAK MULTISPECIALITY HOSPITAL
PLOT NO-302 YASHWANT GURAV BHND-WR
CARSHED ON FUN FIESTA MULTIPLEX ROAD
NALLASOPARA WEST PALGHAR, Vasai Tahashil,
Palghar, Maharashtra-401203
3. Kind of Business: Food Services - Club/Canteen
4. Dairy Business Details: No
5. Category of License: State License

This license is granted under and is subject to the provisions of FSS Act, 2006 all of which must be complied with by the licensee.

Place: Palghar

Designated Officer

Issued On: 10-09-2022 (Renewal License)

Valid Upto: 09-09-2027 (For details, refer Annexure)

Annexures:

1. Product Annexure
2. Validity Annexure
3. Non-Form C Annexure
4. Conditions Of License

Note:

1. Application for renewal of License can be filed as early as 180 days prior to expiry date of License. You can file application for renewal or modification of License by login into FSSAI's Food Safety Compliance System(<https://foscos.fssai.gov.in>) with your user id and password or call us at 1800112100 for any clarification.
2. This License is only to commence or carry on food businesses and not for any other purpose.
3. This is computer generated license and doesn't require any signature or stamp by authority.



Product Annexure

Form C

Government of Maharashtra
Food And Drug Administration
Food Safety and Standards Authority of India
License under FSS Act, 2006




License Number: 11517019000362

Kind Of Business: Food Services - Club/Canteen

| Sl.No. | Product(s) |
|--------|--|
| 1 | 16 - Prepared Foods |
| 2 | 14 - Beverages, excluding dairy products |




Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203.

Validation And Renewal Annexure



Form C
Government of Maharashtra
Food And Drug Administration
Food Safety and Standards Authority of India
License under FSS Act, 2006



License Number: 11517019000362

| Validity From | Validity Upto | Issued On | Fee Paid | Type | Issuing Authority |
|---------------|---------------|------------|-----------|---------|---------------------------|
| 24-05-2017 | 23-05-2022 | 24-05-2017 | 10000 INR | New | State Licensing Authority |
| 10-09-2022 | 09-09-2027 | 10-09-2022 | 20000 INR | Renewal | State Licensing Authority |

Suspension History

| S.No | History | Date |
|------|---------|------|
| | N/A | |

Current Status of License: License Issued

Note:

1. Application for renewal of License can be filed as early as 180 days prior to expiry date of License. You can file application for renewal or modification of License by login into FSSAI's Food Safety Compliance System(<https://foscoc.fssai.gov.in>) with your user id and password or call us at 1800112100 for any clarification.
2. The Application for renewal of license shall be submitted 30 days prior to the expiry date mentioned above after which Rs. 100 per day will be charged up to the date of expiry.
3. Modification* (if any) denotes the change in the Authority. Issuing Authority mentioned along with Modification* is the Jurisdictional Authority with effect from the date of issuance of modified license.



Principal
 SINDHI VINAYAK COLLEGE OF
 NURSING (RVHSPCT),
 Nallasopara (W), Dist. Palghar 401 203.



Government of Maharashtra
Food And Drug Administration
Food Safety and Standards Authority of India
License under FSS Act, 2006



License Number: 11517019000362

Person in charge of operations

| | | | |
|--------------|---|-----------------------|----------------|
| Name: | VENKAT S GOYAL | Qualification: | M.D/D.M |
| Contact No: | N/A | Mobile No: | 9223186548 |
| Email-ID: | torsylopes@gmail.com | | |
| Address : | RIDDHI VINAYAK MULTISPECIALITY HOSPITAL PLOT NO-302 YASHWANT GURAV BHND-WR CARSHED ON FUN FIESTA MULTIPLEX ROAD NALLASOPARA WEST PALGHAR | | |
| State: | Maharashtra | District: | Palghar Zone 2 |
| Pin Code: | 401203 | Photo Id Card: | Aadhar Card |
| Photo Id No: | ACBPG2936L | Photo Id Expiry Date: | N/A |
| FoSTaC No: | Not Provided | | |

Person responsible for complying with conditions of license (The person must be same as mentioned in Form IX, as per FSS Regulations, 2011)

| | | | |
|--------------|---|-----------------------|----------------|
| Name: | VENKAT S GOYAL | Qualification: | M.D/D.M |
| Contact No: | N/A | Mobile No: | 9223186548 |
| Email-ID: | torsylopes@gmail.com | | |
| Address : | RIDDHI VINAYAK MULTISPECIALITY HOSPITAL PLOT NO-302 YASHWANT GURAV BHND-WR CARSHED ON FUN FIESTA MULTIPLEX ROAD NALLASOPARA WEST PALGHAR | | |
| State: | Maharashtra | District: | Palghar Zone 2 |
| Pin Code: | 401203 | Photo Id Card: | Aadhar Card |
| Photo Id No: | ACBPG2936L | Photo Id Expiry Date: | N/A |

Place: Palghar

Designated Officer

Issued On: 10-09-2022 (Renewal License)

Note: Any change in above details shall be immediately communicated to authorities. You can apply for modification of license for updation of details without any cost through Food Safety Compliance System (<https://foscos.fssai.gov.in>)



Principal
 RIDDHI VINAYAK COLLEGE OF
 NURSING (RVHSPCT),
 Nallasopara (W), Dist. Palghar 401 203.

Condition of License

All Food Business operators shall ensure that the following conditions are complied with at all times during the course of its Food Business.

Food Business Operators Shall:

1. Display a true copy of the license granted in Form C shall at all time at a prominent place in the premises.
2. Give necessary access to licensing authorities or their authorized personnel to the premises.
3. Inform authorities about any change or modifications in activities.
4. Employ at least one technical person to supervise the production process. The person supervising the production process shall possess at least a degree in science with Chemistry/ Bio-chemistry/ Food and nutrition/ Microbiology or a degree or diploma in Food Technology/ Dairy Technology/ Dairy Microbiology/ Dairy chemistry/ Dairy engineering/ Oil technology/ Veterinary science/ Hotel management & Catering technology or any degree or diploma in any other discipline related to the specific requirement of the business from a recognized university or institute or equivalent.
5. Furnish periodic annual return 1st April to 31 st March, with in 31 st May of each year. For collection/ handling/manufacturing of milk and milk product half yearly return also to be furnished as specified.
6. Ensure that no product other than the product indicated in the license / registration is produced in the unit.
7. Maintain factory's sanitary and hygienic standards and workers hygiene as specified in the schedule-4 according to the category of food business.
8. Maintain daily records of production, raw materials utilization and sales separately.
9. Ensure that the source and standards of raw material used are of optimum quality.
10. Food business operator shall not manufacture , store or expose for sale or permit the sale of any article of food in any premises not effectively separated to the satisfaction of the licensing authority from any privy, urine, sullage ,drain or place of storage of foul and waste matter
11. Ensure clean-in-place system (whatever necessary) for regular cleaning of machine & equipment.
12. Ensure testing of relevant chemical and/or microbiological contaminants in food products in accordance with these regulation as frequency as required on the basis of historical data and risk assessment to ensure production and delivery of safe food through own or NABLaccredited/ FSSAI recognized labs atleast once in six month.
13. Ensure that as much as possible the required temperature shall be maintained throughout the supply chain from the place of procurement or sourcing till it reaches the end consumer including chilling, transportation, storage etc.
14. The Manufacturer/ Importer/ Distributer shall buy and sell food products only from, or to , licensed / registered vendors and maintain record thereof.




Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203.

Other Condition

1. Proprietors of hotels, restaurants and other food stalls who sell or expose for sale savouries, sweets or other article of food shall put up a notice board containing separates lists of the articles which have been cooked in ghee, edible oil, vanaspati and other fats for the information of the intending purchasers.
2. Food business operator selling cooked or prepared food shall display a notice board containing the nature of articles being exposed for sale.
3. Every manufacture (including ghani operator) or wholesale dealer in butter ,ghee ,vanaspti ,edible oils, solvent extracted oil, de oiled meal, edible flour and any other fats shall minimum a register showing the quantity of manufactured, received or sold, nature of oil seed used and quantity of de oiled meal and edible flour used etc. as applicable and the destination of each consignment of the substances sent out from his factory or place of business, and shall present such register for inspection whenever required to do so by the licensing authority.
4. No producer or manufacturer or vegetable oil ,edible oil and their products shall be edible for license under this act ,unless he has own laboratory facility for analytical testing of samples
5. Every sale and movement of stocks of solvents- extracted oil ,'semi refined' or 'raw grade I' , edible groundnut flour or edible coconut flour ,or both by the producer shall be a sale or movement of stocks directly to a registered user and not to any other person ,and no such sale or movement shall be effected through any third party.
6. Every quantity of solvent-extracted oil ,edible groundnut flour or edible coconut flour ,or both purchased by a registered user shall be used by him in his own factory entirely for the purpose intended and shall not be re-sold or otherwise transferred to any other person :
Provided that nothing in this sub-clause shall apply to the sale or movement of the following:-
 1. Karanjia oil
 2. Kusum oil
 3. Mahua oil
 4. Neem oil
 5. Tamarind seed oil
 6. Edible groundnut flour bearing the I.S.I certification mark
 7. Edible coconut flour bearing the I.S.I certificate mark
7. No food business operator shall sell or distribute or offer for sale or dispatch or deliver to any person for purpose of sale any edible oil which is not packed, marked and labeled in the manner specified in the regulations unless specifically exempted from this condition vide notification in the official Gazette issued in the public interest by food safety commissioners in specific circumstances and for a specific period and for reason to be recorded in writing.




Principal
RISHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203.

Druf.



Form 20E

[See rule 67-EE]

Certificate of renewal of (license to sell,stock or exhibit or offer for sale,or distribute) Homoeopathic medicines

DR. VINAY SHIVRAJ GOYAL

PROPRIETOR of SHREE SHYAM ENTERPRISES & MEDICAL STORE

Number of license and date of issue : **PL1-62391 Dated 23/10/2012 (23-Oct-2012)**

1. Certified that license No **PL1-62391 Dated 23/10/2012** in form [20C] granted on the **23-Oct-2012** to **SHREE SHYAM ENTERPRISES & MEDICAL STORE** for sale of the Homoeopathic medicines at the premises situated at :

**PLOT NO.302, INSIDE RVM HOSP, GR. FL, BEHIND RAILWAY CARSHED
VIRAR-NALASOPARA LINK ROAD, NILEMORE VILLAGE , NALASOPARA(W), DIST-THANE
Tal : NALASOPARA (W) (PALGHAR ZONE 1)
Pin: 401203 Phone: Mobile: 9545226288**

Cold Storage : YES

24 Hours : NO

has been renewed for a period from **23/10/2022** to **22/10/2027**

Area : **48.40 SqMts**

2. Categories or Particulars of Drugs (As per Original License) : **Drugs covered under the licenses**

3. Name(s) of registered pharmacist(s) in-charge :

**RP-116839 - PANDURANG KRUSHNA BORASE(DPH,),172935 - ISHWAR JAGANNATH PAWAR(DPH,),43967 - VARSHA KISHOR MORE MORE(DPH,)
236073 - PRAMOD RAMESH SURYAWANSHI(DPH,)**

4. Specific Condition:

Details of Licenses and date of issue :

| No. | Type | License No. | Issue Date | Renewal Date | Validity Date | Old License No. |
|-----|------|-------------|------------|--------------|---------------|-----------------|
| 1 | 20C | 62391 | 23/10/2012 | 23/10/2022 | 22/10/2027 | |

Date : **11/09/2022**

e-Signed on **11/09/2022 12:31:34**

TPAV # F5W539A4J1



eSign
Digitally Sign

NARENDRA PURUSHOTTAM SUPE

Licensing Authority & Assistant Commissioner
Food & Drugs Administration, PALGHAR ZONE 1



Principal
RIDDHI VINAYAK COLLEGE OF NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203.

This License/Certificate is eSIGNED.

Physical Signature Is NOT Required.

| District | FDA File No | Inward Details | # Form Licence | Print Date |
|-----------------------|---------------|-------------------------------|----------------|--------------------|
| PALGHAR ZONE 1 | 113670 | REN-1105642-03/09/2022 | 1 | 11.Sep-2022 |



**FORM 21**

[See rule 61(2)]

Licence to sell, stock or exhibit (or offer) for sale or distribute drugs, by retail specified in Schedules C and C (i) [excluding those specified in Schedule X]



NALINI NITIN CHAUHAN

1.

NALINI NITIN CHAUHAN

PROPRIETOR of SHREE SHYAM ENTERPRISES AND MEDICAL STORE

is hereby licensed to sell, stock, or exhibit (or offer) for sale or distribute by retail the following categories of drugs specified in Schedules C and C(1) [excluding those specified in Sch.X] to the Drugs and Cosmetics Rules, 1945, and to operate a pharmacy on the premises situated at

**PLOT NO. 302, GF NL29/208/1 INSIDE RVM HOSPITAL, ROOM NO.1,
BEHIND RAILWAY CARSHED, VIRAR-NSP LINK ROAD, NILEMORE,, NALLASOPARA W****Tal : NALASOPARA (W) (PALGHAR ZONE 1)****Pin : 401203 Phone: 9545226288****Mobile: 9545226288**

subject to the conditions specified below and to the provisions of the Drugs and Cosmetics Act, 1940 and Rules thereunder.

2.The licence unless sooner suspended or cancelled, shall remain valid perpetually. However, the compliance with the conditions of licence and the provisions of the Drugs and Cosmetics Act, 1940(23 of 1940) and the Drugs and Cosmetics Rules, 1945 shall be assessed not less than once in three years or as needed as per risk based approach.

The licence shall be in force from :

06.Jan-2025to **05.Jan-2030****** Area : 46.00 SqMts**

3.Name (s) of R.Ps & Competent Person(s) in charge (C.P NOT authorized to SIGN in Retailer Bills):

RP-236073 - PRAMOD RAMESH SURYAWANSHI(DPH,).172935 - ISHWAR JAGANNATH PAWAR(DPH,).43967 -**VARSHA KISHOR MORE MORE(DPH,).116839 - PANDURANG KRUSHNA BORASE(DPH,)**4.Categories of drugs : **All items of schedule C and C1 drugs,[excluding those specified in Sch. X]**5.**Specific Condition: FIRM SHALL REMAIN OPEN ONLY IN PRESENCE OF REGISTERED PHARMACIST OTHERWISE LICENSE SHALL BE LIABLE FOR STOP SALE AND CANCELLATION.**

e-Signed on 06/01/2025 12:10:07

TPAV # 1W7F6QAB55



PRAMOD RAMESH SURYAWANSHI (R.P)

Licence no: MH-PL1-583541**On: 06Jan-2025**eSign
Digitally Sign

MAHESH ASHOK GADEKAR

Licensing Authority & Assistant Commissioner
Food & Drugs Administration, PALGHAR ZONE 1**Conditions of Licence**

1. This Licence shall be displayed in a prominent place in a part of the premises open to the public.
 2. The licensee shall report to the Licensing Authority any change in qualified staff in charge within one month of such change.
 3. Omitted.
 4. If the licensee wants to sell, stock or exhibit for sale, or distribute, during the currency of the licence, additional categories of drugs listed in schedules C and C (1) [excluding those specified in Sch.X] but not included in this licence, he should apply to the Licensing Authority for the necessary permission. This licence will be deemed to extend to the categories of drugs in respect of which such permission given. This permission shall be endorsed on the licence by the Licensing Authority.
 5. No drug shall be sold unless such drug is purchased under a cash or credit memo from a duly licensed dealer or a duly licensed manufacturer.
 6. The licensee shall inform the Licensing Authority in writing in the event of any change in the constitution of the firm operating under the licence. Where any change in the constitution of the firm takes place, the current licence shall be deemed to be valid for a maximum period of three months from the date on which the change take place unless, in the meantime, a fresh licence has been taken from the Licensing authority in the name of the firm with the changed constitution.
- ** The Licensee shall not Claim any equities or rights in the property under reference on strength of this licence.**
****This Licence shall remain valid if licensee deposits a licence retention fee before the expiry of a period of every succeeding five years from the date of its issue unless, it is suspended or cancelled by Licensing Authority.**

Note: Prev Dils - 276810-SHREE SHYAM ENTERPRISES AND MEDICAL STORE-NALINI NITIN CHAUHAN-PLOT NO. 302, INSIDE RVM HOSPITAL,

This License/Certificate is eSIGNED.

Physical Signature is NOT Required.

| District | FDA File No | Type:Fresh License | Form [21] Licence No | Old LIC No |
|----------------|-------------|------------------------|----------------------|------------|
| PALGHAR ZONE 1 | 276810 | FRE-1490947-19/12/2024 | MH-PL1-583541 | - |

For online Third Party Approval Verification; Go to fdamf.maharashtra.gov.in & Click TPAV butto

06/01/25

N I C



महाराष्ट्र MAHARASHTRA

2023

79AA 331318



प्रधान मुद्रांक कार्यालय, मुंबई
प.सु. वि. क्र. १००००२६
16 NOV 2023
सक्षम अधिकारी C

UNDERTAKING

I, DR. VENKAT S. GOYAL, President of the RIDDHI VINAYAK HOSPITAL SERVICES PUBLIC CHARITABLE TRUST, hereby Promise on behalf of the Institution that -

- a) The information furnished in the application and appendices appended to the application is true and correct to the best of my knowledge,
- b) The Society / Institution shall provide essential infrastructure to the College / Institute before starting the College / Institute / Nursing School,
- c) The Society / Institution shall appoint the required teaching, non-teaching and paramedical staff from time to time as per the norms of respective Central Council.



ATTESTED BY ME

JAY PRAKASH MISHRA
ADVOCATE & NOTARY
GOVT. OF INDIA

Principal
RIDDHI VINAYAK COLLEGE OF
SIGNED AND SEALED
Nallasopara (W), Dist. Palghar 401 203.

DR. VENKAT S. GOYAL
PRESIDENT

Riddhi Vinayak Multispecialty Hospital

RIDDHI VINAYAK MULTISPECIALTY HOSPITAL
Dist. No. 202 Behind Railway Carshed



Dr. VENKAT S. GOYAL



MAHARASHTRA

2023

79AA 331329

प्रधान मुद्रांक कार्यालय, मुंबई
प.सु.वि.क ८००००२६

16 NOV 2023

सदाम अधिकारी

श्रीमती सुपमा चव्हाण

MOU WITH RIDDHIVINAYAK CRITICAL CARE AND CARDIAC CENTRE

This Agreement entered into this 01st day of January, 2024 between Dr. M Goyal, of Riddhivinayak Critical Care and Cardiac Centre C/o Reva Smruti Hospital, 559/1, Pushpachandra Apartment, S.V. Road, Riddhi Vinayak Temple Lane, Malad West, Mumbai 400064 (Near N L College), hereby which will be referred to as the "First Party"

Principal

RIDDHIVINAYAK COLLEGE OF NURSING (RVHSPCT), Nallasopara (W), Dist. Palghar 401 203.

AND

RIDDHI VINAYAK MULTISPECIALTY HOSPITAL, located at Plot No: 302, ahead of Fun Fiesta Multiplex, Yashwant Gaurav Road, Nallasopara (W), Dist: Palghar 401203, associated with RIDDHI VINAYAK HOSPITAL SERVICES PUBLIC CHARITABLE TRUST, referred to as the "Second Party"



Whereby, the First party located at about five Kms. Distances from the Second party, will allow nursing students from Second party to come to its clinic for clinical examination / learning practically about the patients coming there and also will be sending its patients to the Second party in case they are in any kind of medical emergency.

The period of Agreement will be 4 years from the date of commencement i.e., upto 1st December 2027, whereby it will be reviewed and continued further with mutual understanding and consent.

3) SIGNED AND SEALED


By the within named
Riddhivinayak Critical Care and Cardiac Centre,
Through Dr. M Goyal
Then "First Party"



Dr. (Mrs) MADHU V. GOYAL
M.S. (Gen. Med. & Paed.)
Reg. No. 071481

4) SIGNED AND SEALED

RIDDHI VINAYAK MULTISPECIALTY HOSPITAL
Through DR. VENKAT S. GOYAL
The "Second Party"



Dr. VENKAT S. GOYAL
MD., DM.(CARDIOLOGY)
Consultant Cardiologist
Reg. No. 071480




RIDDHI VINAYAK MULTISPECIALTY HOSPITAL
Plot No. 302, Behind Railway Carshed,
Ahead Of Fun-fiesta Multiplex on,
Yashwant Gaurav Road, Nallasopara (W).
Pin - 401 203. Dist. Palghar.

Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203.



Whereby, the First party located at about five Kms. Distances



लीय गैर न्यायिक

ये

Rs. 100

₹. 100



सत्यमेव जयते

ONE HUNDRED RUPEES

भारत INDIA

INDIAN NON JUDICIAL

महाराष्ट्र MAHARASHTRA

2023

79AA 331319



प्रधान मुद्रांक कार्यालय, मुंबई
प.मु.वि.क. १००००२६
16 NOV 2023
सक्षम अधिकारी C

MOU WITH A PSYCHIATRY HOSPITAL / CLINIC


श्रीमती सुषमा चव्हाण

This Agreement entered into this 01st day of November, 2023 between Dr. Suresh Patil / Dr. Kirti Tandel, of Vibhas Hospital and Rehabilitation Centre, located at Kishor Kunj, Bunglow No: 1/2, Old Viva College, Narangi Bypass Road, Virar (W), Palghar 401303, hereby which will be referred to as the "First Party"

AND

RIDDHI VINAYAK MULTISPECIALTY HOSPITAL, located at Plot No: 302, ahead of Fun Fiesta Multiplex, Yashwant Gaurav Road, Nallasopara (W), Dist: Palghar 401203, associated with RIDDHI VINAYAK HOSPITAL SERVICES PUBLIC CHARITABLE TRUST, referred to as the "Second Party"

Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203.



| | |
|--|--|
| आडपत्र - १ Annexure - 1 | |
| फक्त प्रतिज्ञासाठी / Only For Affidavit | |
| मुद्रांक विकत घेणाऱ्याचे नाव : | SANJAY SHUKLA |
| मुद्रांक विकत घेणाऱ्याचे पत्ता : | ADVOCATE HIGH COURT |
| मुद्रांक विकत घेतलेली दिनांक : | Shop No. 5, Ground Floor, City Mall |
| मुद्रांक अनुक्रमांक :- | 22 DEC 2023 Link Road, Andheri (W), MUMBAI-400 053. |
| मुद्रांक विकत घेणाऱ्याचे सही : | <i>[Signature]</i> Kailash Patil |
| मुद्रांक विकत घेण्याचे ठिकाण / पत्ता : | दंडाधिकारी कार्यालय, रेल्वे स्टेशन परिसर, पो. नं. 400002, अंधेरी (पश्चिम), मुंबई-400002. |
| भारत दिवाणी व सत्र न्यायालय, दिंडोरी मुंबई, दिंडोरी वल डेपॉजिट, न्यायालय अदालत समार थंड मार्ग, गोरेगाव (पूर्व), मुंबई-400098 | |
| ज्या नगरपालिका स्थानीय मुद्रांक कार्यालयीन तर्फे तयार करण्यात आले आहे | |



[Handwritten signature]

Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203.



Whereby, the First party located at about five Kms. Distances from the Second party, will allow nursing students from Second party to come to its clinic for clinical examination / learning practically about the patients coming there and also will be sending its patients to the Second party in case they are in any kind of medical emergency.

The period of Agreement will be 4 years from the date of commencement i.e., upto 1st December 2027, whereby it will be reviewed and continued further with mutual understanding and consent.

Suresh Patil
DR. SURESH PATIL
M.B.B.S., D.P.M., F.I.P.S.
Psychiatrist & Sexologist
Reg. No. MMC-2008/04/0777
Shanti Clinic



1) SIGNED AND SEALED

By the within named
Vibhas Hospital and Rehabilitation Centre
Through Dr. Suresh Patil/ Dr. Kirti Tandel
Then "First Party"



Venkat S. Goyal

Dr. VENKAT S. GOYAL
MD., DM.(CARDIOLOGY)
Consultant Cardiologist
Reg. No. 071480



2) SIGNED AND SEALED

RIDDHI VINAYAK MULTISPECIALTY HOSPITAL
Through DR. VENKAT S. GOYAL
The "Second Party"



ATTESTED BY ME

Jay Prakash Mishra
JAY PRAKASH MISHRA
ADVOCATE & NOTARY
GOVT. OF INDIA

[Signature]

Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203.





MAHARASHTRA

2023

79AA 331316

प्रधान मुद्रांक कार्यालय, मुंबई
प.सु.वि.क. ८०००२६
16 NOV 2023
सक्षम अधिकारी C

MOU WITH PADMAWATI MATERNITY AND NURSING HOME

This Agreement entered into this 01st day of January, 2024 between Dr. Madhvi V. Goyal, of Padmawati Maternity and Nursing Home, located at 215/16, 2nd floor, Ostwal Ornate, Bhayandar East, Thane – 401105 (Opposite Jain Temple, Above Karnataka Bank, Jesal Park), hereby which will be referred to as the "First Party"

AND

RIDDHI VINAYAK MULTISPECIALTY HOSPITAL, located at Plot No: 302, ahead of Fun Fiesta Multiplex, Yashwant Gaurav Road. Nallasopara (W), Dist: Palghar 401203, associated with RIDDHI VINAYAK HOSPITAL SERVICES PUBLIC CHARITABLE TRUST, referred to as the "Second Party"

Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203.



| | |
|---|--|
| अनुक्रमांक - ४ Annexure - 1 | |
| केवल प्रतिज्ञासाठी / Only For Affidavit | |
| मुद्रांक विकत घेणाऱ्याचे नाव : | SANJAY SHUKLA |
| मुद्रांक विकत घेणाऱ्याचे पत्ता : | ADVOCATE HIGH COURT |
| मुद्रांक विकत घेतलेली दिनांक : | Shop No. 5, Ground Floor, City Mall |
| मुद्रांक अनुक्रमांक :- 1 | Link Road, Andheri (W), |
| | MUMBAI-400 063 |
| | 22 DEC 2023 |
| मुद्रांक विकत घेणाऱ्याचे सही : | <i>[Signature]</i> Kirti Patil |
| मुद्रांक विकत घेण्याचे दिनांक / पत्ता : | मुद्रांक विकत घेण्याचे पत्ता रिड्डी विनायक कॉलेज ऑफ नर्सिंग |
| मुद्रांक क्र :- 0000028 | ऑपरेटिव्ह सोसायटी लि. |
| पत्ता दिवाणी व सत्र न्यायालय, विंडोशी मुंबई, दिंडोशी बस डेपोजवट, जगत अरुण | |
| पत्ता नैसर्गिक मार्ग, मोरेठाण (पूर्व), मुंबई-400 063. | |
| ज्या कारणासाठी ज्यांनी मुद्रांक खरेदी केला त्यांनी त्याच कारणासाठी मुद्रांक | |
| मुद्रांक विकत घेण्याचे दिनांक 22 DEC 2023 | |

Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203.




Whereby, the First party located at about five Kms. Distances from the Second party, will allow nursing students from Second party to come to its clinic for clinical examination / learning practically about the patients coming there and also will be sending its patients to the Second party in case they are in any kind of medical emergency.

The period of Agreement will be 4 years from the date of commencement i.e., upto 1st December 2027, whereby it will be reviewed and continued further with mutual understanding and consent.

1) SIGNED AND SEALED

By the within named
Padmawati Maternity and Nursing Home,
Through Dr. Madhvi V. Goyal
Then "First Party"



Dr. (Mrs) MADHVI V. GOYAL
M.S. (Obst. & Gynaec.)
Reg. No. 071481

2) SIGNED AND SEALED

RIDDHI VINAYAK MULTISPECIALTY HOSPITAL
Through DR. VENKAT S. GOYAL
The "Second Party"



Dr. VENKAT S. GOYAL
MD., DM.(CARDIOLOGY)
Consultant Cardiologist
Reg. No. 071487

RIDDHI VINAYAK MULTISPECIALTY HOSPITAL
Plot No. 302. Behind Railway Carshed,
Ahead Of Fun-fiesta Multiplex on,
Yashwant Gaurav Road, Nallasopara (W),
Pin - 401 203. Dist. Palghar.



Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203.



भारतीय गैर न्यायिक

एक सौ रुपये

Rs. 100

₹. 100



ONE HUNDRED RUPEES

सत्यमेव जयते

भारत INDIA

INDIAN NON JUDICIAL

MAHARASHTRA

2023

85AA 692024

Sub-Treasury Office
Vasai

14 JUN 2024


Sd/- Treasury Officer

14/06/24

Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203.

Memorandum of Understanding

This Memorandum of Understanding (MOU) is hereby established to formalize the terms and conditions for the clinical posting of General Nursing and Midwifery (GNM)/ BSc Nursing/MSc Nursing students from (Riddhi Vinayak College of Nursing) at Bai Jerbai Wadia Hospital for Children, Parel Mumbai. The Purpose of this collaboration is to provide GNM/BSc/MSc Nursing students with valuable clinical experience and ensure that they receive a comprehensive education in the field of nursing and midwifery.



- Purpose :** The Primary Objective of this MOU is to outline the roles and responsibilities of both parties involved in the clinical training of GNM/BSc/MSc Nursing Students.
- Duration :** This MOU Will be in effect for a period of [One Year] commencing on 29th July 2024 and terminating on [30th July 2025]. It may be renewed or modified by mutual consent of both parties.

17 4 JUN 2024

गौरीदास - गौरीदास - 1
फतवा एलिजाबेथाना / ONLY FOR AFFIDAVIT 5146

१. मुद्रांक दिवस - दिनांक -/ दिनांक
 (Seal and Date) 14/06/24

२. मुद्रांक दिवस - दिनांक -/ दिनांक, रहितवासाचा पत्र व सही
 (Stamp and Author's Name)
 Place of Residence & Signature Anuragano V Okg

३. फतवा एलिजाबेथाना मुद्रांक दिवस सही
 व परवाना क्रमांक व मुद्रांक दिवस दिनांक/पत्रा
 (ज्या कायद्यानुसार मुद्रांक दिवस सही व परवाना क्रमांक व मुद्रांक दिवस दिनांक/पत्रा
 नारायण, कायदा क्रमांक १९७३ (१९७३))

Principal
**RIDDHI VINAYAK COLLEGE OF
 NURSING (RVHSPCT),
 Nallasopara (W), Dist. Palghar 401 203.**



3. Roles and Responsibilities:

Riddhi Vinayak College of Nursing

- Select and Provide nursing students for Clinical posting at Bai Jerbai Wadia Hospital for Children.
- Ensure that the selected students meet the necessary academic and clinical requirements.
- Appoint a coordinator to liaise with Bai Jerbai Wadia Hospital for Children for student placement and to address any concerns or issues.

b. Bai Jerbai Wadia Hospital for Children

- Provide Clinical facilities, resources and Supervision for nursing students during their posting.
 - Collaborate with (Riddhi Vinayak College of Nursing) to ensure that students meet their clinical objectives.
4. **Confidentiality:** Both parties agree to maintain the confidentiality of any patient information and sensitive data encountered during the students' Clinical posting.
 5. **Termination:** This MOU may be terminated by either party with a written notice of 30 days Notice Period in advance. The termination will not affect the completion of ongoing clinical placements.
 6. **Dispute Resolution:** In Case of any disputes or disagreements, both parties will engage in good faith negotiations to resolve the issue. If necessary, a mutually agreed-upon mediator or arbitrator may be employed.
 7. **Amendments:** Any amendments to this MOU must be made in writing and signed by both parties.
 8. **Governing Law:** This MOU Shall be governed by and construed in accordance with the laws of [State/Country].
 9. **Liability:** Bai Jerbai Wadia Hospital for children will not be held liable for any injuries, accidents, or incidents that may occur to GNM/BSc Nursing/MSc. Nursing students during their clinical posting at the hospital, (Riddhi Vinayak College of Nursing) shall be responsible for providing necessary insurance coverage and taking appropriate measures to address any issues or claims related to student safety.

GNM students are expected to adhere to all hospital safety protocols and
during their clinical posting





10. Code of Conduct:


- a. GNM/BSc Nursing/ MSc Nursing students are expected to adhere to a high standard of professional conduct while at [Bai Jerbai Wadia Hospital for Children]. This includes, but is not limited to, maintaining patient confidentiality, showing respect for patients, their families, and hospital staff, and following all hospital policies and procedures.
- b. GNM/BSc Nursing/MSc Nursing students will dress in accordance with hospital dress codes and will wear identification badges at all times.
- c. Any violation of the hospital's code of conduct or policies may result in disciplinary actions, including the termination of the clinical placement.
- d. (Riddhi Vinayak College of Nursing) will provide nursing students with guidelines on professional behavior and the hospital's specific code of conduct that they must adhere to during their clinical placement. Students will be required to sign an acknowledgment of these guidelines and code of conduct.

This MOU represents a commitment from both parties to ensure the high-quality education and training of GNM/BSc. Nursing/MSc Nursing students. By signing this document, both parties acknowledge their willingness to abide by the terms and conditions set forth herein.


For (Riddhi Vinayak College of Nursing)


1. DR. ANUPAMA VINAY OKA
Principal
RIDDHIVINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203




2. MISS USHA MENON
Vice Principal

For Bai Jerbai Wadia Hospital For Children


Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203





RIDDHI VINAYAK COLLEGE OF NURSING


FOUNDATION OF NURSING LAB- 1

INVENTORY 2022-2023

| SR.NO | EQUIPMENTS | QUANTITY |
|-------|-------------------------|----------|
| 1 | Shirt pant L | 9 |
| 2 | Shirt pant M | 6 |
| 3 | Mask | 10 |
| 4 | Napkin | 10 |
| 5 | Towel | 10 |
| 6 | Pillow with cover | 2 |
| 7 | Mattress | 2 |
| 8 | Bedsheet | 2 |
| 9 | Blanket | 2 |
| 10 | Bed | 2 |
| 11 | Iv stand | 2 |
| 12 | Pie dish with lid small | 4 |
| 13 | Pie dish with lid big | 3 |
| 14 | Pie dish with lid long | 2 |
| 15 | Plastic tray | 2 |
| 16 | Kidney tray | 2 |


Principal
 RIDDHI VINAYAK COLLEGE OF
 NURSING (RVHSPCT)
 Nallasopara (W), Dist. Palghar




Principal
 RIDDHI VINAYAK COLLEGE OF
 NURSING (RVHSPCT),
 Nallasopara (W), Dist. Palghar 401 203



| SR.NO | EQUIPMENTS | QUANTITY |
|-------|----------------------------|----------|
| 17 | Steel tray with lid | 2 |
| 18 | Chittle forcep with stand | 2 |
| 19 | CPR board | 2 |
| 20 | Storage container small | 6 |
| 21 | Storage container big | 1 |
| 22 | Trolley | 2 |
| 23 | Cannula 18G,20G,22G | 2 each |
| 24 | Tuberculin syringe | 6 |
| 25 | Needle 24G,26G,18G,23G | 5 each |
| 26 | Syringe 2ml,5ml,10ml, 20ml | 12 each |
| 27 | Insulin syringe | 5 |
| 28 | Steel box large | 1 |
| 29 | Aluminium box medium | 1 |
| 30 | Aluminium box small | 1 |
| 31 | Curtain | 1 |
| 32 | Whiteboard | 1 |
| 33 | Marker | 1 |
| 34 | Duster | 1 |
| 35 | Bulletin board | 1 |



Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203.



Principal
RIDDHIVINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203



Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT)
Nallasopara (W), Dist. Palghar - 401 203



RIDDHI VINAYAK COLLEGE OF NURSING

FOUNDATION OF NURSING LAB- 1 INVENTORY 2022-2023

| SR.NO | MANIKIN | QUANTITY |
|-------|---|----------|
| 1 | Female (Manikin for various basic procedures){Multipurpose} | 1 |
| 2 | Arm (Model for IV Cannulation procedure) | 1 |
| 3 | Male (Manikin for various basic procedures){Multipurpose} | 1 |
| 4 | Leg (Model for IV Cannulation procedure) | 1 |


Principal

RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203.



Principal
RIDDHIVINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203

Principal
RIDDHIVINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar - 401 203



**RIDDHI VINAYAK COLLEGE OF NURSING
NURSING FOUNDATION LAB 2**

LIST OF CHARTS

| SR NO | CHARTS | QUANTITY |
|--------------|----------------------------------|-----------|
| 1 | REMOVAL OF FOREIGN BODIES | 1 |
| 2 | LABORATORY SAFETY | 1 |
| 3 | UNCONSCIOUSNESS | 1 |
| 4 | HEART ATTACK | 1 |
| 5 | OUTLINE OF FIRST AID EMERGENCIES | 1 |
| 6 | ARTIFICIAL RESPIRATION | 1 |
| 7 | ELECTRIC SHOCK AND TREATMENT | 1 |
| 8 | FRACTURE | 1 |
| 9 | TRANSPORT OF INJURED | 1 |
| 10 | EMERGENCY RESUSCITATION | 1 |
| 11 | BURNS AND SCALDS | 1 |
| 12 | SNAKE AND THEIR BITES | 1 |
| 13 | HEMORRHAGE | 1 |
| 14 | POISONS AND THEIR ANTIDOTES | 1 |
| 15 | TRIANGULAR BANDAGES | 1 |
| 16 | ROLLER BANDAGES | 1 |
| TOTAL | | 16 |



Principal
RIDDHIVINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203


Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar - 401 203



Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203.



RIDDHI VINAYAK COLLEGE OF NURSING

NURSING FOUNDATION LAB 2

LIST OF EQUIPMENTS

1st CUPBOARD

| SR NO | EQUIPMENTS | QUANTITY |
|-------|-------------------------------------|----------|
| 1 | OT GOWN | 5 |
| 2 | PERINAL SHEETS | 5 |
| 3 | SLING | 6 |
| 4 | OT SHEET | 5 |
| 5 | OT NAPKIN | 10 |
| 6 | PILLOW | 3 |
| 7 | WHITE BED SHEET (BIG) | 8 |
| 8 | WHITE BED SHEET/ DRAW SHEET (SMALL) | 4 |
| 9 | SLING/ MANY TAILS (SMALL) | 3 |
| 10 | PILLOW COVER | 6 |

[Handwritten Signature]



[Handwritten Signature]

Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVNHSPT),
Nallasopara (W), Dist. Palghar - 401 203.

Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVNHSPT),
Nallasopara (W), Dist. Palghar - 401 203.

Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVNHSPT),
Nallasopara (W), Dist. Palghar - 401 203.



RIDDHI VINAYAK COLLEGE OF NURSING

NURSING FOUNDATION LAB 2

LIST OF EQUIPMENTS

RACK 1

| SR NO | EQUIPMENTS | QUANTITY |
|-------|-----------------------|----------|
| 1 | TEST TUBE | 100 |
| 2 | BOTTLE CLEANING BRUSH | 2 |
| 3 | BOROSILICATE GLASS | 6 |
| 4 | STEAMER | 1 |
| 5 | TRIANGULAR BANDAGE | 1 |
| 6 | TEST TUBE STAND | 6 |
| 7 | Y GLASS TUBE | 6 |
| 8 | CYLINDER VAS BIG | 1 |
| 9 | CYLINDER VAS SMALL | 1 |
| 10 | MEASURING CUP SMALL | 9 |
| 11 | MEASURING CUP MEDIUM | 2 |
| 12 | MEASURING CUP LARGE | 6 |
| 13 | MEASURING CUP 250ML | 5 |
| 14 | PLASTIC BOTTLE | 10 |
| 15 | FUNNEL SMALL | 6 |
| 16 | FUNNEL LARGE | 6 |
| 17 | ROLLER BANDAGES | 4 |
| 18 | LONG GLASS TUBE 10ML | 6 |
| 19 | LONG GLASS TUBE 5ML | 6 |
| 20 | TEST TUBE HOLDER | 12 |
| 21 | CRUSHER | 12 |

Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar - 401 203.



Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar - 401 203

Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar - 401 203



| | | |
|----|--------------------------------------|-------|
| 22 | WATCH GLASS | 72 |
| 23 | STERILIZER | 1 |
| 24 | STETHOSCOPE MARIGOLD | 2 |
| 25 | STETHOSCOPE MICROTONE | 2 |
| 26 | AUTOCLAVE DRUM BIG | 5 |
| 27 | AUTOCLAVE DRUM MEDIUM | 1 |
| 28 | SLIDES | 1 box |
| 29 | DROPPER | 12 |
| 30 | MICROSCOPIC COVER | 1 box |
| 31 | DIGITAL THERMOMETER | 1 |
| 32 | MERCURY THERMOMETER | 1 |
| 33 | BP APPARATUS ANEROID | 5 |
| 34 | BP APPARATUS WITH MERCURY | 1 |
| 35 | URINOMETER | 6 |
| 36 | BP APPARATUS WITHOUT MERCURY | 1 |
| 37 | PORTABLE ELECTRONIC WEIGHING SCALE | 1 |
| 38 | SPRING BALANCE | 1 |
| 39 | LAMP | 6 |
| 40 | HEMOMETER | 4 |
| 41 | NAIL BRUSH | 6 |
| 42 | LACTO METER | 6 |
| 43 | PAPER SHEET | 6 |
| 44 | ALUMINIUM AUTOCLAVE TRAY | 3 |
| 45 | ALUMINIUM AUTOCLAVE TRAY WITH HANDLE | 3 |
| 46 | BOX WITH OT INSTRUMENTS | 1 |

Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203.



Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203

| | | |
|-------|---|-----|
| 47 | BIG PIE DISH WITH OT INSTRUMENTS LARGE | 1 |
| 48 | BIG PIE DISH WITH OT INSTRUMENTS MEDIUM | 1 |
| TOTAL | | 357 |

[Handwritten signature]

Mallasopara, Dist. Palghar

[Handwritten signature]

Principal
 RIDDHI VINAYAK COLLEGE OF
 NURSING (RVHSPCT),
 Nallasopara (W), Dist. Palghar 401 203.

[Handwritten signature]

Principal
 RIDDHI VINAYAK COLLEGE OF
 NURSING (RVHSPCT),
 Nallasopara (W), Dist. Palghar 401 203




RIDDHI VINAYAK COLLEGE OF NURSING
NURSING FOUNDATION LAB 2
LIST OF EQUIPMENTS

RACK 2

| SR NO | EQUIPMENTS | QUANTITY |
|-------|--------------------------------|----------|
| 1 | NEBULIZER MACHINE | 1 |
| 2 | OPHTALMOSCOPE | 1 |
| 3 | PULSE | 1 |
| 4 | ADULT OXYGEN MASK | 1 |
| 5 | CERVICAL COLLAR | 1 |
| 6 | AIR BAG | 2 |
| 7 | RUBBER SHEET | 1 |
| 8 | RYLES TUBE | 6 |
| 9 | INFUSION SET | 1 |
| 10 | DISPOSABLE SHAVING BLADE | 1 |
| 11 | FLATUS TUBE | 6 |
| 12 | RING PRESS | 1 |
| 13 | STEEL BOWL SMALL | 2 |
| 14 | STEEL BOWL MEDIUM | 6 |
| 15 | STEEL BOWL LARGE | 6 |
| 16 | BASIN LARGE | 2 |
| 17 | BASIN SMALL | 2 |
| 18 | STERILE GLOVES | 25 |
| 19 | URETHRAL CATHETER PLASTIC | 18 |
| 20 | URETHRAL CATHETER DOUBLE LUMEN | 7 |

Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203.


Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203



Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203

| | | |
|----|--------------------------------|-----|
| 21 | AIRWAY | 4 |
| 22 | URETHRAL CATHETER TRIPLE LUMEN | 2 |
| 23 | HOT WATER BAG | 3 |
| 24 | URINE POT MALE | 2 |
| 25 | KIDNEY TRAY PLASTIC | 4 |
| 26 | KIDNEY TRAY STEEL SMALL | 4 |
| 27 | KIDNEY TRAY STEEL MEDIUM | 4 |
| 28 | KIDNEY TRAY STEEL LARGE | 4 |
| 29 | STEEL BED PAN | 1 |
| 30 | GASTRIC LAVAGE TUBE | 1 |
| 31 | RUBBER TUBE | 6 |
| 32 | STERILE TRAY WITH LID XL | 1 |
| 33 | STERILE TRAY WITH LID L | 1 |
| 34 | STERILE TRAY WITH LID M | 2 |
| 35 | STERILE TRAY WITH LID S | 2 |
| 36 | DRAIN BAG | 1 |
| | TOTAL | 133 |

Principal
**RIDDHIVINAYAK COLLEGE OF
 NURSING (RVHSPCT),**
 Nallasopara (W), Dist. Palghar 401 203



Principal
**RIDDHI VINAYAK COLLEGE OF
 NURSING (RVHSPCT),**
 Nallasopara (W), Dist. Palghar 401 203.



Alb

Alb

Principal
RIDDHI VINAYAK COLLEGE OF

Principal
RIDDHI VINAYAK COLLEGE OF
NURSING
Nallasopara (W), Dist. Palghar - 401 203

Nallasopara (W), Dist. Palghar 401 203.



RIDDHI VINAYAK COLLEGE OF NURSING


NURSING FOUNDATION LAB 2

MANIKIN AND MODULE LIST

| SR NO | EQUIPMENTS | QUANTIT |
|-------|--|---------|
| 1 | MANIKIN (MALE) | 1 |
| 2 | MANIKIN (FEMALE) | 1 |
| 3 | FOREARM INJECTION MODULE | 5 |
| 4 | MULTIFUNCTIONAL ROTATARY INJECTION MODULE (SMALL) | 1 |
| 5 | MULTIFUNCTIONAL ROTATARY INJECTION MODULE (LARGE) IN BOX WITH 5 CC SYRINGE | 1 |
| 6 | INJECTION PAD | 5 |

Alb

Principal
RIDDHIVINAYAK COLLEGE OF
NURSING (MHSPCT),
Nallasopara (W), Dist. Palghar 401 203



Principal

RIDDHI VINAYAK COLLEGE OF NURSING (RVHSPCT), Nallasopara (W), Dist. Palghar 401 203.

Principal

RIDDHI VINAYAK COLLEGE OF NURSING (RVHSPCT), Nallasopara (W), Dist. Palghar 401 203.

Nallasopara



401 203



| SR.NO | MODEL | QUANTITY |
|-------|---------------------------|----------|
| 19 | Foot Joint | 2 |
| 20 | Hand Joint | 2 |
| 21 | Shoulder Joint | 2 |
| 22 | Hip Joint | 2 |
| 23 | Elbow Joint | 2 |
| 24 | Knee Joint | 2 |
| 25 | nose | 1 |
| 26 | Thyroid gland | 1 |
| 27 | Human reproductive female | 1 |
| 28 | Human reproductive male | 2 |
| 29 | Human respiratory system | 1 |
| 30 | Human digestive system | 1 |
| 31 | Human circulatory system | 1 |
| 32 | Human pelvis | 1 |
| 33 | Human anatomy | 1 |
| | Human skeletal | 1 |

Principal

RIDDHI VINAYAK COLLEGE OF NURSING (RVHSPCT), Nallasopara (W), Dist. Palghar 401 203





Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),

Nallasopara (W), Dist. Palghar 401 203.


[Handwritten Signature]

RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar - 401 203



| SR.NO | CHARTS | QUANTIT |
|-------|---|---------|
| 17 | Portal system | 1 |
| 18 | Urinary tract system | 1 |
| 19 | Human muscles | 1 |
| 20 | Male reproductive system | 1 |
| 21 | Brain | 1 |
| 22 | Genito-urinary organs | 1 |
| 23 | Kidney, skin, urinary and excretory system. | 1 |
| 24 | Nervous system | 1 |
| 25 | Muscular system | 1 |
| 26 | Skeleton and circulatory system | 1 |
| 27 | Kidney | 1 |
| 28 | Joints of human body | 1 |
| 29 | Circulation of blood | 1 |
| 30 | Human eye | 2 |
| 31 | Human lymphatic system | 1 |
| 32 | Human ear | 2 |
| 33 | Large Intestine | 1 |
| 34 | Human physiology of eye | 1 |
| 35 | Human physiology of ear | 1 |

Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203



Handwritten initials/signature at the top center of the page.

RIDDHI VINAYAK COLLEGE OF NURSING
Nallasopara (W), Dist. Palghar - 401 203

RIDDHI VINAYAK COLLEGE OF NURSING

ANATOMY LAB

| SR.NO | MODEL | QUANTITY |
|-------|------------------------|----------|
| 1 | Human torso male | 1 |
| 2 | Human torso female | 1 |
| 3 | Human heart | 3 |
| 4 | Human lungs with heart | 1 |
| 5 | Human lungs | 1 |
| 6 | Skull | 2 |
| 7 | Brain | 2 |
| 8 | Eye muscle | 1 |
| 9 | Eye | 1 |
| 10 | Kidney | 1 |
| 11 | Stomach | 1 |
| 12 | Skin | 1 |
| 13 | Uterus | 1 |
| 14 | Large Intestinal wall | 2 |
| 15 | Ovary model uterus | 1 |
| | Liver | 1 |

Handwritten signature on the left side of the page.

Principal
RIDDHI VINAYAK COLLEGE OF NURSING (RVHSPT),
Nallasopara (W), Dist. Palghar - 401 203


Principal
RIDDHI VINAYAK COLLEGE OF NURSING (RVHSPT),
Nallasopara (W), Dist. Palghar 401 203.





RIDDHI VINAYAK COLLEGE OF NURSING
NURSING FOUNDATION LAB 2
LIST OF EQUIPMENTS

GLASS CUPBOARD

| SR NO | EQUIPMENTS | QUANTITY |
|-------|-------------------------|----------|
| 1 | PILLOW | 5 |
| 2 | SYRINGES 5 CC | 6 |
| 3 | TUBERCULIN SYRINGE 1 CC | 1 |


Principal
RIDDHIVINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203


Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203.



RIDDDHI VINAYAK COLLEGE OF NURSING COMMUNITY LAB

| SR.NO | CHARTS |
|-------|------------------------------|
| 1 | Opportunistic disease |
| 2 | Progress of Infection |
| 3 | Causes of disease |
| 4 | Food poisoning |
| 5 | Dysentery |
| 6 | Typhoid |
| 7 | prevention |
| 8 | Chicken pox |
| 9 | measles |
| 10 | HIV |
| 11 | Pollomyelitis |
| 12 | leprosy |
| 13 | Sexually transmitted disease |
| 14 | malaria |
| 15 | dengue |
| 16 | plague |
| 17 | tuberculosis |
| 18 | jaundice |
| 19 | hepatitis |
| 20 | Viral diseases |
| 21 | Influenza |
| 22 | cholera |
| 23 | arthritis |
| 24 | cancer |
| 25 | asthma |

✓

Principal
RIDDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203.




Principal
RIDDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203


Principal
RIDDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203


RIDDHI VINAYAK COLLEGE OF NURSING COMMUNITY LAB

| SR.NO | EQUIPMENTS | QUANTITY |
|-------|-----------------------------|----------|
| 1 | 1 bag with | |
| 2 | Stethoscope | 1 |
| 3 | Towel | 1 |
| 4 | Soap dish | 1 |
| 5 | Lamp | 1 |
| 6 | Measuring tape | 1 |
| 7 | Dettol soap & liquid | 1+1 |
| 8 | Thermometer | 1 |
| 9 | Scissor | 1 |
| 10 | Fetoscope | 1 |
| 11 | Kidney tray | 1 |
| 12 | Benedict reagent | 1 |
| 13 | Dropper | 1 |
| 14 | Test tube | 1 |
| 15 | Test tube holder | 1 |
| 16 | Brush | 1 |
| 17 | Tooth forcep & plain forcep | 1+1 |


 Principal
 RIDDHI VINAYAK COLLEGE OF
 NURSING (RVHSPCT),
 Nallasopara (W), Dist. Palghar 401 203.




 Principal
 RIDDHIVINAYAK COLLEGE OF
 NURSING (RVHSPCT),
 Nallasopara (W), Dist. Palghar 401 203


 Principal
 RIDDHIVINAYAK COLLEGE OF
 NURSING (RVHSPCT),
 Nallasopara (W), Dist. Palghar 401 203



RIDDHI VINAYAK COLLEGE OF NURSING


ANATOMY LAB

| SR.NO | CHARTS | QUANTITY |
|-------|---|----------|
| 1 | Respiratory system | 1 |
| 2 | Human lungs | 1 |
| 3 | Skin | 1 |
| 4 | Trachea | 1 |
| 5 | Skeletal system | 1 |
| 6 | Larynx | 1 |
| 7 | Endocrine glands | 1 |
| 8 | Endocrine system | 1 |
| 9 | Human skull | 1 |
| 10 | Heart | 1 |
| 11 | Teeth and dental care | 1 |
| 12 | Spinal cord | 1 |
| 13 | Liver, Gallbladder and Pancreas | 1 |
| 14 | Cross sectional anatomy, abdominal viscera. | 1 |
| 15 | Digestive system | 1 |
| 16 | Reproductive system | 1 |

Principal
RIDDHIVINAYAK COLLEGE OF
NURSING (RVHSPCT),



Principal
RIDDHIVINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203




RIDDHI VINAYAK COLLEGE OF NURSING

ANATOMY LAB

| SR.NO | MODEL | QUANTITY |
|-------|-----------------------------|----------|
| | <u>BOX WITH</u> | |
| 1 | Spinal bone | 27 |
| 2 | Ribs bone | 26 |
| | <u>CUPBOARD WITH</u> | |
| 1 | Long bone | 4 |
| 2 | Short bone | 6 |
| 3 | sternum | 1 |
| 4 | Bones of hand | 2 |
| 5 | Bones of foot | 2 |
| 6 | Coccyx bone | 1 |
| 7 | scapula | 2 |
| 8 | Hip bone | 2 |
| 9 | Mandible bone | 1 |

Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT)
Nallasopara (W), Dist. Palghar 401 203



Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203



Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203

Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT)
Nallasopara (W), Dist. Palghar - 401 203



RIDDHI VINAYAK COLLEGE OF NURSING

OBGY LAB INVENTORY 2022-2023

List of Manikins


| SR.NO | MANIKINS | QUANTITY |
|-------|---|----------|
| 1. | Baby full body CPR manikin | 1 |
| 2. | Senior infant nursing module | 1 |
| 3. | Breast examination model | 1 |
| 4. | New born baby 1(with cord & placenta) 2 (normal) | 3 |
| 5. | Vulva suturing training simulator | 1 |
| 6. | Baby arm (IV access model) | 1 |

Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203.



[Signature]

Principal
RIDDHIVINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203



[Signature]

Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar - 401 203



Principal
RIDDHIVINAYAK COLLEGE OF
NURSING (RVHSPCT),

RIDDHI VINAYAK COLLEGE OF NURSING

OBGY LAB


List Of Equipments

| SR.NO | EQUIPMENTS | QUANTITY |
|-------|---------------------------------|----------|
| 1 | Episiotomy suturing simulators | 3 |
| 2 | Fetal model of pelvic pregnancy | 5 |
| 3 | Small pelvis | 3 |
| 4 | Growth of fetus from 1-8 months | 8 |
| 5 | Placenta | 1 |
| 6 | Human pelvis male & female | 1+1 |
| 7 | Fetal skull | 1 |
| 8 | Reproductive organs module | 1 |
| 9 | Baby manikin | 3 |
| 10 | Fetal circulation model | 1 |
| 11 | Fetoscope | 1 |
| 12 | Cuscos | 1 |
| 13 | Sims speculum | 2 |
| 14 | Ovum forcep | 1 |
| 15 | Sponge holder | 1 |
| 16 | Vaginal retractor | 1 |
| 17 | Pelvic meter | 1 |
| 18 | Uterine sound | 1 |
| 19 | Dilator | 2 |
| 20 | Bed | 1 |
| 21 | Table | 1 |
| 22 | Iv stand | 1 |
| 23 | Bedsheet | 1 |
| 24 | Blanket | 1 |
| 25 | Pillow with cover | 1 |
| 26 | Weighing machine | 1 |

Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203.



Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203



Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203

Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT)
Nallasopara (W), Dist. Palghar - 401 203



| SR.NO | EQUIPMENTS | QUANTITY |
|-------|------------------------------|----------|
| 27 | Half pelvic manikin | 1 |
| 28 | COBBOARD WITH | |
| 29 | Baby manikin | 3 |
| 30 | Half pelvis | 1 |
| 31 | Child arm model | 1 |
| 32 | Labor table | 1 |
| 33 | Bulletin board | 1 |
| 34 | Baby full body CPR manikin | 1 |
| 35 | Senior infant nursing module | 1 |
| 36 | Breast examination model | 1 |



Principal
**RIDDHIVINAYAK COLLEGE OF
 NURSING (RVHSPCT),
 Nallasopara (W), Dist. Palghar 401 203**



Principal
**RIDDHI VINAYAK COLLEGE OF
 NURSING (RVHSPCT),
 Nallasopara (W), Dist. Palghar 401 203.**




Principal
**RIDDHIVINAYAK COLLEGE OF
 NURSING (RVHSPCT),
 Nallasopara (W), Dist. Palghar 401 203**



RIDDHI VINAYAK COLLEGE OF NURSING
OBGY LAB INVENTORY 2022-2023

List of charts

| SR.NO | CHARTS | QUANTITY |
|-------|------------------------------------|----------|
| 1 | Female reproductive system | 1 |
| 2 | Immunization of child | 1 |
| 3 | Feeding schedule of preterm infant | 1 |
| 4 | Breast changes in pregnancy | 1 |
| 5 | Menstrual cycle | 1 |
| 6 | Bicornuate uterus | 1 |
| 7 | First stage of labor | 1 |
| 8 | Second stage of labor. | 1 |
| 9 | Third stage of labor | 1 |
| 10 | Twin pregnancy | 1 |
| 11 | Uterine changes during pregnancy | 1 |
| 12 | Pregnancy & birth | 1 |
| 13 | CPR infant | 1 |
| 14 | CPR child | 1 |
| 15 | Placenta previa | 1 |
| 16 | Caput succedaneum | 1 |
| 17 | Hydrocephalus | 1 |
| 18 | Fibro adenoma breast | 1 |
| 19 | Fibroid uterus | 1 |
| 20 | Hydrosalpinx | 1 |
| 21 | Complete breech presentation | 1 |

Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203.



Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),

(W), Dist. Palghar 401 203

[Handwritten signature]



RIDDHI VINAYAK COLLEGE OF NURSING
OBGY LAB INVENTORY 2022-2023

| | | |
|----|--------------------------------|---|
| 22 | Incomplete breech presentation | 1 |
| 23 | Brow presentation | 1 |
| 24 | Foot presentation | 1 |
| 25 | Shoulder presentation | 1 |
| 26 | Face presentation | 1 |
| 27 | Contraception | 1 |



Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203.



Principal
RIDDHIVINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203



RIDDHI VINAYAK COLLEGE OF NURSING
OBGY LAB INVENTORY 2022-2023

List of Articles

| SR.NO | ARTICLES | QUANTITY |
|-------|------------------------------|----------|
| 1 | Sims speculum | 2 |
| 2 | Ovum forcep | 1 |
| 3 | Sponge holder | 1 |
| 4 | Vaginal retractor | 1 |
| 5 | Pelvic meter | 1 |
| 6 | Uterine sound | 1 |
| 7 | Dilator | 2 |
| 8 | Fetoscope | 1 |
| 9 | Cuscos speculum | 1 |
| 10 | Nipple shield | 2 |
| 11 | Mucous extractor | 7 |
| 12 | Manual breast pump | 1 |
| 13 | Steel bowl (big 1 & small 1) | 2 |
| 14 | Spring balance | 1 |
| 15 | Mucous extractor | 1 |
| 16 | napkin | 1 |
| 17 | Kidney tray (small+ medium) | 2 |
| 18 | Plastic apron | 1 |
| 19 | Bedsheet | 1 |
| 20 | Baby wrap towel | 1 |
| 21 | fetoscope | 1 |
| 22 | Dripping set | 1 |
| 23 | Sterile gloves | 1 |
| 24 | Cord clamp | 1 |
| 25 | Shoe cover | 1 |
| 26 | Gauze pack | 1 |
| 27 | Disposable mask | 1 |
| 28 | Scissor small | 1 |
| 29 | Plain forcep | 1 |

Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203.



[Handwritten Signature]

Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203.



Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT)
Nallasopara (W), Dist. Palghar - 401 203

RIDDHI VINAYAK COLLEGE OF NURSING
OBGY LAB INVENTORY 2022-2023

| | | |
|----|------------------------|---|
| 30 | Tooth forcep | 1 |
| 31 | Head cap | 2 |
| 32 | Soap dish | 1 |
| 33 | Soap | 1 |
| 34 | Scalpel | 1 |
| 35 | Measuring tape | 1 |
| 36 | Disposable gown | 1 |
| 37 | Disposable Syringe 2cc | 1 |
| 38 | Douche set | 1 |



Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203.



Principal
RIDDHI VINAYAK COLLEGE OF
NURSING
Nallasopara (W), Dist. Palghar 401 203



Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203



RIDDHI VINAYAK COLLEGE OF NURSING

NALLASOPARA, PALGHAR-401203

COMPUTER LAB INVENTORY

| SR. NO | PARTICULAR | QTY. |
|---------------|---------------------|-------------|
| 1 | Laptop with charger | 05 |
| 2 | Bulletin board | 01 |
| 3 | Plastic chair | 10 |
| 4 | Teacher's desk | 01 |
| 5 | Teacher's chair | 01 |

[Handwritten signature]

Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203.

[Handwritten signature]

Principal
RIDDHIVINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203

[Handwritten signature]

RIDDHI VINAYAK COLLEGE OF NURSING
Nallasopara (W), Dist. Palghar 401 203

COLLEGE OF NURSING
Palghar
Dist. Palghar - 401 203
Nallasopara

RIDDHI VINAYAK COLLEGE OF NURSING
Nallasopara (W), Dist. Palghar 401 203

COLLEGE OF NURSING
Palghar
401203
Nallasopara

RIDDHI VINAYAK COLLEGE OF NURSING

NALLASOPARA, PALGHAR-401203


AUDIO VISUAL AIDS LAB INVENTORY


| SR. NO | PARTICULAR | QTY. |
|---------------|--|-------------|
| 1 | Laptop with charger | 01 |
| 2 | Bulletin board | 01 |
| 3 | Film Slide projector with remote and cable | 01 |
| 4 | Plastic chair | 10 |
| 5 | Projector | 01 |
| 6 | Projector with cable | 01 |
| 7 | Projector screen | 01 |
| 8 | White board | 01 |
| 9 | CD'S | 11 |
| 10 | Teacher's desk | 01 |
| 11 | Teacher's chair | 01 |
| | | |



Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203.




Principal
RIDDHIVINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203




Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar - 401 203


RIDDHI VINAYAK COLLEGE OF NURSING

Nutrition lab

Charts

| Sr.no | Charts | Quantity |
|-------|-------------------------|----------|
| 1 | Food nutritive value | 1 |
| 2 | Constituents of food | 1 |
| 3 | Malnutrition | 1 |
| 4 | Deficiency | 1 |
| 5 | Over nutrition disorder | 1 |
| 6 | Minerals | 1 |
| 7 | Vitamins | 1 |
| 8 | Fats | 1 |
| 9 | Carbohydrates | 1 |
| 10 | Fruits | 1 |
| 11 | Our food | 1 |
| 12 | Water and roughage | 1 |
| Total | | 12 |



Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203


Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203.



RIDDHI VINAYAK COLLEGE OF NURSING

NUTRITION LAB INVENTORY

| SR.NO | EQUIPMENT | QUANTITY |
|-------|---------------------|----------|
| 1. | Big container | 4 |
| 2. | Pressure cooker | 1 |
| 3. | Fry pan BIG | 1 |
| 4. | Fry pan SMALL | 1 |
| 5. | Plastic jar XL | 3 |
| 6. | Plastic jar L | 3 |
| 7. | Plastic jar M | 3 |
| 8. | Plastic jar S | 3 |
| 9. | Thermal jar | 1 |
| 10. | Vacuum jar | 3 |
| 11. | Chopping board | 1 |
| 12. | Glass big | 10+2 |
| 13. | Glass small | 4 |
| 14. | Glass bowl big | 2 |
| 15. | Glass bowl med | 2 |
| 16. | Glass bowl small | 4 |
| 17. | Plastic spoon | 6 |
| 18. | Plastic bowl big | 6 |
| 19. | Plastic bowl small | 6 |
| 20. | Plastic plate big | 10 |
| 21. | Plastic plate small | 4 |
| 22. | Steel plate big | 2 |
| 23. | Steel plate small | 2 |
| 24. | Steel glass | 5 |
| 25. | Serving spoon | 5 |
| 26. | Table spoon | 6 |
| 27. | Steel bowl | 5 |
| 28. | Peeler | 1 |
| 29. | Knife | 2 |
| 30. | Kitchen napkin | 2 |

(Handwritten signature)

Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203.



Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203



Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT)
Nallasopara (W), Dist. Palghar - 401 203

RIDDHI VINAYAK COLLEGE OF NURSING

NUTRITION LAB INVENTORY

| SR.NO | EQUIPMENT | QUANTITY |
|-------|-------------------------|----------|
| 31. | Stainer plastic | 1 |
| 32. | Stainer steel | 2 |
| 33. | Srub | 5 |
| 34. | Cup & saucer box | 1(6+6) |
| 35. | Cup & saucer | 6+6 |
| 36. | Kadhai | 2 |
| 37. | Handi with lid | 4+4 |
| 38. | Rotimaker | 2+2 |
| 39. | Steel chimta | 2+1 |
| 40. | Vim bar | 3 |
| 41. | Multi purpose container | 1 |



Principal
**RIDDHI VINAYAK COLLEGE OF
 NURSING (RVHSPCT),**
 Nallasopara (W), Dist. Palghar 401 203.



Principal
**RIDDHIVINAYAK COLLEGE OF
 NURSING (RVHSPCT),**
 Nallasopara (W), Dist. Palghar 401 203




Principal
**RIDDHI VINAYAK COLLEGE OF
 NURSING (RVHSPCT)**
 Nallasopara (W), Dist. Palghar - 401 203



| SR NO | WARD | CODE | Article | Grade | COMPANY | EXPECTED V | PAST DAT |
|-------|------|------|-------------|-----------------|---------|-------------|------------------|
| | | ICCU | | | | | |
| 3 | | ICCU | A26AMNT001 | CARDIAC MONITOR | A | ALLENERS | 70000 04/01/2020 |
| 4 | | ICCU | A26AMNT002 | CARDIAC MONITOR | A | ALLENERS | 70000 04/01/2020 |
| 5 | | ICCU | A26AMNT003 | CARDIAC MONITOR | A | ALLENERS | 70000 04/01/2020 |
| 6 | | ICCU | A26AMNT004 | CARDIAC MONITOR | A | ALLENERS | 70000 04/01/2020 |
| 7 | | ICCU | A26AMNT005 | CARDIAC MONITOR | A | ALLENERS | 70000 04/01/2020 |
| 8 | | ICCU | A26AMNT006 | CARDIAC MONITOR | A | ALLENERS | 70000 04/01/2020 |
| 9 | | ICCU | A26AMNT007 | CARDIAC MONITOR | A | ALLENERS | 70000 04/01/2020 |
| 10 | | ICCU | A26AMNT008 | CARDIAC MONITOR | A | ALLENERS | 70000 04/01/2020 |
| 11 | | ICCU | A26AMNT009 | CARDIAC MONITOR | A | ALLENERS | 70000 04/01/2020 |
| 12 | | ICCU | A26AMNT010 | CARDIAC MONITOR | A | ALLENERS | 70000 04/01/2020 |
| 13 | | ICCU | A26AMNT011 | CARDIAC MONITOR | A | ALLENERS | 70000 04/01/2020 |
| 14 | | ICCU | A26MMNT012 | CARDIAC MONITOR | A | MEDICOFITS | 35000 04/01/2020 |
| 15 | | ICCU | A26MMNT013 | CARDIAC MONITOR | A | MEDICOFITS | 35000 04/01/2020 |
| 16 | | ICCU | A26MMNT014 | CARDIAC MONITOR | A | MEDICOFITS | 35000 04/01/2020 |
| 17 | | ICCU | A26MMNT015 | CARDIAC MONITOR | A | MEDICOFITS | 35000 04/01/2020 |
| 18 | | ICCU | A26MMNT016 | CARDIAC MONITOR | A | MEDICOFITS | 35000 04/01/2020 |
| 19 | | ICCU | A26MMNT017 | CARDIAC MONITOR | A | MEDICOFITS | 35000 04/01/2020 |
| 20 | | ICCU | A26MMNT018 | CARDIAC MONITOR | A | MEDICOFITS | 35000 04/01/2020 |
| 21 | | ICCU | A26WAMNT019 | CARDIAC MONITOR | A | WELCH ALLYN | 28000 04/01/2020 |
| 22 | | ICCU | A26HPMNT01 | CARDIAC MONITOR | A | HP | 28000 04/01/2020 |
| 23 | | ICCU | A26HPMNT02 | CARDIAC MONITOR | A | HP | 28000 04/01/2020 |
| 24 | | ICCU | A26WAMNT020 | CARDIAC MONITOR | A | WELCH ALLYN | 28000 04/01/2020 |
| 25 | | ICCU | A26BRSYP001 | SYRINGE PUMP | A | B BRAUN | 18000 04/02/2020 |
| 26 | | ICCU | A26BRSYP002 | SYRINGE PUMP | A | B BRAUN | 18000 04/02/2020 |
| 27 | | ICCU | A26BRSYP003 | SYRINGE PUMP | A | B BRAUN | 18000 04/02/2020 |
| 28 | | ICCU | A26BRSYP004 | SYRINGE PUMP | A | B BRAUN | 18000 04/02/2020 |
| 29 | | ICCU | A26BRSYP005 | SYRINGE PUMP | A | B BRAUN | 18000 04/02/2020 |
| 30 | | ICCU | A26BRSYP006 | SYRINGE PUMP | A | B BRAUN | 18000 04/02/2020 |
| 31 | | ICCU | A26BRSYP007 | SYRINGE PUMP | A | B BRAUN | 18000 04/02/2020 |
| 32 | | ICCU | A26BRSYP008 | SYRINGE PUMP | A | B BRAUN | 18000 04/02/2020 |
| 33 | | ICCU | A26BRSYP009 | SYRINGE PUMP | A | B BRAUN | 18000 04/02/2020 |
| 34 | | ICCU | A26BRSYP010 | SYRINGE PUMP | A | B BRAUN | 18000 04/02/2020 |
| 35 | | ICCU | A26BRSYP011 | SYRINGE PUMP | A | B BRAUN | 18000 04/02/2020 |
| 36 | | ICCU | A26BRSYP012 | SYRINGE PUMP | A | B BRAUN | 18000 04/02/2020 |
| 37 | | ICCU | A26BRSYP013 | SYRINGE PUMP | A | B BRAUN | 18000 04/02/2020 |
| 38 | | ICCU | A26BRSYP014 | SYRINGE PUMP | A | B BRAUN | 18000 04/02/2020 |
| 39 | | ICCU | A26BRSYP015 | SYRINGE PUMP | A | B BRAUN | 18000 04/02/2020 |
| 40 | | ICCU | A26BRSYP016 | SYRINGE PUMP | A | B BRAUN | 18000 04/02/2020 |
| 41 | | ICCU | A26XSJ001 | SUCTION JAR | A | | 1600 04/08/2020 |
| 42 | | ICCU | A26XSJ002 | SUCTION JAR | A | | 1600 04/08/2020 |
| 43 | | ICCU | A26XSJ003 | SUCTION JAR | A | | 1600 04/08/2020 |
| 44 | | ICCU | A26XSJ004 | SUCTION JAR | A | | 1600 04/08/2020 |
| 45 | | ICCU | A26XSJ005 | SUCTION JAR | A | | 1600 04/08/2020 |
| 46 | | ICCU | A26XSJ006 | SUCTION JAR | A | | 1600 04/08/2020 |
| 47 | | ICCU | A26XSJ007 | SUCTION JAR | A | | 1600 04/08/2020 |
| 48 | | ICCU | A26XSJ008 | SUCTION JAR | A | | 1600 04/08/2020 |
| 49 | | ICCU | A26XSJ009 | SUCTION JAR | A | | 1600 04/08/2020 |
| 50 | | ICCU | A26XSJ010 | SUCTION JAR | A | | 1600 04/08/2020 |
| 51 | | ICCU | A26XSJ011 | SUCTION JAR | A | | 1600 04/08/2020 |
| 52 | | ICCU | A26XSJ012 | SUCTION JAR | A | | 1600 04/08/2020 |
| 53 | | ICCU | A26XSJ013 | SUCTION JAR | A | | 1600 04/08/2020 |
| 54 | | ICCU | A26XSJ014 | SUCTION JAR | A | | 1600 04/08/2020 |
| 55 | | ICCU | A26XSJ015 | SUCTION JAR | A | | 1600 04/08/2020 |

Principal
RIDDHI VINAYAK COLLEGE OF NURSING (RVHSPCT),
 Nallasopara (W), Dist. Palghar 401 203.



TRUE COPY

| | | | | | | | |
|-----|-----|------|-------------|------------------|---|------|------------|
| 56 | 54 | ICCU | A26XS016 | SUCTION JAR | A | 1600 | 04/08/2020 |
| 57 | 55 | ICCU | A26XS017 | SUCTION JAR | A | 1600 | 04/08/2020 |
| 58 | 56 | ICCU | A26XS018 | SUCTION JAR | A | 1600 | 04/08/2020 |
| 59 | 57 | ICCU | A26XS019 | SUCTION JAR | A | 1600 | 04/08/2020 |
| 60 | 58 | ICCU | A26XFLM 001 | FLOW METER | A | 850 | 04/09/2020 |
| 61 | 59 | ICCU | A26XFLM 002 | FLOW METER | A | 850 | 04/09/2020 |
| 62 | 60 | ICCU | A26XFLM 003 | FLOW METER | A | 850 | 04/09/2020 |
| 63 | 61 | ICCU | A26XFLM 004 | FLOW METER | A | 850 | 04/09/2020 |
| 64 | 62 | ICCU | A26XFLM 005 | FLOW METER | A | 850 | 04/09/2020 |
| 65 | 63 | ICCU | A26XFLM 006 | FLOW METER | A | 850 | 04/09/2020 |
| 66 | 64 | ICCU | A26XFLM 007 | FLOW METER | A | 850 | 04/09/2020 |
| 67 | 65 | ICCU | A26XFLM 008 | FLOW METER | A | 850 | 04/09/2020 |
| 68 | 65 | ICCU | A26XFLM 009 | FLOW METER | A | 850 | 04/09/2020 |
| 69 | 67 | ICCU | A26XFLM 010 | FLOW METER | A | 850 | 04/09/2020 |
| 70 | 68 | ICCU | A26XFLM 011 | FLOW METER | A | 850 | 04/09/2020 |
| 71 | 69 | ICCU | A26XFLM 012 | FLOW METER | A | 850 | 04/09/2020 |
| 72 | 70 | ICCU | A26XFLM 013 | FLOW METER | A | 850 | 04/09/2020 |
| 73 | 71 | ICCU | A26XFLM 014 | FLOW METER | A | 850 | 04/09/2020 |
| 74 | 72 | ICCU | A26XFLM 015 | FLOW METER | A | 850 | 04/09/2020 |
| 75 | 73 | ICCU | A26XFLM 016 | FLOW METER | A | 850 | 04/09/2020 |
| 76 | 74 | ICCU | A26XFLM 017 | FLOW METER | A | 850 | 04/09/2020 |
| 77 | 75 | ICCU | A26XIV001 | IV STAND | B | 600 | 27/06/2020 |
| 78 | 76 | ICCU | A26XIV002 | IV STAND | B | 600 | 27/06/2020 |
| 79 | 77 | ICCU | A26XIV003 | IV STAND | B | 600 | 27/06/2020 |
| 80 | 78 | ICCU | A26XIV004 | IV STAND | B | 600 | 27/06/2020 |
| 81 | 79 | ICCU | A26XIV005 | IV STAND | B | 600 | 27/06/2020 |
| 82 | 80 | ICCU | A26XIV006 | IV STAND | B | 600 | 27/06/2020 |
| 83 | 81 | ICCU | A26XIV007 | IV STAND | B | 600 | 27/06/2020 |
| 84 | 82 | ICCU | A26XIV008 | IV STAND | B | 600 | 27/06/2020 |
| 85 | 83 | ICCU | A26XIV009 | IV STAND | B | 600 | 27/06/2020 |
| 86 | 84 | ICCU | A26XIV010 | IV STAND | B | 600 | 27/06/2020 |
| 87 | 85 | ICCU | A26XIV011 | IV STAND | B | 600 | 27/06/2020 |
| 88 | 86 | ICCU | A26XMTR001 | MEDICINE TROLLEY | B | 4000 | 26/06/2020 |
| 89 | 87 | ICCU | A26XMTR002 | MEDICINE TROLLEY | B | 4000 | 26/06/2020 |
| 90 | 88 | ICCU | A26XMTR003 | MEDICINE TROLLEY | B | 4000 | 26/06/2020 |
| 91 | 89 | ICCU | A26XMTR004 | MEDICINE TROLLEY | B | 4000 | 26/06/2020 |
| 92 | 90 | ICCU | A26XMTR005 | MEDICINE TROLLEY | B | 4000 | 26/06/2020 |
| 93 | 91 | ICCU | A26XMTR006 | MEDICINE TROLLEY | B | 4000 | 26/06/2020 |
| 94 | 92 | ICCU | A26XMTR007 | MEDICINE TROLLEY | B | 4000 | 26/06/2020 |
| 95 | 93 | ICCU | A26XMTR008 | MEDICINE TROLLEY | B | 4000 | 26/06/2020 |
| 96 | 94 | ICCU | A26XMTR009 | MEDICINE TROLLEY | B | 4000 | 26/06/2020 |
| 97 | 95 | ICCU | A26XMTR010 | MEDICINE TROLLEY | B | 4000 | 26/06/2020 |
| 98 | 96 | ICCU | A26XMTR011 | MEDICINE TROLLEY | B | 4000 | 26/06/2020 |
| 99 | 97 | ICCU | A26XMTR012 | MEDICINE TROLLEY | B | 4000 | 26/06/2020 |
| 100 | 98 | ICCU | A26XMTR013 | MEDICINE TROLLEY | B | 4000 | 26/06/2020 |
| 101 | 99 | ICCU | A26XMTR014 | MEDICINE TROLLEY | B | 4000 | 26/06/2020 |
| 102 | 100 | ICCU | A26XMTR015 | MEDICINE TROLLEY | B | 4000 | 26/06/2020 |
| 103 | 101 | ICCU | A26XMTR016 | MEDICINE TROLLEY | B | 4000 | 26/06/2020 |
| 104 | 102 | ICCU | A26XMTR017 | MEDICINE TROLLEY | B | 4000 | 26/06/2020 |
| 105 | 103 | ICCU | A26XMTR018 | MEDICINE TROLLEY | B | 4000 | 26/06/2020 |
| 106 | 104 | ICCU | A26XMTR019 | MEDICINE TROLLEY | B | 4000 | 26/06/2020 |
| 107 | 105 | ICCU | A26XMTR020 | MEDICINE TROLLEY | B | 4000 | 26/06/2020 |
| 108 | 106 | ICCU | A26XMTR021 | MEDICINE TROLLEY | B | 4000 | 26/06/2020 |

Principal
RIDDHI VINAYAK COLLEGE OF NURSING (RVHISPT)
 Nallasopara (W), Dist. Palghar 401 203



| | | | | | | | |
|-----|------|---------------|-----------------|---|-------------|---------|------------|
| 111 | ICCU | A26ALVENT001 | VENTILATOR | A | AIR LIQUIDE | 600000 | 04/03/2020 |
| 112 | ICCU | A26ALVENT002 | VENTILATOR | A | AIR LIQUIDE | 600000 | 04/03/2020 |
| 113 | ICCU | A26ALVENT003 | VENTILATOR | A | AIR LIQUIDE | 600000 | 04/03/2020 |
| 114 | ICCU | A26ALVENT004 | VENTILATOR | A | AIR LIQUIDE | 600000 | 04/03/2020 |
| 115 | ICCU | A26ALVENT005 | VENTILATOR | A | AIR LIQUIDE | 600000 | 04/03/2020 |
| 116 | ICCU | A26ALVENT006 | VENTILATOR | A | AIR LIQUIDE | 600000 | 04/03/2020 |
| 117 | ICCU | A26ALVENT007 | VENTILATOR | A | AIR LIQUIDE | 450000 | 04/03/2020 |
| 118 | ICCU | A26ALVENT008 | VENTILATOR | A | AIR LIQUIDE | 450000 | 04/03/2020 |
| 119 | ICCU | A26MQIABP001 | IABP | A | MAQUET | 2000000 | 04/04/2020 |
| 120 | ICCU | A26MQIABP002 | IABP | A | MAQUET | 2000000 | 04/04/2020 |
| 121 | ICCU | A26MQIABP003 | IABP | A | MAQUET | 2000000 | 04/04/2020 |
| 122 | ICCU | A26MQIABP004 | IABP | A | MAQUET | 2000000 | 04/04/2020 |
| 123 | ICCU | A26MQIABP005 | IABP | A | MAQUET | 2000000 | 04/04/2020 |
| 124 | ICCU | A26XFDT001 | FOOD TROLLEY | B | | 6500 | 25/06/2020 |
| 125 | ICCU | A26XFDT002 | FOOD TROLLEY | B | | 6500 | 25/06/2020 |
| 126 | ICCU | A26XFDT003 | FOOD TROLLEY | B | | 6500 | 25/06/2020 |
| 127 | ICCU | A26XFDT004 | FOOD TROLLEY | B | | 6500 | 25/06/2020 |
| 128 | ICCU | A26XPTBED001 | 4 KEY BED | C | | 38250 | 07/08/2020 |
| 129 | ICCU | A26XPTBED002 | 4 KEY BED | C | | 38250 | 07/08/2020 |
| 130 | ICCU | A26XPTBED003 | 4 KEY BED | C | | 38250 | 07/08/2020 |
| 131 | ICCU | A26XPTBED004 | 4 KEY BED | C | | 38250 | 07/08/2020 |
| 132 | ICCU | A26XPTBED005 | 4 KEY BED | C | | 38250 | 07/08/2020 |
| 133 | ICCU | A26XPTBED006 | 4 KEY BED | C | | 38250 | 07/08/2020 |
| 134 | ICCU | A26XPTBED007 | 4 KEY BED | C | | 38250 | 07/08/2020 |
| 135 | ICCU | A26XPTBED008 | 4 KEY BED | C | | 38250 | 07/08/2020 |
| 136 | ICCU | A26XPTBED009 | 4 KEY BED | C | | 38250 | 07/08/2020 |
| 137 | ICCU | A26XPTBED010 | 4 KEY BED | C | | 38250 | 07/08/2020 |
| 138 | ICCU | A26XPTBED011 | 4 KEY BED | C | | 38250 | 07/08/2020 |
| 139 | ICCU | A26XPTBED012 | 4 KEY BED | C | | 38250 | 07/08/2020 |
| 140 | ICCU | A26XPTBED013 | 4 KEY BED | C | | 38250 | 07/08/2020 |
| 141 | ICCU | A26XPTBED014 | 4 KEY BED | C | | 38250 | 07/08/2020 |
| 142 | ICCU | A26XPTBED015 | 4 KEY BED | C | | 38250 | 07/08/2020 |
| 143 | ICCU | A26XPTBED016 | 4 KEY BED | C | | 38250 | 07/08/2020 |
| 144 | ICCU | A26XPTBED017 | 4 KEY BED | C | | 38250 | 07/08/2020 |
| 145 | ICCU | A26XPTBED018 | 4 KEY BED | C | | 38250 | 07/08/2020 |
| 146 | ICCU | A26XPTBED019 | 4 KEY BED | C | | 38250 | 07/08/2020 |
| 147 | ICCU | A26XPTBED020 | 4 KEY BED | C | | 38250 | 07/08/2020 |
| 148 | ICCU | A26XPTBED021 | 4 KEY BED | C | | 38250 | 07/08/2020 |
| 149 | ICCU | A26MTSTS001 | STETHOSCOPE | B | MICRO TONE | 950 | 07/03/2020 |
| 150 | ICCU | A26MTSTS002 | STETHOSCOPE | B | MICRO TONE | 950 | 07/03/2020 |
| 151 | ICCU | A26XCHRPLT001 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 152 | ICCU | A26BPLECG001 | ECG MACHINE | A | BPL | 17000 | 04/06/2020 |
| 153 | ICCU | A26BPLDEFF001 | DEFIBRILATOR | A | BPL | 24500 | 04/06/2020 |
| 154 | ICCU | A26NUPS001 | UPS | A | NUMBERIC | 8000 | 28/04/2020 |
| 155 | ICCU | A26NUPS002 | UPS | A | NUMBERIC | 8000 | 28/04/2020 |
| 156 | ICCU | A26NUPS003 | UPS | A | NUMBERIC | 8000 | 28/04/2020 |
| 157 | ICCU | A26NUPS004 | UPS | A | NUMBERIC | 8000 | 28/04/2020 |
| 158 | ICCU | A26ACERMNT001 | PATIENT MONITOR | A | ACER | 26500 | 30/04/2020 |
| 159 | ICCU | A26ACERMNT002 | PATIENT MONITOR | A | ACER | 26500 | 30/04/2020 |
| 160 | ICCU | A26ACERMNT003 | PATIENT MONITOR | A | ACER | 26500 | 30/04/2020 |
| 161 | ICCU | A26ACERMNT003 | PATIENT MONITOR | A | SAMSUNG | 26500 | 30/04/2020 |
| 162 | ICCU | A26LMNT01 | COMPUTER | A | LG | 26500 | 30/04/2020 |
| 163 | ICCU | A26LMNT02 | COMPUTER | A | LG | 26500 | 30/04/2020 |
| 164 | ICCU | A26IBCPU001 | CPU | A | LG | 14000 | 30/04/2020 |
| 165 | ICCU | A26IBCPU002 | CPU | A | LG | 14000 | 30/04/2020 |

Principal
RIDDHI VINAYAK COLLEGE OF NURSING (RVHSPT)
 Nallasopda (W), Dist. Palghar 401 203

Principal
COLLEGE OF NURSING (RVHSPT)
 Nallasopda (W), Dist. Palghar 401 203

TRUE COPY

| | | | | | | | | |
|-----|--|------|-------------------|---------------------|---|-------------|--------|-----------|
| 166 | | ICCU | A26HPP001 | PRINTER | A | HP | 8000 | 22/04/202 |
| 167 | | ICCU | A26EP001 | PRINTER COLOUR | A | EPSON | 12000 | 22/04/202 |
| 168 | | ICCU | A26PTEPHN001 | TELEPHONE | A | PANASONIC | 800 | 29/04/202 |
| 169 | | ICCU | A26PTEPHN002 | TELEPHONE | A | PANASONIC | 800 | 29/04/202 |
| 170 | | ICCU | A26SNDL001 | NEEDLE BURNER | A | SURG | 1250 | 23/04/202 |
| 171 | | ICCU | A26SNDL002 | NEEDLE BURNER | A | SURG | 1250 | 23/04/202 |
| 172 | | ICCU | A26DLPTP001 | LAPTOP | A | DELL | 16500 | 30/04/202 |
| 173 | | ICCU | A26DLPTP002 | LAPTOP | A | DELL | 16500 | 30/04/202 |
| 174 | | ICCU | A26REBPP001 | B PAP | A | RESMED | 92000 | 04/07/202 |
| 175 | | ICCU | A26REBPP002 | B PAP | A | RESMED | 92000 | 04/07/202 |
| 176 | | ICCU | A26NFDE001 | NEBU MACHINE | A | DEVIL BISS | 7000 | 22/04/202 |
| 177 | | ICCU | A26MAXSTEM001 | STEAM MACHINE | A | MAX KINGDO | 1800 | 05/04/202 |
| 178 | | ICCU | A26XEMRTL001 | EMERGENCY TROLLEY | B | | 3500 | 21/06/202 |
| 179 | | ICCU | A26XCPBRD001 | CUPBOARD | C | | 9500 | 07/11/202 |
| 180 | | ICCU | A26XCPBRD002 | CUPBOARD | C | | 9500 | 07/11/202 |
| 181 | | ICCU | A26XCPBRD003 | CUPBOARD | C | | 9500 | 07/11/202 |
| 182 | | ICCU | A26DAIAC001 | AIR CONDITIONER | A | DAIKIN | 110000 | 04/11/202 |
| 183 | | ICCU | A26DAIAC002 | AIR CONDITIONER | A | DAIKIN | 110000 | 04/11/202 |
| 184 | | ICCU | A26DAIAC003 | AIR CONDITIONER | A | DAIKIN | 110000 | 04/11/202 |
| 185 | | ICCU | A26DAIAC004 | AIR CONDITIONER | A | DAIKIN | 110000 | 04/11/202 |
| 186 | | ICCU | A26DAIAC005 | AIR CONDITIONER | A | DAIKIN | 110000 | 04/11/202 |
| 187 | | ICCU | A26DAIAC006 | AIR CONDITIONER | A | DAIKIN | 110000 | 04/11/202 |
| 188 | | ICCU | A26DAIAC007 | AIR CONDITIONER | A | DAIKIN | 110000 | 04/11/202 |
| 189 | | ICCU | A26DAIAC008 | AIR CONDITIONER | A | DAIKIN | 110000 | 04/11/202 |
| 190 | | ICCU | A26XECGTRY | ECG MACHINE | A | | 22000 | 04/06/202 |
| 191 | | ICCU | A26XDEFTRY | DEF MACHINE TROLLEY | A | | 2900 | 28/05/202 |
| 192 | | ICCU | A26XROWCHR001 | ROUND CHAIR | B | | 1500 | 30/06/202 |
| 193 | | ICCU | A26XSTPSTL | STEP STOOL | C | | 600 | 16/07/202 |
| 194 | | ICCU | A26XO2001 | O2 CYLINDER | A | | 4500 | 29/05/202 |
| 195 | | ICCU | A26NOHGT001 | HGT MACHINE | A | NIKODING 1 | 2000 | 18/05/202 |
| 196 | | ICCU | A26RMNRSPC001 | NURSING PC | A | RUBERMED | 16500 | 30/04/202 |
| 197 | | ICCU | A26RMNRSPC002 | NURSING PC | A | RUBERMED | 16500 | 30/04/202 |
| 198 | | ICCU | A26RMNRSPC003 | NURSING PC | A | RUBERMED | 16500 | 30/04/202 |
| 199 | | ICCU | A30HVDPH001 | VIDEO DOOR PHONE | | HIKVISION | 7000 | |
| 200 | | | | | | | | |
| 201 | | OT 1 | A28OT1OTBL001 | OT TABLE | B | RELIANCE | 225000 | 28/11/202 |
| 202 | | OT 1 | A28OT1OTLHT001 | OT LIGHTS | A | LUMINOX SM | 800000 | 16/04/202 |
| 203 | | OT 1 | A28OT1XIVSNTD001 | IV STAND | B | | 600 | 27/06/202 |
| 204 | | OT 1 | A28OT1XIVSNTD002 | IV STAND | B | | 600 | 27/06/202 |
| 205 | | OT 1 | A28OT1XDRESTRY001 | DRESSING TROLLEY | A | | 7500 | 16/06/202 |
| 206 | | OT 1 | A28OT1XDRESTRY002 | DRESSING TROLLEY | B | | 7500 | 16/06/202 |
| 207 | | OT 1 | A28OT1SHMCURT001 | COUTERY MACHINE | A | SHALYA NX | 400000 | 14/04/202 |
| 208 | | OT 1 | A28OT1XMEDTRY001 | MEDICINE TROLLEY | B | | 4000 | 26/06/202 |
| 209 | | OT 1 | A28OT1AMNT001 | CARDIAC MONITOR | A | ALLEGERS | 120000 | 04/01/202 |
| 210 | | OT 1 | A28OT1XSTOOL001 | STOOL | C | | 600 | 16/07/202 |
| 211 | | OT 1 | A28OT1XSTOOL002 | STOOL | C | | 600 | 16/07/202 |
| 212 | | OT 1 | A28OT1ANATH001 | ANAESTHESIA MACHINE | A | NARKOMED | 550000 | 04/12/202 |
| 213 | | OT 1 | A28OT1DAC001 | AIR CONDITIONER | A | DAIKIN | 110000 | 04/11/202 |
| 214 | | OT 1 | A28OT1CHRPLT001 | CHAIR PLASTIC | C | POLYSET FUR | 525 | 07/10/202 |
| 215 | | OT 1 | A28OT1CHRPLT002 | CHAIR PLASTIC | C | POLYSET FUR | 525 | 07/10/202 |
| 216 | | OT 1 | A28OT1XSTIRAC001 | STILL RACK | C | | 1500 | 17/07/202 |
| 217 | | OT 1 | A28OT1XSTIRAC002 | STILL RACK | C | | 1500 | 17/07/202 |
| 218 | | OT 1 | A28OT1PANTELE001 | TELEPHONE | A | PANASONIC | 800 | 29/04/202 |

Principal
 VINAYAK COLLEGE OF
 NURSING
 Nallasopara (W), Dist. Palghar 401 202




| | | | | | | | |
|-----|------|--------------------|---------------------|---|----------------|--------|------------|
| 221 | OT 1 | A280T1CONHGT001 | HGT MACHINE | A | NIKODING 1 | 2000 | 18/05/2020 |
| 222 | OT 1 | A280T1TRLY001 | TROLLEY | B | | 3500 | 26/06/2020 |
| 223 | OT 1 | A280T1TRLY002 | TROLLEY | B | | 3500 | 26/06/2020 |
| 224 | OT 1 | A280T1STP001 | STEP | C | | 400 | 20/07/2020 |
| 225 | OT 1 | A280T1LTHMY001 | LITHOTOMY | A | | 100000 | 24/04/2020 |
| 226 | OT 1 | A280T1LTHMY002 | LITHOTOMY | A | | 100000 | 24/04/2020 |
| 227 | | | | | | | |
| 228 | | | | | | | |
| 229 | | | | | | | |
| 230 | OT 2 | A280T2ALLOTTBL001 | OT TABLE | B | ALLANTIC INC | 225000 | 28/06/2020 |
| 231 | OT 2 | A280T2DRMCLHTS001 | DR MACH LIGHT | A | EDIFICY SYSTEM | 550000 | 16/04/2020 |
| 232 | OT 2 | A280T2DRMCLHTS002 | DR MACH LIGHT | A | EDIFICY SYSTEM | 550000 | 16/04/2020 |
| 233 | OT 2 | A280T2XIVSTND001 | IV STAND | B | | 600 | 27/06/2020 |
| 234 | OT 2 | A280T2XMEDITRLY001 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 235 | OT 2 | A280T2XDRSTRLY001 | DRESSING TROLLEY | B | | 7500 | 16/06/2020 |
| 236 | OT 2 | A280T2XTRRLY001 | TROLLEY | B | | 3500 | 26/06/2020 |
| 237 | OT 2 | A280T2XTRRLY002 | TROLLEY | B | | 3500 | 26/06/2020 |
| 238 | OT 2 | A280T2XSTL001 | STOOL | C | | 600 | 16/07/2020 |
| 239 | OT 2 | A280T2XSTEP001 | STEP STOOL | C | | 400 | 16/07/2020 |
| 240 | OT 2 | A280T2XSTEP002 | STEP STOOL | C | | 400 | 16/07/2020 |
| 241 | OT 2 | A280T2APCUPS001 | UPS | A | APC | 5600 | 28/04/2020 |
| 242 | OT 2 | A280T2MEDTKELE001 | ELECTRIC TROLLEY | B | | 4500 | 18/06/2020 |
| 243 | OT 2 | A280T2DMND8PM001 | BLOOD PRESSURE MACH | A | DIAMOND | 1800 | 05/03/2020 |
| 244 | OT 2 | A280T2ATSTELE001 | AIR CONDITIONER | A | ALTUS | 700000 | 04/11/2020 |
| 245 | OT 2 | A280T2MMNT001 | CARDIAC MONITOR | A | MEDICOFITS | 35000 | 04/01/2020 |
| 246 | OT 2 | A280T2ATV001 | TELEVISION | A | AKIA | 7000 | 15/05/2020 |
| 247 | OT 2 | A280T2XSJ001 | SUCTION JAR | A | | 1600 | 04/08/2020 |
| 248 | OT 2 | A280T2XSJ002 | SUCTION JAR | A | | 1600 | 04/08/2020 |
| 249 | OT 2 | A280T2XFLM001 | FLOW METER | A | | 850 | 04/09/2020 |
| 250 | OT 2 | A280T2XFLM002 | FLOW METER | A | | 850 | 04/09/2020 |
| 251 | | | | | | | |
| 252 | | | | | | | |
| 253 | | | | | | | |
| 254 | | | | | | | |
| 255 | | | | | | | |
| 256 | | | | | | | |
| 257 | | | | | | | |
| 258 | | | | | | | |
| 259 | | | | | | | |
| 260 | | | | | | | |
| 261 | | | | | | | |
| 262 | | | | | | | |
| 263 | | | | | | | |
| 264 | | | | | | | |
| 265 | | | | | | | |
| 266 | | | | | | | |
| 267 | | | | | | | |
| 268 | | | | | | | |
| 269 | | | | | | | |
| 270 | | | | | | | |
| 271 | | | | | | | |
| 272 | | | | | | | |
| 273 | | | | | | | |
| 274 | | | | | | | |
| 275 | | | | | | | |

Principal
RIDDHI VINAYAK COLLEGE OF NURSING (RVHSPCT)
 Nallasepara (W), Dist. Palghar 401 203



Principal
RIDDHI VINAYAK COLLEGE OF NURSING (RVHSPCT)
 Nallasepara (W), Dist. Palghar 401 203



TRUE COPY

| | | | | | | | | |
|-----|----|------|--------------------|---------------------|---|-------------|--------|------------|
| 276 | 26 | OT 3 | A28OT3HEMOACT001 | ACT MACHINE | A | HEMOCHRON | 170000 | 21/04/2020 |
| 277 | 27 | OT 3 | A28OT3XIVSTND001 | IV STAND | B | | 600 | 27/06/2020 |
| 278 | 28 | OT 3 | A28OT3XIVSTND002 | IV STAND | B | | 600 | 27/06/2020 |
| 279 | 29 | OT 3 | A28OT3XTRY001 | TROLLEY | B | | 3500 | 26/06/2020 |
| 280 | 30 | OT 3 | A28OT3XTRY002 | TROLLEY | B | | 3500 | 26/06/2020 |
| 281 | 31 | OT 3 | A28OT3XTRY003 | TROLLEY | B | | 3500 | 26/06/2020 |
| 282 | 32 | OT 3 | A28OT3ALTSTELE001 | TELEPHONE | A | ALTUS | 1100 | 29/04/2020 |
| 283 | 33 | OT 3 | A28OT3NOHGT001 | HGT MACHINE | A | NIKODING 1 | 2000 | 18/05/2020 |
| 284 | 34 | OT 3 | A28OT3DMNDBPM001 | BLOOD PRESSURE MACH | A | DIAMOND | 1800 | 05/03/2020 |
| 285 | 35 | OT 3 | A28OT3DRGANATHSEI0 | ANAESTHESIA MACHINE | A | DRAGER INDI | 938000 | 04/12/2020 |
| 286 | 36 | OT 3 | A28OT3XSJ001 | SUCTION JAR | A | | 1600 | 04/08/2020 |
| 287 | 37 | OT 3 | A28OT3XSJ002 | SUCTION JAR | A | | 1600 | 04/08/2020 |
| 288 | 38 | OT 3 | A28OT3XFLM001 | FLOW METER | A | | 850 | 04/09/2020 |
| 289 | 39 | OT 3 | A28OT3XFLM002 | FLOW METER | A | | 850 | 04/09/2020 |
| 290 | 40 | OT 3 | A26OT3BRSYP001 | SYRINGE PUMP | A | B BRAUN | 18000 | 04/02/2020 |
| 291 | 41 | OT 3 | A26OT3BRSYP002 | SYRINGE PUMP | A | B BRAUN | 18000 | 04/02/2020 |
| 292 | 42 | OT 3 | A26OT3BRSYP003 | SYRINGE PUMP | A | B BRAUN | 18000 | 04/02/2020 |
| 293 | 43 | OT 3 | A26OT3BRSYP004 | SYRINGE PUMP | A | B BRAUN | 18000 | 04/02/2020 |
| 294 | | | | | | | | |
| 295 | | | OT 4 | | | | | |
| 296 | 44 | OT 4 | A28OT4LKOTTBLO01 | OT TABLE | B | L & K | 225000 | 28/06/2020 |
| 297 | 45 | OT 4 | A28OT4LUMLGT001 | OT LIGHTS | A | LUMINOX SM | 150000 | 16/04/2020 |
| 298 | 46 | OT 4 | A28OT4DRGANATH001 | ANAESTHESIA MACHINE | A | DRAGER INDI | 650000 | 04/12/2020 |
| 299 | 47 | OT 4 | A28OT4ALMNT001 | CARDIAC MONITOR | A | ALLENERS | 120000 | 04/01/2020 |
| 300 | 48 | OT 4 | A28OT4XIVSNTD001 | IV STAND | B | | 600 | 27/06/2020 |
| 301 | 49 | OT 4 | A28OT4MANMACH001 | MANMAN MACHINE | A | MAN MAN 11 | 122000 | 17/04/2020 |
| 302 | 50 | OT 4 | A28OT4SHMCURT001 | COUTERY MACHINE | A | SHALYA NX | 400000 | 14/04/2020 |
| 303 | 51 | OT 4 | A28OT4XELETRLY001 | ELECTRIC TROLLEY | B | ALLENERS | 4500 | 18/06/2020 |
| 304 | 52 | OT 4 | A28OT4ALLCRM001 | C-ARM MACHINE | A | ALLENERS H | 525000 | 15/04/2020 |
| 305 | 53 | OT 4 | A28OT4XAC001 | A R CONDITIONER | A | ALTUS | 700000 | 04/11/2020 |
| 306 | 54 | OT 4 | A28OT4XTRY001 | TROLLEY | B | | 3500 | 26/06/2020 |
| 307 | 55 | OT 4 | A28OT4XTRY002 | TROLLEY | B | | 3500 | 26/06/2020 |
| 308 | 56 | OT 4 | A28OT4XSTP001 | STEP | C | | 400 | 20/07/2020 |
| 309 | 57 | OT 4 | A28OT4XSTP002 | STEP | C | | 400 | 20/07/2020 |
| 310 | 58 | OT 4 | A28OTXSTL001 | STOOL | | | 600 | 16/07/2020 |
| 311 | 59 | OT 4 | A28OTXSTL002 | STOOL | | | 600 | 16/07/2020 |
| 312 | 60 | OT 4 | A28OT4LTHMY001 | LITHOTOMY | A | | 100000 | 24/04/2020 |
| 313 | 61 | OT 4 | A28OT4XMEDI001 | MEDICINE RACK | C | | 8000 | 17/07/2020 |
| 314 | 62 | OT 4 | A28OT4XMEDI002 | MEDICINE RACK | C | | 8000 | 17/07/2020 |
| 315 | 63 | OT 4 | A28OT4XDRSGTRY001 | DRESSING TROLLEY | B | | 7500 | 16/06/2020 |
| 316 | 64 | OT 4 | A28OT4DMNDBPM001 | BLOOD PRESSURE MACH | A | DIAMOND | 1800 | 05/03/2020 |
| 317 | 65 | OT 4 | A28OT4MICSTH001 | STETHOSCOPE | B | MICRO TONE | 950 | 07/03/2020 |
| 318 | 66 | OT 4 | A28OT4XHGTMACH | HGT MACHINE | A | NIKODING 1 | 2000 | 18/05/2020 |
| 319 | 67 | OT 4 | A28OT4STOSSYP001 | SYRINGE PUMP | A | STOSS | 20000 | 04/02/2020 |
| 320 | 68 | OT 4 | A28OT4STOSSYP002 | SYRINGE PUMP | A | STOSS | 20000 | 04/02/2020 |
| 321 | 69 | OT 4 | A28OT4STOSSYP003 | SYRINGE PUMP | A | STOSS | 20000 | 04/02/2020 |
| 322 | 70 | OT 4 | A26OT4BRSYP001 | SYRINGE PUMP | A | B BRAUN | 18000 | 04/02/2020 |
| 323 | 71 | OT 4 | A28OT4XSJ001 | SUCTION JAR | A | | 1600 | 04/08/2020 |
| 324 | 72 | OT 4 | A28OT4XSJ002 | SUCTION JAR | A | | 1600 | 04/08/2020 |
| 325 | 73 | OT 4 | A28OT4XFLM001 | FLOW METER | A | | 850 | 04/09/2020 |
| 326 | 74 | OT 4 | A28OT4XFLM002 | FLOW METER | A | | 850 | 04/09/2020 |
| 327 | | | | | | | | |
| 328 | | | OT 5 | | | | | |

Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSIPCT),
Nallasopara (W), Dist. Palghar-401 203.



| | | | | | | | |
|-----|--------------|--------------------------|---------------------|---|------------|--------|------------|
| 331 | OT 5 | A28OT5TMMNT001 | CARDIAC MONITOR | A | TM 9009 | 65000 | 04/01/2020 |
| 332 | OT 5 | A28OT5MEDTRY001 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 333 | OT 5 | A28OT5XTRY001 | TROLLEY | B | | 3500 | 26/06/2020 |
| 334 | OT 5 | A28OT5XWHTBORD001 | WHITE BOARD | C | | 1200 | 20/07/2020 |
| 335 | OT 5 | A28OT5XDRSTRY001 | DRESSING TROLLEY | B | | 7500 | 16/06/2020 |
| 336 | OT 5 | A28OT5XSTP001 | STEP | C | | 400 | 20/07/2020 |
| 337 | OT 5 | A28OT5DMNDBPM001 | BLOOD PRESSURE MACH | A | DIAMOND | 1800 | 05/03/2020 |
| 338 | OT 5 | A28OT5MICSTH001 | STETHOSCOPE | B | MICRO TONE | 950 | 07/03/2020 |
| 339 | | | | | | | |
| 340 | | | | | | | |
| 341 | | OT 6 | | | | | |
| 342 | OT 6 | A28OT6OTTBL001 | OT TABLE | B | | 225000 | 28/06/2020 |
| 343 | OT 6 | A28OT6NRKANATH001 | ANAESTHESIA MACHINE | A | NARKMOD | 550000 | 04/12/2020 |
| 344 | OT 6 | A28OT6SSMAAC001 | AIR CONDITIONER | A | SAMSUNG | 110000 | 04/11/2020 |
| 345 | OT 6 | A28OT6SSMAAC002 | AIR CONDITIONER | A | SAMSUNG | 110000 | 04/11/2020 |
| 346 | OT 6 | A28OT6XFAN001 | FAN 2 | B | | 3400 | 24/06/2020 |
| 347 | OT 6 | A28OT6XPL001 | PANEL LIGHT 6 | B | | 5400 | 29/06/2020 |
| 348 | OT 6 | A28OT6XIVS001 | IV STAND | B | | 600 | 27/06/2020 |
| 349 | OT 6 | A28OT6XDSKTBL001 | DESK TABLE 6 | C | | 54000 | 07/12/2020 |
| 350 | OT 6 | A28OT6XMEDCBP001 | MEDICINE CUPBOARD | C | | 8000 | 17/07/2020 |
| 351 | | | | | | | |
| 352 | | OT 7 | | | | | |
| 353 | OT 7 | A28OT7XOTTBL001 | OT TABLE | B | | 225000 | 28/06/2020 |
| 354 | OT 7 | A28OT7DRMLHT001 | OT LIGHT | A | DR MACH | 550000 | 16/04/2020 |
| 355 | OT 7 | A28OT7NRKANATH001 | ANAESTHESIA MACHINE | A | NARKMOD | 550000 | 04/12/2020 |
| 356 | OT 7 | A28OT7XPL001 | PANEL LIGHT 8 | B | | 7200 | 29/06/2020 |
| 357 | OT 7 | A28OT7SSMAAC001 | AIR CONDITIONER | A | SAMSUNG | 110000 | 04/11/2020 |
| 358 | OT 7 | A28OT7SSMAAC002 | AIR CONDITIONER | A | SAMSUNG | 110000 | 04/11/2020 |
| 359 | OT 7 | A28OT7XXVM001 | X-RAY VIEW MACHINE | A | | 2500 | 13/04/2020 |
| 360 | OT 7 | A28OT7XDRSGTRY001 | DRESSING TROLLEY | B | | 7500 | 16/06/2020 |
| 361 | OT 7 | A28OT7XMEDCBP001 | MEDICINE CUPBOARD | C | | 8000 | 17/07/2020 |
| 362 | OT 7 | A28RWHT001 | WATCH | B | RIKON | 200 | 07/04/2020 |
| 363 | | | | | | | |
| 364 | | OT 8 | | | | | |
| 365 | OT 8 | A28OT8QOTTBL001 | OT TABLE | B | QUANTUM | 225000 | 28/06/2020 |
| 366 | OT 8 | A28OT8XMS001 | MICROSCOPE | A | | 21000 | 26/04/2020 |
| 367 | OT 8 | A28OT8DRMLHT001 | OT LIGHT | A | DR MACH | 550000 | 16/04/2020 |
| 368 | OT 8 | A28OT8NRKANATH001 | ANAESTHESIA MACHINE | A | NARKMOD | 550000 | 04/12/2020 |
| 369 | OT 8 | A28OT8XTLY001 | TROLLEY 2 | B | | 6500 | 26/06/2020 |
| 370 | OT 8 | A28OTETAAC001 | AIR CONDITIONER | A | | 28000 | 04/11/2020 |
| 371 | OT 8 | A28OT8XPL001 | PANEL LIGHT 6 | B | | 5400 | 29/06/2020 |
| 372 | OT 8 | A28OT8XIVS001 | IV STAND | B | | 600 | 27/06/2020 |
| 373 | OT 8 | A28OT8XSTPSTL001 | STEP STOOL | C | | 400 | 16/07/2020 |
| 374 | OT 8 | A28OT8XSJ002 | SUCTION JAR | C | | 1600 | 04/08/2020 |
| 375 | OT 8 | A28OT8XFLM001 | FLOW METER | C | | 850 | 04/09/2020 |
| 376 | OT 8 | A28OT8MCHRPLT005 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 377 | OT 8 | A28XEMETRY001 | EMERGENCY TROLLEY | B | | 3500 | 21/06/2020 |
| 378 | OT 8 | A28XRWSTL001 | ROUND STOOL | B | | 1275 | 30/06/2020 |
| 379 | | | | | | | |
| 380 | | 3 RD FLOOR RECOVERY ROOM | | | | | |
| 381 | 3 RD FLR REC | A28RCRBED001 | BED | C | | 18000 | 07/08/2020 |
| 382 | 3 RD FLR REC | A28RCRBED002 | BED | C | | 18000 | 07/08/2020 |
| 383 | 3 RD FLR REC | A28RCRBED003 | BED | C | | 18000 | 07/08/2020 |
| 384 | 3 RD FLR REC | A28RCRDAC001 | AIR CONDITIONER | A | DAIKIN | 110000 | 04/11/2020 |
| 385 | 3 RD FLR REC | A28RCRDAC002 | AIR CONDITIONER | A | DAIKIN | 110000 | 04/11/2020 |
| 386 | 3 RD FLR REC | A28RCRDAC003 | AIR CONDITIONER | A | DAIKIN | 110000 | 04/11/2020 |

Principal
RIDDHI VINAYA COLLEGE OF
NURSING (RVHSPCT),
Nallasota (W), Dist. Palghar 401 203.



TRUE COPY

| | | | | | | | | |
|-----|----|--------------|-------------------------------------|----------------------|---|-------------|--------|------------|
| 387 | 7 | 3 RD FLR REC | A28RCRXTBL001 | TABLE | C | | 8000 | 07/12/2020 |
| 388 | 8 | 3 RD FLR REC | A28RCRXTBL002 | TABLE | C | | 8000 | 07/12/2020 |
| 389 | 9 | 3 RD FLR REC | A28XBLCHR001 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 390 | 10 | 3 RD FLR REC | A28XBLCHR002 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 391 | 11 | 3 RD FLR REC | A28XBLCHR003 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 392 | 12 | 3 RD FLR REC | A28RCRVMNT001 | CARDIAC MONITOR | A | V24L5 | 65000 | 04/01/2020 |
| 393 | 13 | 3 RD FLR REC | A43XCPBD001 | CUPBOARD | C | | 9500 | 07/11/2020 |
| 394 | | | | | | | | |
| 395 | | | 3 RD FLOOR OT MEDICINE ROOM | | | | | |
| 396 | 1 | 3 RD FLORCA | A28AOTMEDRK001 | MEDICINE RACK BLUE | C | ALKON | 8000 | 17/07/2020 |
| 397 | 2 | 3 RD FLORCA | A28AOTMEDRK002 | MEDICINE RACK BLUE | C | ALKON | 8000 | 17/07/2020 |
| 398 | 3 | 3 RD FLORCA | A28OTMRMPLCHR001 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 399 | 4 | 3 RD FLORCA | A28XOTMEDSTL001 | STOOL | C | | 600 | 16/07/2020 |
| 400 | 5 | 3 RD FLORCA | A28OTRMSTKTBL001 | OT MEDICINE STOCK TA | C | | 8000 | 07/12/2020 |
| 401 | 6 | 3 RD FLORCA | A28OTMRMTRY001 | OT MEDICINE TROLLEY | B | | 3500 | 26/06/2020 |
| 402 | 7 | 3 RD FLOOR | A28SOTFRG001A | REFRIGERATOR | A | SAMSUNG | 27000 | 14/05/2020 |
| 403 | 8 | 3 RD FLORCA | A28CFAN001 | FAN | B | CROMPTON | 1700 | 24/06/2020 |
| 404 | | | | | | | | |
| 405 | | | 3 RD FLOOR GENERAL OT MEDICINE ROOM | | | | | |
| 406 | 1 | 3RD FR G OT | A28XMEDRK001 | MEDICINE RACK BLUE | C | ALKON | 8000 | 17/07/2020 |
| 407 | 2 | 3RD FR G OT | A28XTBL001 | TABLE | C | | 8000 | 07/12/2020 |
| 408 | 3 | 3rd FR G OT | A28XTELETBL001 | TELEPHONE TABLE | C | | 4500 | 07/12/2020 |
| 409 | 4 | 3rd FR G OT | A28PSNTELE001 | TELEPHONE TABLE | C | PANASONIC | 800 | 07/12/2020 |
| 410 | 5 | 3rd FR G OT | A28XSQTBL001 | SQUARE TABLE | C | | 4500 | 07/12/2020 |
| 411 | 6 | 3rd FR G OT | A28APPRTRY001 | PAPER TREY | C | | 400 | 23/07/2020 |
| 412 | 7 | 3RD FR G OT | A28SFRG001 | REFRIGERATOR | A | SAMSUNG | 27000 | 14/05/2020 |
| 413 | 8 | 3rd FR G OT | A28XFAN001 | FAN | B | | 1700 | 24/06/2020 |
| 414 | 9 | 3rd FR G OT | A28XFAN002 | FAN | B | | 1700 | 24/06/2020 |
| 415 | 10 | 3rd FR G OT | A28XTL001 | TUBE LIGHT | B | | 150 | 29/06/2020 |
| 416 | 11 | 3rd FR G OT | A28XTL002 | TUBE LIGHT | B | | 150 | 29/06/2020 |
| 417 | 12 | 3rd FR G OT | A28XTL003 | TUBE LIGHT | B | | 150 | 29/06/2020 |
| 418 | 13 | 3rd FR G OT | A28XTL004 | TUBE LIGHT | B | | 150 | 29/06/2020 |
| 419 | | | | | | | | |
| 420 | | | CASUALTY - CPR ROOM | | | | | |
| 421 | 1 | CASUALTY-C | A43SKPTBD001 | PATIENT BED | C | STRYKER | 18000 | 07/08/2020 |
| 422 | 2 | CASUALTY-C | A43SKPTBD002 | PATIENT BED | C | STRYKER | 18000 | 07/08/2020 |
| 423 | 3 | CASUALTY-C | A43INMNT001 | CARDIAC MONITOR | A | INVIVO | 40000 | 04/01/2020 |
| 424 | 4 | CASUALTY-C | A43INMNT002 | CARDIAC MONITOR | A | INVIVO | 40000 | 04/01/2020 |
| 425 | 5 | CASUALTY-C | A43MDECG001 | ECG MACHINE | A | MEDION | 22000 | 04/06/2020 |
| 426 | 6 | CASUALTY-C | A43XDEFF001 | DEFIBRILATOR | A | HP | 20000 | 04/05/2020 |
| 427 | 7 | CASUALTY-C | A43XSJ001 | SUCTION JAR | A | | 1600 | 04/08/2020 |
| 428 | 8 | CASUALTY-C | A43XSJ002 | SUCTION JAR | A | | 1600 | 04/08/2020 |
| 429 | 9 | CASUALTY-C | A43XFLMT001 | FLOW METER | A | | 850 | 04/09/2020 |
| 430 | 10 | CASUALTY-C | A43XIVSD001 | IV STAND | B | | 600 | 27/06/2020 |
| 431 | 11 | CASUALTY-C | A43XSTP001 | STEP STOOL | C | | 400 | 16/07/2020 |
| 432 | 12 | CASUALTY-C | A43XSTP002 | STEP STOOL | C | | 400 | 16/07/2020 |
| 433 | 13 | CASUALTY-C | A43XMTR0001 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 434 | 14 | CASUALTY-C | A43XMTR0002 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 435 | 15 | CASUALTY-C | A43ALOVENT001 | O SIRIS VENTILATOR | A | AIR LIQUIDE | 230000 | 04/03/2020 |
| 436 | 16 | CASUALTY-C | A43XAMBG001 | AMBU BAG | C | | 1500 | 22/07/2020 |
| 437 | 17 | CASUALTY-C | A43XEMETRY001 | EMERGENCY TROLLEY | B | | 3500 | 21/06/2020 |
| 438 | 18 | CASUALTY-C | A43MDFDTRY001 | FOOD TROLLEY | B | MEDITEK | 6500 | 25/06/2020 |
| 439 | 19 | CASUALTY-C | A43SMSFG001 | REFRIGERATOR | A | SAMSUNG | 27000 | 14/05/2020 |
| 440 | 20 | CASUALTY-C | A43MPLCHRPI T001 | CHAIR PLASTIC | C | MODEPAR | 525 | 07/10/2020 |

Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPT),
Nallasopara (W), Dist. Palghar 401 203.



| | | | | | | | |
|-----|--|----------------------------|---------------------|---|-----------|---------|------------|
| 442 | | CASUALTY-C A43MDCHRPLT003 | CHAIR PLASTIC | C | | | |
| 443 | | CASUALTY-C A43MDCHRPLT004 | CHAIR PLASTIC | C | MODERAR | 525 | 07/10/2020 |
| 444 | | CASUALTY-C A43MDCHRPLT005 | CHAIR PLASTIC | C | MODERAR | 525 | 07/10/2020 |
| 445 | | CASUALTY-C A43XCPBD001 | CUPBOARD | C | MODERAR | 525 | 07/10/2020 |
| 446 | | CASUALTY-C A43XTBL001 | TABLE | C | | 9500 | 07/11/2020 |
| 447 | | CASUALTY-C A43RMNRSPC003 | NURSING PC | A | RUBERMED | 8000 | 07/12/2020 |
| 448 | | CASUALTY-C A43PNSTELE001 | TELEPHONE | A | PANASONIC | 16500 | 30/04/2020 |
| 449 | | CASUALTY-C A43XFAN001 | FAN | B | | 800 | 29/04/2020 |
| 450 | | CASUALTY-C A43XFAN002 | FAN | B | | 1700 | 24/06/2020 |
| 451 | | CASUALTY-C A43XFAN003 | FAN | B | | 1700 | 24/06/2020 |
| 452 | | CASUALTY-C A43XFAN004 | FAN | B | | 1700 | 24/06/2020 |
| 453 | | CASUALTY-C A43XFAN005 | FAN | B | | 1700 | 24/06/2020 |
| 454 | | CASUALTY-C A43XPL001 | PANEL LIGHT 2 | B | | 1700 | 24/06/2020 |
| 455 | | CASUALTY-C A43DTWGTMACH001 | WEIGHT MACHINE | A | DETECTO | 1800 | 29/06/2020 |
| 456 | | CASUALTY-C A43BRSYP001 | SYRINGE PUMP | A | B BRAUN | 2500 | 24/05/2020 |
| 457 | | CASUALTY-C A43BRSYP002 | SYRINGE PUMP | A | B BRAUN | 18000 | 04/02/2020 |
| 458 | | CASUALTY-C A43XWHCHR001 | WHELL CHAIR 1 | C | | 18000 | 04/02/2020 |
| 459 | | CASUALTY-C A43DMNDBPM001 | BLOOD PRESSURE MACH | A | DIAMOND | 5500 | 21/07/2020 |
| 460 | | | | | | 1800 | 05/03/2020 |
| 461 | | CATHLAB CONTROL ROOM | | | | | |
| 462 | | CATHLAB SC A27XWHB001 | WHITE BOARD | C | | 1200 | 20/07/2020 |
| 463 | | CATHLAB SC A27DLPTP001 | LAPTOP | A | DELL | 16500 | 30/04/2020 |
| 464 | | CATHLAB SC A27ACMNT001 | COMPUTER | A | ALLEGERS | 14000 | 30/04/2020 |
| 465 | | CATHLAB SC A27XUPS001 | UPS | A | APC | 5600 | 28/04/2020 |
| 466 | | CATHLAB SC A27HPPRT001 | PRINTER | A | HP | 8000 | 22/04/2020 |
| 467 | | CATHLAB SC A27DCPU001 | CPU | A | DELL | 14000 | 30/04/2020 |
| 468 | | CATHLAB SC A27XCPU002 | CPU | A | | 14000 | 30/04/2020 |
| 469 | | CATHLAB SC A27XPTBL001 | PC TABLE | C | | 2500 | 07/12/2020 |
| 470 | | CATHLAB SC A27XPTBL002 | PC TABLE | C | | 2500 | 07/12/2020 |
| 471 | | CATHLAB SC A27XBLCHR001 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 472 | | CATHLAB SC A27XBLCHR002 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 473 | | CATHLAB SC A27XBLCHR003 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 474 | | CATHLAB SC A27XSMTLBE001 | SMALL SHEET TABLE | B | | 4500 | 07/05/2020 |
| 475 | | CATHLAB SC A27ETAAC001 | AIR CONDITIONER | A | ETA | 28000 | 04/11/2020 |
| 476 | | CATHLAB SC A27PSNTELE001 | TELEPHONE | A | PANASONIC | 800 | 29/04/2020 |
| 477 | | CATHLAB SC A27XFAN001 | FAN | B | | 1700 | 24/06/2020 |
| 478 | | CATHLAB SC A27XFAN002 | FAN | B | | 1700 | 24/06/2020 |
| 479 | | CATHLAB SC A27XTL001 | TUBE LIGHT | B | | 150 | 29/06/2020 |
| 480 | | CATHLAB SC A27XTL002 | TUBE LIGHT | B | | 150 | 29/06/2020 |
| 481 | | CATHLAB SC A27XTL003 | TUBE LIGHT | B | | 150 | 29/06/2020 |
| 482 | | CATHLAB SC A27XTL004 | TUBE LIGHT | B | | 150 | 29/06/2020 |
| 483 | | CATHLAB SC A27XTL005 | TUBE LIGHT | B | | 150 | 29/06/2020 |
| 484 | | | | | | | |
| 485 | | CATH LAB | | | | | |
| 486 | | CATH LAB A27XAPS001 | APRAN STAND | B | | 1500 | 07/06/2020 |
| 487 | | CATH LAB A27XIVS001 | IV STAND | B | | 600 | 27/06/2020 |
| 488 | | CATH LAB A27XIVS002 | IV STAND | B | | 600 | 27/06/2020 |
| 489 | | CATH LAB A27XRONDCHR001 | ROUND CHAIR | B | | 1500 | 30/06/2020 |
| 490 | | CATH LAB A27ALCRM001 | C-ARM MACHINE | A | ALLEGERS | 6252/54 | 15/04/2020 |
| 491 | | CATH LAB A27HWTDEFF001 | DEFIBRILATOR | A | HEWLETT | 20000 | 04/05/2020 |
| 492 | | CATH LAB A27XMELGT001 | EMERGENCY LIGHT | B | PHILIPS | 500 | 20/06/2020 |
| 493 | | CATH LAB A27ETAAC001 | AIR CONDITIONER | A | ETA | 28000 | 04/11/2020 |
| 494 | | CATH LAB A27ETAAC002 | AIR CONDITIONER | A | ETA | 28000 | 04/11/2020 |
| 495 | | CATH LAB A27XUPS001 | UPS 3 KVA | A | | 15000 | 28/04/2020 |
| 496 | | CATH LAB A27SSTER001 | STABILIZER | A | SKODA | 168750 | 05/02/2020 |

Principal
RIDDHI VINAYAK COLLEGE OF NURSING (RVHSPT),
 Nallasopara (W), Dist. Palghar 401 203



Principal
RIDDHI VINAYAK COLLEGE OF NURSING (RVHSPT),
 Nallasopara (W), Dist. Palghar 401 203

TRUE COPY

| | | | | | | | | | |
|-----|----|-----------|-------------------|---------------------|---|---------------|--------|------------|--|
| 497 | 12 | CATH LAB | A27XMECPB001 | MEDICINE CUPBOARD | C | | 9500 | 07/11/2020 | |
| 498 | 13 | CATH LAB | A27MMEDTRY001 | MEDICINE TROLLEY | B | MEDITEK | 4000 | 26/06/2020 | |
| 499 | 14 | CATH LAB | A27XSTLRCK001 | STILL RACK | C | | 1500 | 17/07/2020 | |
| 500 | 15 | CATH LAB | A27XSTLRCK002 | STILL RACK | C | | 1500 | 17/07/2020 | |
| 501 | 16 | CATH LAB | A27XSTLRCK003 | STILL RACK | C | | 1500 | 17/07/2020 | |
| 502 | 17 | CATH LAB | A27XSTLRCK004 | STILL RACK | C | | 1500 | 30/06/2020 | |
| 503 | 18 | CATH LAB | A27XRWCHR001 | ROUND CHAIR | B | | 7500 | 16/06/2020 | |
| 504 | 19 | CATH LAB | A27XDRSTRY001 | DRESSING TROLLEY | B | | | | |
| 505 | 20 | CATH LAB | A27ALMNT001 | CARDIAC MONITOR | A | ALLENGERS | 120000 | 04/01/2020 | |
| 506 | 21 | CATH LAB | A27DMOTLHT001 | DR MACH LIGHT | A | EDIFICY SYSTE | 550000 | 16/04/2020 | |
| 507 | 22 | CATH LAB | A27XTPMACHI001 | TEMPRATURE MACHINE | C | KUSAM MECC | 1200 | 26/07/2020 | |
| 508 | 23 | CATH LAB | A27XPTRY001 | PATIENT TROLLEY | B | | 22500 | 26/06/2020 | |
| 509 | 24 | CATH LAB | A27DMND8PM | BLOOD PRESSURE MACH | A | DIAMOND | 1800 | 05/03/2020 | |
| 510 | 25 | CATH LAB | A27XHGT001 | HGT MACHINE | A | NIKODING 1 | 2000 | 18/05/2020 | |
| 511 | 26 | CATH LAB | A27PSNTELE001 | TELEPHONE | A | PANASONIC | 800 | 29/04/2020 | |
| 512 | 27 | CATH LAB | A27XRST001 | ROUND STOOL | B | | 1275 | 30/06/2020 | |
| 513 | 28 | CATH LAB | A27APTBD001 | PATIENT BED | C | ALLENGERS | 225000 | 07/08/2020 | |
| 514 | 29 | CATH LAB | A27XSTPSTL001 | STEP STOOL | C | | 400 | 16/06/2020 | |
| 515 | 30 | CATH LAB | A27XSJ001 | SUCTION JAR | A | | 1600 | 04/09/2020 | |
| 516 | 31 | CATH LAB | A27XFLM001 | FLOW METER | A | | 850 | 04/09/2020 | |
| 517 | 32 | CATH LAB | A27XMEDLCK001 | MEDICINE LOCKER | C | | 8000 | 24/07/2020 | |
| 518 | 33 | CATH LAB | A27XWTH001 | WATCH | B | | 200 | 07/04/2020 | |
| 519 | 34 | CATH LAB | A27XFAN001 | FAN | B | | 1700 | 24/06/2020 | |
| 520 | 35 | CATH LAB | A27XFAN002 | FAN | B | | 1700 | 24/06/2020 | |
| 521 | 36 | CATH LAB | A27XFAN003 | FAN | B | | 1700 | 24/06/2020 | |
| 522 | 37 | CATH LAB | A27XTL001 | TUBE LIGHT | B | | 150 | 29/06/2020 | |
| 523 | 38 | CATH LAB | A27XTL002 | TUBE LIGHT | B | | 150 | 29/06/2020 | |
| 524 | 39 | CATH LAB | A27XTL003 | TUBE LIGHT | B | | 150 | 29/06/2020 | |
| 525 | 40 | CATH LAB | A27XTL004 | TUBE LIGHT | B | | 150 | 29/06/2020 | |
| 526 | 41 | CATH LAB | A27XTL005 | TUBE LIGHT | B | | 150 | 29/06/2020 | |
| 527 | 42 | CATH LAB | A27XTL006 | TUBE LIGHT | B | | 150 | 29/06/2020 | |
| 528 | 43 | CATH LAB | A27XTL007 | TUBE LIGHT | B | | 150 | 29/06/2020 | |
| 529 | 44 | CATH LAB | A27XTL008 | TUBE LIGHT | B | | 150 | 29/06/2020 | |
| 530 | | | | | | | | | |
| 531 | | | | | | | | | |
| 532 | | | CONFERENCE ROOM 1 | | | | | | |
| 533 | 1 | CONFERENC | A27DLPTP001 | LAPTOP | A | DELL | 16500 | 30/04/2020 | |
| 534 | 2 | CONFERENC | A27XTBL001 | TABLE | C | | 8000 | 07/12/2020 | |
| 535 | 3 | CONFERENC | A27XTBD001 | BENCH DESK | C | | 12000 | 07/09/2020 | |
| 536 | 4 | CONFERENC | A27XTBD002 | BENCH DESK | C | | 1200 | 07/09/2020 | |
| 537 | 5 | CONFERENC | A27XBLCHR001 | CHAIR BLACK | C | | 1500 | 07/10/2020 | |
| 538 | 6 | CONFERENC | A27ETAAC001 | AIR CONDITIONER | A | ETA | 28000 | 04/11/2020 | |
| 539 | 7 | CONFERENC | A27XFAN001 | FAN | B | | 1700 | 24/06/2020 | |
| 540 | 8 | CONFERENC | A27XFAN002 | FAN | B | | 1700 | 24/06/2020 | |
| 541 | 9 | CONFERENC | A27XTL001 | TUBE LIGHT | B | | 150 | 29/06/2020 | |
| 542 | 10 | CONFERENC | A27XTL002 | TUBE LIGHT | B | | 150 | 29/06/2020 | |
| 543 | 11 | CONFERENC | A27XTL003 | TUBE LIGHT | B | | 150 | 29/06/2020 | |
| 544 | 12 | CONFERENC | A27XTL004 | TUBE LIGHT | B | | 150 | 29/06/2020 | |
| 545 | 13 | CONFERENC | A27PSNTELE001 | TELEPHONE | A | PANASONIC | 800 | 29/04/2020 | |
| 546 | | | | | | | | | |
| 547 | | | CONFERENCE ROOM 2 | | | | | | |
| 548 | 1 | CONFERENC | A27HPCMNT001 | COMPUTER | A | HP | 14000 | 30/04/2020 | |
| 549 | 2 | CONFERENC | A27PSNTELE001 | TELEPHONE | A | PANASONIC | 800 | 29/04/2020 | |

Riddhi Vinay
Nursing
Nallasopara (W)



| | | | | | | | |
|-----|-------------|-------------------|-----------------------|---|------------|--------|------------|
| 552 | CONFERENC | A27ETAAC001 | AIR CONDITIONER | A | ETA | 28000 | 04/11/2020 |
| 553 | CONFERENC | A27XFAN001 | FAN | B | | 1700 | 24/06/2020 |
| 554 | CONFERENC | A27XFAN002 | FAN | B | | 1700 | 24/06/2020 |
| 555 | CONFERENC | A27XFAN003 | FAN | B | | 1700 | 24/06/2020 |
| 556 | CONFERENC | A27XFAN004 | FAN | B | | 1700 | 24/06/2020 |
| 557 | CONFERENC | A27XTL001 | TUBE LIGHT | E | | 150 | 29/06/2020 |
| 558 | CONFERENC | A27XTL002 | TUBE LIGHT | E | | 150 | 29/06/2020 |
| 559 | CONFERENC | A27XTL003 | TUBE LIGHT | E | | 150 | 29/06/2020 |
| 560 | CONFERENC | A27XTBL001 | TABLE | C | | 8000 | 07/12/2020 |
| 561 | CONFERENC | A27XPTBL001 | PC TABLE | C | | 2500 | 07/12/2020 |
| 562 | CONFERENC | A27XCHRPLT001 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 563 | CONFERENC | A27XCHRPLT002 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 564 | CONFERENC | A27XCHRPLT003 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 565 | CONFERENC | A27XCHRPLT004 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 566 | CONFERENC | A27XCHRPLT005 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 567 | CONFERENC | A27XCHRPLT006 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 568 | CONFERENC | A27XCHRPLT007 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 569 | CONFERENC | A27XBLCHR001 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 570 | CONFERENC | A27SENDOMNT001 | ENDOSCOPE MONITOR | A | STORZ | 110000 | 04/01/2020 |
| 571 | | | | | | | |
| | | 1ST FLOOR DR ROOM | | | | | |
| 572 | 1ST FLOOR D | A27XBS001 | BENCH SOFA | C | | 15000 | 07/09/2020 |
| 573 | 1ST FLOOR D | A27XBS002 | BENCH SOFA | C | | 15000 | 07/09/2020 |
| 574 | 1ST FLOOR D | A27XBS003 | BENCH SOFA | C | | 15000 | 07/09/2020 |
| 575 | 1ST FLOOR D | A27ETAAC001 | AIR CONDITIONER | A | ETA | 28000 | 04/11/2020 |
| 576 | 1st FLOOR D | A27XFAN001 | FAN | B | | 1700 | 24/06/2020 |
| 577 | 1st FLOOR D | A27XFAN002 | FAN | B | | 1700 | 24/06/2020 |
| 578 | 1st FLOOR D | A27XTL001 | TUBE LIGHT | B | | 150 | 29/06/2020 |
| 579 | 1st FLOOR D | A27XTL002 | TUBE LIGHT | B | | 150 | 29/06/2020 |
| 580 | 1st FLOOR D | A27MWHT001 | WATCH | B | MEYER | 200 | 07/04/2020 |
| 581 | | | | | | | |
| 582 | | | | | | | |
| 583 | | MINOR OT | | | | | |
| 584 | MINOR OT | A27XMTRY001 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 585 | MINOR OT | A27XDRSTRY001 | DRESSING TROLLEY | B | | 7500 | 16/06/2020 |
| 586 | MINOR OT | A27XISTMTRY001 | INSTRUMENT TROLLEY | B | | 5500 | 26/06/2020 |
| 587 | MINOR OT | A27XELTTRY001 | ELECTRIC TROLLEY | B | | 1500 | 18/06/2020 |
| 588 | MINOR OT | A27RKMEDTRY001 | RACK MEDICINE TROLLEY | C | | 8000 | 17/07/2020 |
| 589 | MINOR OT | A27XOTBL001 | OT TABLE | B | | 50000 | 28/06/2020 |
| 590 | MINOR OT | A27AOLGT001 | OT LIGHTS | A | | 450000 | 16/04/2020 |
| 591 | MINOR OT | A27XIVS001 | IV STAND | B | | 500 | 27/06/2020 |
| 592 | MINOR OT | A27NKATSMACH001 | ANAESTHESIA MACHINE | A | NARKOMED | 450000 | 04/12/2020 |
| 593 | MINOR OT | A27XWTB001 | WHITE BOARD | C | | 1200 | 20/07/2020 |
| 594 | MINOR OT | A27XCHRPLT001 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 595 | MINOR OT | A27ETAAC001 | AIR CONDITIONER | A | ETA | 28000 | 04/11/2020 |
| 596 | MINOR OT | A27XDMNDBLM001 | BLOOD PRESSURE MACH | A | DIAMOND | 1800 | 05/03/2020 |
| 597 | MINOR OT | A27VLCTY001 | COUTERY MACHINE | A | VALLEYLAB | 400000 | 14/04/2020 |
| 598 | MINOR OT | A27MMNT001 | CARDIAC MONITOR | A | MEDICOFITS | 35000 | 04/01/2020 |
| 599 | MINOR OT | A27PEMELHT001 | EMERGENCY LIGHT | B | PHILIPS | 500 | 20/06/2020 |
| 600 | MINOR OT | A27XSJ001 | SUCTION JAR | A | | 1600 | 04/08/2020 |
| 601 | MINOR OT | A27XFMT001 | FLOW METER | A | | 850 | 04/09/2020 |
| 602 | MINOR OT | A27PSNTELE001 | TELEPHONE | A | PANASONIC | 800 | 29/04/2020 |
| 603 | MINOR OT | A27XSTP001 | STEP | C | | 400 | 20/07/2020 |
| 604 | MINOR OT | A27XSTL001 | STOOL | C | | 600 | 16/07/2020 |
| 605 | MINOR OT | A27XRWSTL001 | ROUND STOOL | B | | 1275 | 30/06/2020 |
| 606 | MINOR OT | A27SKFMGMACH001 | FUMIGATION MACHINE | A | SKON | 18000 | 18/04/2020 |


(Handwritten signature)

Principal
RIDDHI VINAYAK COLLEGE
NURSING (RVHSP)
Nallasopara (W), Dist. Palghar



TRUE COPY

| | | | | | | | | |
|-----|----|-------------|------------------|-------------------|----|-------------|--------|------------|
| 607 | 24 | MINOR OT | A27SUCTNMACH001 | SUCTION MACHINE 2 | A | | 43000 | 04/08/2020 |
| 608 | 25 | MINOR OT | A27HWTDEFF001 | DEFIBRILATOR | A | HEWLETT | 20000 | 04/05/2020 |
| 609 | 26 | MINOR OT | A27XTL001 | TUBE LIGHT 6 | B | | 900 | 29/06/2020 |
| 610 | 27 | MINOR OT | A27BRYP001 | SYRINGE PUMP | A | B BRAUN | 18000 | 04/02/2020 |
| 611 | 28 | MINOR OT | A27SRYP001 | SYRINGE PUMP | A | SHREEYASH | 18000 | 04/02/2020 |
| 612 | | | | | | | | |
| 613 | | | LABOUR ROOM | | | | | |
| 614 | 1 | LABOUR ROOM | A32TFWTAB001 | DELIVERY TABLE | B | | 400000 | 15/06/2020 |
| 615 | 2 | LABOUR ROOM | A32XIVS001 | IV STAND | B | | 600 | 27/06/2020 |
| 616 | 3 | LABOUR ROOM | A32XSTL001 | STOOL | C | | 600 | 16/07/2020 |
| 617 | 4 | LABOUR ROOM | A32XSTL002 | STOOL | C | | 600 | 16/07/2020 |
| 618 | 5 | LABOUR ROOM | A32XCHRPLT001 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 619 | 6 | LABOUR ROOM | A32KLTFR001 | REFRIGERATOR | A | KELVINATOR | 18000 | 14/05/2020 |
| 620 | 7 | LABOUR ROOM | A32X OTLHT001 | OT LIGHTS | A | | 350000 | 16/04/2020 |
| 621 | 8 | LABOUR ROOM | A32X OTLHT002 | OT LIGHTS | A | | 350000 | 16/04/2020 |
| 622 | 9 | LABOUR ROOM | A32XMEDTRY001 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 623 | 10 | LABOUR ROOM | A32PSNTELE001 | TELEPHONE | A | PANASONIC | 800 | 29/04/2020 |
| 624 | 11 | LABOUR ROOM | A32XDRSTRY001 | DRESSING TROLLEY | B | | 7500 | 16/06/2020 |
| 625 | 12 | LABOUR ROOM | A32ETAAC001 | AIR CONDITIONER | A | ETA | 28000 | 04/11/2020 |
| 626 | 13 | LABOUR ROOM | A32XPSTRY001 | PAPER TREY | C | | 400 | 23/07/2020 |
| 627 | 14 | LABOUR ROOM | A32XSJ001 | SUCTION JAR | A | | 1600 | 04/08/2020 |
| 628 | 15 | LABOUR ROOM | A32XFMT001 | FLOW METER | A | | 850 | 04/09/2020 |
| 629 | 16 | LABOUR ROOM | A32XTL001 | TUBE LIGHT 4 | B | | 600 | 29/06/2020 |
| 630 | 17 | LABOUR ROOM | A32XFAN001 | FAN 2 | B | | 3400 | 24/06/2020 |
| 631 | 18 | LABOUR ROOM | A32MWHT001 | WATCH | A | MEYER | 200 | 07/04/2020 |
| 632 | | | | | | | | |
| 633 | | | CSSD | | | | | |
| 634 | 1 | CSSD | A27HPAT001 | AUTOClave MACHINE | A | HOSP PHARMA | 150000 | 13/04/2020 |
| 635 | 2 | CSSD | A27HPAT002 | AUTOClave MACHINE | A | HOSP PHARMA | 150000 | 13/04/2020 |
| 636 | 3 | CSSD | A27ETCATL001 | AUTOClave MACHINE | A | ENVIROMENT | 250000 | 13/04/2020 |
| 637 | 4 | CSSD | A27PCIETO001 | ETO MACHINE | A | PCI | 400000 | 20/04/2020 |
| 638 | 5 | CSSD | A27ADMSTA001 | STICKER MACHINE | A | AVERY DENNI | 12500 | 06/02/2020 |
| 639 | 6 | CSSD | A27XCPB001 | CUPBOARD 14 | C | | 133000 | 07/11/2020 |
| 640 | 7 | CSSD | A27PSNTELE001 | TELEPHONE | A | PANASONIC | 800 | 29/04/2020 |
| 641 | 8 | CSSD | A27XTBL001 | TABLE 7 | C | | 56000 | 07/12/2020 |
| 642 | 9 | CSSD | A32XTL001 | TUBE LIGHT 13 | B | | 1950 | 29/06/2020 |
| 643 | 10 | CSSD | A32XFAN001 | FAN 4 | B | | 6800 | 24/06/2020 |
| 644 | 11 | CSSD | A32ASTRMACH001 | STERIS MACHINE | A | ATLANATIC A | 35000 | 13/04/2020 |
| 645 | 12 | CSSD | A32ASTRMACH002 | STERIS MACHINE | A | ATLANATIC A | 35000 | 13/04/2020 |
| 646 | | | | | | | | |
| 647 | | | CST | | | | | |
| 648 | 1 | CST | A27ALLCSTMACH001 | CST MACHINE | A | ALLENGERS | 135000 | 05/05/2020 |
| 649 | 2 | CST | A27XNMBUPS001 | UPS | A* | NUMERIC | 40000 | 28/04/2020 |
| 650 | 3 | CST | A27ACMP001 | COMPUTER | A | ACER | 14000 | 30/04/2020 |
| 651 | 4 | CST | A27ICPU001 | CPU | A | I BALL | 14000 | 30/04/2020 |
| 652 | 5 | CST | A27HPRTR001 | PRINTER | A | HP | 8000 | 22/04/2020 |
| 653 | 6 | CST | A27EPCLRPT001 | COLOUR PRINTER | A | EPSON | 12000 | 22/04/2020 |
| 654 | 7 | CST | A27XTRY001 | TROLLEY | B | | 3500 | 26/06/2020 |
| 655 | 8 | CST | A27XCHRPLT001 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 656 | 9 | CST | A27EAC001 | AIR CONDITIONER | A | ETA | 28000 | 04/11/2020 |
| 657 | 10 | CST | A27MPF001 | PFT MACHINE | A | MEDI: SPIRO | 200000 | 05/06/2020 |
| 658 | 11 | CST | A27XHLTR001 | HOLTER MACHINE | A | | 150000 | 05/06/2020 |
| 659 | 12 | CST | A27XIVS001 | IV STAND | B | | 600 | 27/06/2020 |



Principal
RIDDHI VINAYAK COLLEGE OF NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar, Maharashtra 401203

| | | | | | | | | |
|-----|--|------------|---------------------|---------------------|---|--------------|---------|------------|
| 663 | | | RADIOLOGY | | | | | |
| 664 | | RADIOLOGY | A35GHUSGMACH001 | USG MACHINE | A | GE HEALTHCA | 1200000 | 13/04/2020 |
| 665 | | RADIOLOGY | A35KNFLMACH001 | FLIM MACHINE | A | KONICA | 216666 | 13/04/2020 |
| 666 | | RADIOLOGY | A35KNFLMACH002 | FLIM MACHINE | A | KONICA | 216666 | 13/04/2020 |
| 667 | | RADIOLOGY | A35KNFLMACH003 | FLIM MACHINE | A | KONICA | 216666 | 13/04/2020 |
| 668 | | RADIOLOGY | A35ACCPU001 | CPU | A | ACER | 14000 | 30/04/2020 |
| 669 | | RADIOLOGY | A35ACMNT001 | COMPUTER | A | ACER | 14000 | 30/04/2020 |
| 670 | | RADIOLOGY | A35HPCMNT002 | COMPUTER | A | HP | 14000 | 30/04/2020 |
| 671 | | RADIOLOGY | A35NMUPS001 | UPS | A | NUMERIC | 8000 | 28/04/2020 |
| 672 | | RADIOLOGY | A35NMUPS002 | UPS | A | NUMERIC | 8000 | 28/04/2020 |
| 673 | | RADIOLOGY | A35CMNT001 | COMPUTER | A | HP | 14000 | 30/04/2020 |
| 674 | | RADIOLOGY | A35ACPU001 | CPU | A | ACER | 14000 | 30/04/2020 |
| 675 | | RADIOLOGY | A35EPCLRPRTR001 | COLOUR PRINTER | A | EPSON | 12000 | 22/04/2020 |
| 676 | | RADIOLOGY | A35XPTBD001 | PATIENT BED | C | | 13000 | 07/08/2020 |
| 677 | | RADIOLOGY | A35XCHRPLT001 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 678 | | RADIOLOGY | A35XCHRPLT002 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 679 | | RADIOLOGY | A35XTBL001 | TABLE | C | | 8000 | 07/12/2020 |
| 680 | | RADIOLOGY | A35XTBL002 | TABLE | C | | 8000 | 07/12/2020 |
| 681 | | RADIOLOGY | A35XCHRBLK001 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 681 | | RADIOLOGY | A35XCHRBLK002 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 684 | | RADIOLOGY | A35DAC001 | AIR CONDITIONER | A | DAIKIN | 110000 | 04/11/2020 |
| 684 | | RADIOLOGY | A35DAC002 | AIR CONDITIONER | A | DAIKIN | 110000 | 04/11/2020 |
| 685 | | RADIOLOGY | A32HPPRT001 | PRINTER | A | HP | 8000 | 22/04/2020 |
| 686 | | RADIOLOGY | A27XFAN001 | FAN 2 | B | | 3400 | 24/06/2020 |
| 687 | | RADIOLOGY | A27XPL001 | PANEL LIGHT 4 | B | | 3600 | 29/06/2020 |
| 688 | | | | | | | | |
| 689 | | | CT SCAN ROOM | | | | | |
| 690 | | CT SCAN RO | A35SPTTBL001 | PATIENT BED | C | SIEMENS | 2000000 | 07/08/2020 |
| 691 | | CT SCAN RO | A35SCTMACH001 | CT SCAN MACHINE | A | SIEMENS | 4000000 | 13/04/2020 |
| 692 | | CT SCAN RO | A35NMRUPS001 | UPS | A | NUMERIC | 40000 | 28/04/2020 |
| 693 | | CT SCAN RO | A35CNSTB001 | STABILIZER | A | CONSUL SRVC | 44500 | 05/02/2020 |
| 694 | | CT SCAN RO | A35XIVS001 | IV STAND | B | | 600 | 27/06/2020 |
| 695 | | CT SCAN RO | A35XCPB001 | CUPBOARD | C | | 9500 | 07/11/2020 |
| 696 | | CT SCAN RO | A35DAC001 | AIR CONDITIONER | A | DAIKIN | 110000 | 04/11/2020 |
| 697 | | CT SCAN RO | A35EAC001 | AIR CONDITIONER | A | ETA | 28000 | 04/11/2020 |
| 698 | | CT SCAN RO | A35XCHRPLT001 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 698 | | CT SCAN RO | A35XCHRPLT002 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 698 | | CT SCAN RO | A35XCHRPLT003 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 701 | | CT SCAN RO | A35XFMT001 | FLOW METER | A | | 850 | 04/09/2020 |
| 702 | | CT SCAN RO | A35XCHRBLK001 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 703 | | CT SCAN RO | A35XTL001 | TUBE LIGHT 2 | B | | 300 | 29/06/2020 |
| 704 | | CT SCAN RO | A35XFAN001 | FAN 1 | B | | 1700 | 24/06/2020 |
| 705 | | CT SCAN RO | A35ACCPU001 | CPU | A | ACER | 14000 | 30/04/2020 |
| 706 | | CT SCAN RO | A35ACMNT001 | COMPUTER | A | ACER | 14000 | 30/04/2020 |
| 707 | | CT SCAN RO | A35GEHMDTMACH001 | HUMIDITY MACHINE | A | GE | | |
| 708 | | | | | | | | |
| 709 | | | X-RAY ROOM | | | | | |
| 710 | | X-RAY ROOM | A35TSBXRMAH001 | X-RAY MACHINE | A | TOSHIBA | 700000 | 13/04/2020 |
| 711 | | X-RAY ROOM | A35TSBXRMAHICCU0 | X-RAY MACHINE PORTA | A | ALLENERS | 105000 | 13/04/2020 |
| 712 | | X-RAY ROOM | A35SNTSTB001 | STABILIZER | A | SENTI SS 301 | 44500 | 05/02/2020 |
| 713 | | X-RAY ROOM | A35ALGXRYST001 | X-RAY SHOOTING MACH | A | ALLENERS | 50000 | 13/04/2020 |
| 714 | | X-RAY ROOM | A35THBOPG001 | OPG MACHINE | A | TOSHIBA | 450000 | 13/04/2020 |
| 715 | | X-RAY ROOM | A35XTL001 | TUBE LIGHT 3 | B | | 450 | 29/06/2020 |
| 716 | | X-RAY ROOM | A35OFAN001 | FAN 1 | B | ORIENT | 1700 | 24/06/2020 |
| 717 | | X-RAY ROOM | A35XSTOOL001 | STOOL | C | | 600 | 16/07/2020 |

Principal
 RIDDHI VINAYAK COLLEGE OF
 NURSING (RVHSPCT),
 Nallasopara (W), Dist. Palghar 401203


Principal
 RIDDHI VINAYAK COLLEGE OF
 NURSING (RVHSPCT),
 Nallasopara (W), Dist. Palghar 401203

Principal
 RIDDHI VINAYAK COLLEGE OF
 NURSING (RVHSPCT),
 Nallasopara (W), Dist. Palghar 401203

TRUE COPY

| | | | | | | | | |
|-----|----|--------------|------------------|------------------------|---|-------------|---------|------------|
| 718 | | | | | | | | |
| 719 | | SONO ROOM | | | | | | |
| 720 | 1 | SONO ROOM | A35SEM2DE001 | 2 D ECHO MACHINE | A | SIEMENS | 1925000 | 13/04/2020 |
| 721 | 2 | SONO ROOM | A35NMBUPS001 | UPS | A | NUMERIC | 40000 | 28/04/2020 |
| 722 | 3 | SONO ROOM | A35ACMNT001 | COMPUTER | A | ACER | 14000 | 30/04/2020 |
| 723 | 4 | SONO ROOM | A35ICPU001 | CPU | A | I BALL | 14000 | 30/04/2020 |
| 724 | 5 | SONO ROOM | A35EPCLRPTR001 | COLOUR PRINTER | A | EPSON | 12000 | 22/04/2020 |
| 725 | 6 | SONO ROOM | A35PNSTELE001 | TELEPHONE | A | PANASONIC | 800 | 29/04/2020 |
| 726 | 7 | SONO ROOM | A35VDRGT001 | REFRIGERATOR | A | VIDEOCON | 9000 | 14/05/2020 |
| 727 | 8 | SONO ROOM | A35XPTBD | PATIENT BED | C | | 13000 | 07/08/2020 |
| 728 | 9 | SONO ROOM | A35XCHRBLK001 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 729 | 10 | SONO ROOM | A35XCHRPLT001 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 730 | 11 | SONO ROOM | A35XTBL001 | TABLE | C | | 8000 | 07/12/2020 |
| 731 | 12 | SONO ROOM | A35AEEGMACH01 | EEG MACHINE | A | ALLEGERS | 200000 | 05/07/2020 |
| 732 | 13 | SONO ROOM | A35RWFAN001 | WALL FAN 2 | B | REMI | 4500 | 24/06/2020 |
| 733 | 14 | SONO ROOM | A35XSTPSTL | STEP STOOL | C | | 600 | 16/07/2020 |
| 734 | 15 | SONO ROOM | A35XTL001 | TUBE LIGHT 2 | B | | 300 | 29/06/2020 |
| 735 | 16 | SONO ROOM | A35XFMT001 | FLOW METER | A | | 850 | 04/09/2020 |
| 736 | | | | | | | | |
| 737 | | PHYSIOTHERPY | | | | | | |
| 738 | 17 | PHYSIOTHER | A42XPTBD001 | PATIENT BED | C | | 13000 | 07/08/2020 |
| 739 | 18 | PHYSIOTHER | A42XPTBD002 | PATIENT BED | C | | 13000 | 07/08/2020 |
| 740 | 19 | PHYSIOTHER | A42XPTBD003 | PATIENT BED | C | | 13000 | 07/08/2020 |
| 741 | 20 | PHYSIOTHER | A42XPTBD004 | PATIENT BED | C | | 13000 | 07/08/2020 |
| 742 | 21 | PHYSIOTHER | A42BTIFT001 | IFT MACHINE | A | BIO TEK | 20000 | 05/08/2020 |
| 743 | 22 | PHYSIOTHER | A42BTMIS001 | MIS WITH TENS | A | BIO TEK | 10000 | 05/08/2020 |
| 744 | 23 | PHYSIOTHER | A42BTCMU001 | COMBO THERAPY | A | BIO TEK | 45000 | 05/08/2020 |
| 745 | 24 | PHYSIOTHER | A42BTTRT001 | TRACTION MACHINE | A | BIO TEK | 40000 | 05/08/2020 |
| 746 | 25 | PHYSIOTHER | A42MGTDM001 | TREAD MILL | A | MAGNUM | 35000 | 05/08/2020 |
| 747 | 26 | PHYSIOTHER | A42UMAWAX001 | WAX MACHINE | A | UNIQUE MED | 4500 | 05/08/2020 |
| 748 | 27 | PHYSIOTHER | A42UMAIR001 | IIR MACHINE | A | UNIQUE MED | 3000 | 05/08/2020 |
| 749 | 28 | PHYSIOTHER | A42DAC001 | AIR CONDITIONER | A | DAIKIN | 45000 | 04/11/2020 |
| 750 | 29 | PHYSIOTHER | A42XTRY001 | TROLLEY | B | | 3500 | 26/06/2020 |
| 751 | 30 | PHYSIOTHER | A42XTRY002 | TROLLEY | B | | 3500 | 26/06/2020 |
| 752 | 31 | PHYSIOTHER | A42XFAN001 | FAN | B | | 1700 | 24/06/2020 |
| 753 | 32 | PHYSIOTHER | A42XFAN002 | FAN | B | | 1700 | 24/06/2020 |
| 754 | 33 | PHYSIOTHER | A42XFAN003 | FAN | B | | 1700 | 24/06/2020 |
| 755 | 34 | PHYSIOTHER | A42XFAN004 | FAN | B | | 1700 | 24/06/2020 |
| 756 | 35 | PHYSIOTHER | A42XEMRLGT001 | EMERGENCY LIGHT | B | PHILIPS | 500 | 20/06/2020 |
| 757 | 36 | PHYSIOTHER | A42XCHRPLT001 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 758 | 37 | PHYSIOTHER | A42XCHRPLT002 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 759 | 38 | PHYSIOTHER | A42XCHRBLK001 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 760 | 39 | PHYSIOTHER | A42PNSTELE001 | TELEPHONE | A | PANASONIC | 800 | 29/04/2020 |
| 761 | 40 | PHYSIOTHER | A42XSTP001 | STEP | C | | 400 | 20/07/2020 |
| 762 | 41 | PHYSIOTHER | A42XINDPLY001 | INDAIN PELLAY | A | | 2500 | 05/08/2020 |
| 763 | 42 | PHYSIOTHER | A42XTBL001 | TABLE | C | | 8000 | 07/12/2020 |
| 764 | 43 | PHYSIOTHER | A42XPL001 | PANEL LIGHT 8 | B | | 7200 | 29/06/2020 |
| 765 | 44 | PHYSIOTHER | A42MBVBTRMACH001 | VIBRATER MACHINE | A | MANIPOL BOU | 700 | 05/08/2020 |
| 766 | 45 | PHYSIOTHER | A42CBXEXCYL001 | EXERCISE CYCLE MACHINA | A | CYBEX | 6500 | 05/08/2020 |
| 767 | | | | | | | | |
| 768 | | DENTIST | | | | | | |
| 769 | 1 | DENTIST | A42SPDNTCHR001 | DENTAL CHAIR | A | SPECTRAMTIC | 120000 | 05/09/2020 |
| 770 | 2 | DENTIST | A42RYDNTCHR001 | DENTAL CHAIR | A | ROYAL | 48000 | 05/09/2020 |
| 771 | 3 | DENTIST | A42RYDNTCHR002 | DENTAL CHAIR | A | ROYAL | 48000 | 05/09/2020 |
| 772 | 4 | DENTIST | A42XXRYMACH001 | X-RAY MACHINE | A | | 115000 | 13/04/2020 |

Principal
RIDHI VINAYAK COLLEGE OF NURSING (RVHS&ST),
 Nallasopara (W), Dist. Palanur 401 203.




| | | | | | | | |
|-----|---------|-----------------|--------------------|---|------------|-------|------------|
| 773 | DENTIST | A42XST001 | SUR UNIT | A | | 10000 | 05/09/2020 |
| 774 | DENTIST | A42GMSCTMACH001 | SUCTION MACHINE | A | GOMCO | 15000 | 04/08/2020 |
| 775 | DENTIST | A42PLLGT001 | LIGHT | A | PELTON@CRA | 30000 | 16/04/2020 |
| 776 | DENTIST | A42PLLGT002 | LIGHT | A | PELTON@CRA | 30000 | 16/04/2020 |
| 777 | DENTIST | A42PLLGT003 | LIGHT | A | PELTON@CRA | 30000 | 16/04/2020 |
| 778 | DENTIST | A42XWD001 | WOOD PECK MACHINE | A | | 10000 | 05/09/2020 |
| 779 | DENTIST | A42EMCOM001 | COMPRESSOR MACHINE | A | EMERSON | 7000 | 05/09/2020 |
| 780 | DENTIST | A42XSTB001 | STABILIZER | A | | 6000 | 05/02/2020 |
| 781 | DENTIST | A42WRGT001 | REFRIGERATOR | A | WOODS | 5000 | 14/05/2020 |
| 782 | DENTIST | A42VTAC001 | AIR CONDITIONER | A | VOLTAS | 28000 | 04/11/2020 |
| 783 | DENTIST | A42VTAC002 | AIR CONDITIONER | A | VOLTAS | 28000 | 04/11/2020 |
| 784 | DENTIST | A42XPWR001 | POWER SUPPLY | A | | 6000 | 06/01/2020 |
| 785 | DENTIST | A42XPWR002 | POWER SUPPLY | A | | 6000 | 06/01/2020 |
| 786 | DENTIST | A42XCHRRD001 | CHAIR RED | B | | 800 | 07/01/2020 |
| 787 | DENTIST | A42XCHRRD002 | CHAIR RED | B | | 800 | 07/01/2020 |
| 788 | DENTIST | A42CHRPLT001 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 789 | DENTIST | A42CHRPLT002 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 790 | DENTIST | A42XTBL001 | TABLE | C | | 8000 | 07/12/2020 |
| 791 | DENTIST | A42XTBL002 | TABLE | C | | 8000 | 07/12/2020 |
| 792 | DENTIST | A42PNSTELE001 | TELEPHONE | A | PANASONIC | 800 | 29/04/2020 |
| 793 | DENTIST | A42XFAN001 | FAN | B | | 1700 | 24/06/2020 |
| 794 | DENTIST | A42XPL001 | PANEL LIGHT 12 | B | | 10800 | 29/06/2020 |
| 795 | DENTIST | A42XNTBD001 | NOTICE BOARD | C | | 1200 | 20/07/2020 |
| 796 | | | | | | | |
| 797 | | PICU | | | | | |
| 798 | PICU | A31APTB001 | PATIENT BED | C | ADVONTA | 18000 | 07/08/2020 |
| 799 | PICU | A31APTB002 | PATIENT BED | C | ADVONTA | 18000 | 07/08/2020 |
| 800 | PICU | A31APTB003 | PATIENT BED | C | ADVONTA | 18000 | 07/08/2020 |
| 801 | PICU | A31APTB004 | PATIENT BED | C | ADVONTA | 18000 | 07/08/2020 |
| 802 | PICU | A31APTB005 | PATIENT BED | C | ADVONTA | 18000 | 07/08/2020 |
| 803 | PICU | A31XMEDTRY001 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 804 | PICU | A31XMEDTRY002 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 805 | PICU | A31XMEDTRY003 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 806 | PICU | A31XMEDTRY004 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 807 | PICU | A31XMEDTRY005 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 808 | PICU | A31XSJ001 | SUCTION JAR | A | | 1600 | 04/08/2020 |
| 809 | PICU | A31XSJ002 | SUCTION JAR | A | | 1600 | 04/08/2020 |
| 810 | PICU | A31XSJ003 | SUCTION JAR | A | | 1600 | 04/08/2020 |
| 811 | PICU | A31XSJ004 | SUCTION JAR | A | | 1600 | 04/08/2020 |
| 812 | PICU | A31XFLM001 | FLOW METER | A | | 850 | 04/09/2020 |
| 813 | PICU | A31XFLM002 | FLOW METER | A | | 850 | 04/09/2020 |
| 814 | PICU | A31XIVS001 | IV STAND | B | | 600 | 27/06/2020 |
| 815 | PICU | A31XIVS002 | IV STAND | B | | 600 | 27/06/2020 |
| 816 | PICU | A31XIVS003 | IV STAND | B | | 600 | 27/06/2020 |
| 817 | PICU | A31CMNT001 | CARDIAC MONITOR | A | CASMED | 30000 | 04/01/2020 |
| 818 | PICU | A31MSYP001 | SYRINGE PUMP | A | MEDICOFITS | 15000 | 04/02/2020 |
| 819 | PICU | A31XFAN001 | FAN | B | | 1700 | 24/06/2020 |
| 820 | PICU | A31XFAN002 | FAN | B | | 1700 | 24/06/2020 |
| 821 | PICU | A31XFAN003 | FAN | B | | 1700 | 24/06/2020 |
| 822 | PICU | A31XFAN004 | FAN | B | | 1700 | 24/06/2020 |
| 823 | PICU | A31DAC001 | AIR CONDITIONER | A | DAIKIN | 45000 | 04/11/2020 |
| 824 | PICU | A31DLPT001 | LAPTOP | A | DELL | 16500 | 30/04/2020 |
| 825 | PICU | A31XRWSTL001 | ROUND STOOL | B | | 1275 | 30/06/2020 |
| 826 | PICU | A31XCHRBLK001 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 827 | PICU | A31XCHRPLT001 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |

Principal
RIDDHI MINAYAK COLLEGE OF NURSING (RVHSPCT)
 Nallasopara (W), Dist. Palghar 401 308
 RIDDHI MINAYAK COLLEGE OF NURSING (RVHSPCT), Nallasopara (W), Dist. Palghar 401 308

TRUE COPY

| | | | | | | | | |
|-----|----|------------|----------------|-----------------|---|------------|-------|------------|
| 828 | 31 | PICU | A31XTBLO01 | TABLE | C | | 8000 | 07/12/2020 |
| 829 | | | | | | | | |
| 830 | | | NICU | | | | | |
| 831 | | NICU | A31MWRMACHIO01 | WARMAR MACHINE | A | MEDITRIN | 35000 | 20/04/2020 |
| 832 | | NICU | A31MWRMACHIO02 | WARMAR MACHINE | A | MEDITRIN | 35000 | 20/04/2020 |
| 833 | | NICU | A31MWRMACHIO03 | WARMAR MACHINE | A | MEDITRIN | 35000 | 20/04/2020 |
| 834 | | NICU | A31MWRMACHIO04 | WARMAR MACHINE | A | MEDITRIN | 35000 | 20/04/2020 |
| 835 | | NICU | A31OHIB001 | INCUBATOR | A | OHHEDA | 18000 | 27/04/2020 |
| 836 | 6 | NICU | A31MMNT001 | CARDIAC MONITOR | A | MEDICOFITS | 30000 | 04/01/2020 |
| 837 | 7 | NICU | A31XSJ001 | SUCTION JAR | A | | 1600 | 04/08/2020 |
| 838 | 8 | NICU | A31XSJ002 | SUCTION JAR | A | | 1600 | 04/08/2020 |
| 839 | 9 | NICU | A31VDRGT001 | REFRIGERATOR | A | VEDEOCON | 9000 | 14/05/2020 |
| 840 | 10 | NICU | A31PNSTELE001 | TELEPHONE | A | PANASONIC | 800 | 29/04/2020 |
| 841 | 10 | NICU | A31XFDTRY001 | FOOD TROLLEY | B | | 6500 | 25/06/2020 |
| 842 | 12 | NICU | A31XCHRPLT001 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 843 | 13 | NICU | A31XCHRBLK001 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 844 | 14 | NICU | A31DAC001 | AIR CONDITIONER | A | DAIKIN | 45000 | 04/11/2020 |
| 845 | 15 | NICU | A31XMNTSD001 | MONITOR STAND | B | | 4500 | 27/06/2020 |
| 846 | 16 | NICU | A31XMNTSD002 | MONITOR STAND | B | | 4500 | 27/06/2020 |
| 847 | 17 | NICU | A31XTRY001 | TROLLEY | B | | 3500 | 26/06/2020 |
| 848 | 18 | NICU | A31PWGTMACH001 | WEIGHT MACHINE | A | PESCO | 2500 | 24/05/2020 |
| 849 | 19 | NICU | A31XLNTMACH | LENGTH MACHINE | C | | 650 | 27/07/2020 |
| 850 | 20 | NICU | A31XPL001 | PANEL LIGHT 8 | B | | 7200 | 29/06/2020 |
| 851 | 21 | NICU | A31BRSP001 | SYRINGE PUMP | A | B BRAUN | 18000 | 04/02/2020 |
| 852 | 22 | NICU | A31BRSP002 | SYRINGE PUMP | A | B BRAUN | 18000 | 04/02/2020 |
| 853 | 23 | NICU | A31MDSYP001 | SYRINGE PUMP | A | MEDICOFITS | 15000 | 04/02/2020 |
| 854 | 24 | NICU | A31MDSYP002 | SYRINGE PUMP | A | MEDICOFITS | 15000 | 04/02/2020 |
| 855 | 25 | NICU | A32RVMHWHT001 | WATCH | B | RVMH | 200 | 07/04/2020 |
| 856 | | | | | | | | |
| 857 | | | PHARMACY | | | | | |
| 858 | | PHARMACY | A44ACMP001 | COMPUTER | | ACER | 14000 | 30/04/2020 |
| 859 | | PHARMACY | A44ACPU001 | CPU | | ACER | 14000 | 30/04/2020 |
| 860 | | PHARMACY | A44IUPS001 | UPS | | APRIL 203. | 5600 | 28/04/2020 |
| 861 | | PHARMACY | A44EPTR001 | PRINTER | | EPSON | 12000 | 22/04/2020 |
| 862 | | PHARMACY | A44PNSTELE001 | TELEPHONE | A | PANASONIC | 800 | 29/04/2020 |
| 863 | | PHARMACY | A44XATMMACH001 | ATM MACHINE | A | | 7500 | 27/05/2020 |
| 864 | | PHARMACY | A44ETAC001 | AIR CONDITIONER | | | 28000 | 04/11/2020 |
| 865 | | PHARMACY | A44ETA002 | AIR CONDITIONER | | | 28000 | 04/11/2020 |
| 866 | | PHARMACY | A44PNSRGT001 | REFRIGERATOR | | PANASONIC | 27000 | 14/05/2020 |
| 867 | | PHARMACY | A44XCHRPLT001 | CHAIR PLASTIC | | | 525 | 07/10/2020 |
| 868 | | PHARMACY | A44XCHRPLT002 | CHAIR PLASTIC | | | 525 | 07/10/2020 |
| 869 | | PHARMACY | A44XCHRPLT003 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 870 | | PHARMACY | A44XPL001 | PANEL LIGHT 7 | B | | 6300 | 29/06/2020 |
| 871 | | PHARMACY | A44PEMELHT001 | EMERGENCY LIGHT | B | PHILIPS | 500 | 20/06/2020 |
| 872 | | PHARMACY | A44XHYDMTR001 | HYDROMETER | A | | 300 | 11/06/2020 |
| 873 | | PHARMACY | A44XHYDMTR002 | HYDROMETER | A | | 300 | 11/06/2020 |
| 874 | | | CENTRAL STORE | | | | | |
| 875 | | CENTRAL ST | A25XRCKS001 | RACK STAND | C | | 2300 | 18/07/2020 |
| 876 | | CENTRAL ST | A25XRCKS002 | RACK STAND | C | | 2300 | 18/07/2020 |
| 877 | | CENTRAL ST | A25XRCKS003 | RACK STAND | C | | 2300 | 18/07/2020 |
| 878 | | CENTRAL ST | A25XRCKS004 | RACK STAND | C | | 2300 | 18/07/2020 |
| 879 | | CENTRAL ST | A25XRCKS005 | RACK STAND | C | | 2300 | 18/07/2020 |
| 880 | | CENTRAL ST | A25XRCKS006 | RACK STAND | C | | 2300 | 18/07/2020 |
| 881 | | CENTRAL ST | A25XRCKS007 | RACK STAND | C | | 2300 | 18/07/2020 |
| 882 | | CENTRAL ST | A25XRCKS008 | RACK STAND | C | | 2300 | 18/07/2020 |

Principal
RIDDHI VINAYAK COLLEGE OF NURSING
 ARVHSPG, Nallasopara (W), Dist. Palghar-401 203.



| | | | | | | | | |
|-----|----|-----------|---------------|--------------------|---|------------|-------|------------|
| 938 | 18 | OPHTHAL | A36XRWCHR001 | ROUND CHAIR | B | | 1500 | 30/06/2020 |
| 939 | 19 | OPHTHAL | A36VAC001 | AIR CONDITIONER | A | VOLTAS | 28000 | 04/11/2020 |
| 941 | 21 | OPHTHAL | A36XFAN001 | FAN | B | | 1700 | 24/06/2020 |
| 942 | 22 | OPHTHAL | A36XPL001 | PANEL LIGHT 11 | B | | 9900 | 29/06/2020 |
| 943 | 23 | OPHTHAL | A36XNTBD001 | NOTICE BOARD | C | | 1200 | 20/07/2020 |
| 944 | 24 | OPHTHAL | A36AWHT001 | WATCH | B | AJANTA | 200 | 07/04/2020 |
| 945 | 25 | OPHTHAL | A36XSTP001 | STEP | C | | 2200 | 20/07/2020 |
| 946 | | | | | | | | |
| 947 | | | NICU ROOM | | | | | |
| 948 | 1 | NICU ROOM | A31NIFTWMR001 | INFANT WARMER MACH | A | NEOCARE | 38000 | 20/04/2020 |
| 949 | 2 | NICU ROOM | A31CMNT001 | CARDIAC MONITOR | A | CAS 740 | 30000 | 04/01/2020 |
| 950 | 3 | NICU ROOM | A31MSYP001 | SYRINGE PUMP | A | MEDICOFITS | 15000 | 04/02/2020 |
| 951 | 4 | NICU ROOM | A31AUPS001 | UPS | A | ARTIS | 5600 | 28/04/2020 |
| 952 | 5 | NICU ROOM | A31XBTRY001 | BABY TROLLEY | B | | 12000 | 14/06/2020 |
| 953 | 6 | NICU ROOM | A31XBTRY002 | BABY TROLLEY | B | | 12000 | 14/06/2020 |
| 954 | 7 | NICU ROOM | A31XSJ001 | SUCTION JAR | A | | 1600 | 04/08/2020 |
| 955 | 8 | NICU ROOM | A31XFLM001 | FLOW METER | A | | 850 | 04/09/2020 |
| 956 | 9 | NICU ROOM | A31ETAAC001 | AIR CONDITIONER | A | ETA | 28000 | 04/11/2020 |
| 957 | 10 | NICU ROOM | A31XFAN001 | FAN | B | | 1700 | 24/06/2020 |
| 958 | 11 | NICU ROOM | A31XFAN002 | FAN | B | | 1700 | 24/06/2020 |
| 959 | 12 | NICU ROOM | A31XTL001 | TUBE LIGHT | B | | 150 | 29/06/2020 |
| 960 | 13 | NICU ROOM | A31XTL002 | TUBE LIGHT | B | | 150 | 29/06/2020 |
| 961 | 14 | NICU ROOM | A31XTL003 | TUBE LIGHT | B | | 150 | 29/06/2020 |
| 962 | 15 | NICU ROOM | A31PSNTELE001 | TELEPHONE | A | PANASONIC | 800 | 29/04/2020 |
| 963 | 16 | NICU ROOM | A31XMNTTRY001 | MONITOR TROLLEY | B | | 4000 | 26/06/2020 |
| 964 | 17 | NICU ROOM | A31XMEDTRY001 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 965 | 18 | NICU ROOM | A31XWDBD001 | WOODEN BED | C | | 9500 | 15/07/2020 |
| 966 | | | | | | | | |
| 967 | | | MICU | | | | | |
| 968 | 1 | MICU | A26XBD001 | 2 KEY BED | | | 19125 | 07/08/2020 |
| 969 | 2 | MICU | A26XBD002 | 2 KEY BED | | | 19125 | 07/08/2020 |
| 970 | 3 | MICU | A26XBD003 | 2 KEY BED | | | 19125 | 07/08/2020 |
| 971 | 4 | MICU | A26XBD004 | 2 KEY BED | C | | 19125 | 07/08/2020 |
| 972 | 5 | MICU | A26XBD005 | 2 KEY BED | C | | 19125 | 07/08/2020 |
| 973 | 6 | MICU | A26XBD006 | 2 KEY BED | C | | 19125 | 07/08/2020 |
| 974 | 7 | MICU | A26XBD007 | 2 KEY BED | C | | 19125 | 07/08/2020 |
| 975 | 8 | MICU | A26XBD008 | 2 KEY BED | C | | 19125 | 07/08/2020 |
| 976 | 9 | MICU | A26XBD009 | 2 KEY BED | C | | 19125 | 07/08/2020 |
| 977 | 10 | MICU | A26XBD010 | 2 KEY BED | C | | 19125 | 07/08/2020 |
| 978 | 11 | MICU | A26XBD011 | 2 KEY BED | C | | 19125 | 07/08/2020 |
| 979 | 12 | MICU | A26MMNT001 | CARDIAC MONITOR | A | MEDICOFITS | 35000 | 04/01/2020 |
| 980 | 13 | MICU | A26HPMNT001 | CARDIAC MONITOR | A | HP | 45000 | 04/01/2020 |
| 981 | 14 | MICU | A26HPMNT002 | CARDIAC MONITOR | A | HP | 45000 | 04/01/2020 |
| 982 | 15 | MICU | A26HPMNT003 | CARDIAC MONITOR | A | HP | 45000 | 04/01/2020 |
| 983 | 16 | MICU | A26HPMNT004 | CARDIAC MONITOR | A | HP | 45000 | 04/01/2020 |
| 984 | 17 | MICU | A26HPMNT005 | CARDIAC MONITOR | A | HP | 45000 | 04/01/2020 |
| 985 | 18 | MICU | A26HPMNT006 | CARDIAC MONITOR | A | HP | 45000 | 04/01/2020 |
| 986 | 19 | MICU | A26HPMNT007 | CARDIAC MONITOR | A | HP | 45000 | 04/01/2020 |
| 987 | 20 | MICU | A26HPMNT008 | CARDIAC MONITOR | A | HP | 45000 | 04/01/2020 |
| 988 | 21 | MICU | A26HPMNT009 | CARDIAC MONITOR | A | HP | 45000 | 04/01/2020 |
| 989 | 22 | MICU | A26BRSYP001 | SYRINGE PUMP | A | B BRAUN | 18000 | 04/02/2020 |
| 990 | 23 | MICU | A26BRSYP002 | SYRINGE PUMP | A | B BRAUN | 18000 | 04/02/2020 |
| 991 | 24 | MICU | A26BRSYP003 | SYRINGE PUMP | A | B BRAUN | 18000 | 04/02/2020 |
| 992 | 25 | MICU | A26BRSYP004 | SYRINGE PUMP | A | B BRAUN | 18000 | 04/02/2020 |


Principal

RIDDHI KANAYAK COLLEGE OF
NURSING (W/MS/PCT),
Nallasopara (W), Dist. Paighar 401 203.



| | | | | | | | | |
|------|----|------|----------------|---------------------|---|------------|--------|------------|
| 993 | 26 | MICU | A26BRSYP005 | SYRINGE PUMP | A | B BRAUN | 18000 | 04/02/2020 |
| 994 | 27 | MICU | A26BRSYP006 | SYRINGE PUMP | A | B BRAUN | 18000 | 04/02/2020 |
| 995 | 28 | MICU | A26BRSYP007 | SYRINGE PUMP | A | B BRAUN | 18000 | 04/02/2020 |
| 996 | 29 | MICU | A26BRSYP008 | SYRINGE PUMP | A | B BRAUN | 18000 | 04/02/2020 |
| 997 | 30 | MICU | A26BRSYP009 | SYRINGE PUMP | A | B BRAUN | 18000 | 04/02/2020 |
| 998 | 31 | MICU | A26BRSYP010 | SYRINGE PUMP | A | B BRAUN | 18000 | 04/02/2020 |
| 999 | 32 | MICU | A26SYSYP001 | SYRINGE PUMP | A | SHREEYASH | 20000 | 04/02/2020 |
| 1000 | 33 | MICU | A26SYSYP002 | SYRINGE PUMP | A | SHREEYASH | 20000 | 04/02/2020 |
| 1001 | 34 | MICU | A26SYSYP003 | SYRINGE PUMP | A | SHREEYASH | 20000 | 04/02/2020 |
| 1002 | 35 | MICU | A26SYSYP004 | SYRINGE PUMP | A | SHREEYASH | 20000 | 04/02/2020 |
| 1003 | 36 | MICU | A26XFLMT001 | FLOW METER | A | | 850 | 04/09/2020 |
| 1004 | 37 | MICU | A26XFLMT002 | FLOW METER | A | | 850 | 04/09/2020 |
| 1005 | 38 | MICU | A26XFLMT003 | FLOW METER | A | | 850 | 04/09/2020 |
| 1006 | 39 | MICU | A26XIVS001 | IV STAND | B | | 600 | 27/06/2020 |
| 1007 | 40 | MICU | A26XIVS002 | IV STAND | B | | 600 | 27/06/2020 |
| 1008 | 41 | MICU | A26XIVS003 | IV STAND | B | | 600 | 27/06/2020 |
| 1009 | 42 | MICU | A26XIVS004 | IV STAND | B | | 600 | 27/06/2020 |
| 1010 | 43 | MICU | A26XIVS005 | IV STAND | B | | 600 | 27/06/2020 |
| 1011 | 44 | MICU | A26XIVS006 | IV STAND | B | | 600 | 27/06/2020 |
| 1012 | 45 | MICU | A26XIVS007 | IV STAND | B | | 600 | 27/06/2020 |
| 1013 | 46 | MICU | A26XIVS008 | IV STAND | B | | 600 | 27/06/2020 |
| 1014 | 47 | MICU | A26XIVS009 | IV STAND | B | | 600 | 27/06/2020 |
| 1015 | 48 | MICU | A26XIVS010 | IV STAND | B | | 600 | 27/06/2020 |
| 1016 | 49 | MICU | A26XIVS011 | IV STAND | B | | 600 | 27/06/2020 |
| 1017 | 50 | MICU | A26XMDTTRY001 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 1018 | 51 | MICU | A26XMDTTRY002 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 1019 | 52 | MICU | A26XMDTTRY003 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 1020 | 53 | MICU | A26XMDTTRY004 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 1021 | 54 | MICU | A26XMDTTRY005 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 1022 | 55 | MICU | A26XMDTTRY006 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 1023 | 56 | MICU | A26XMDTTRY007 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 1024 | 57 | MICU | A26XMDTTRY008 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 1025 | 58 | MICU | A26XMDTTRY009 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 1026 | 59 | MICU | A26XMDTTRY010 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 1027 | 60 | MICU | A26XDRSTRY001 | DRESSING TROLLEY | B | | 7500 | 16/06/2020 |
| 1028 | 61 | MICU | A26XSJ001 | SUCTION JAR | A | | 1600 | 04/08/2020 |
| 1029 | 62 | MICU | A26XSJ002 | SUCTION JAR | A | | 1600 | 04/08/2020 |
| 1030 | 63 | MICU | A26XSJ003 | SUCTION JAR | A | | 1600 | 04/08/2020 |
| 1031 | 64 | MICU | A26XSJ004 | SUCTION JAR | A | | 1600 | 04/08/2020 |
| 1032 | 65 | MICU | A26XSJ005 | SUCTION JAR | A | | 1600 | 04/08/2020 |
| 1033 | 66 | MICU | A26XSJ006 | SUCTION JAR | A | | 1600 | 04/08/2020 |
| 1034 | 67 | MICU | A26XSJ007 | SUCTION JAR | A | | 1600 | 04/08/2020 |
| 1035 | 68 | MICU | A26XBPP001 | BI PAP | A | | 81000 | 04/07/2020 |
| 1036 | 69 | MICU | A26XBPP002 | BI PAP | A | | 81000 | 04/07/2020 |
| 1037 | 70 | MICU | A26XBPP003 | BI PAP | A | | 81000 | 04/07/2020 |
| 1038 | 71 | MICU | A26RMNRSPC001 | NURSING PC | A | RUBERMED | 16500 | 30/04/2020 |
| 1039 | 72 | MICU | A26DBNEB001 | NEBU MACHINE | A | DEVIL BISS | 7000 | 22/04/2020 |
| 1040 | 73 | MICU | A26NOHGT001 | HGT MACHINE | A | NIKODING 1 | 2000 | 18/05/2020 |
| 1041 | 74 | MICU | A26DMNDBPM001 | BLOOD PRESSURE MACH | A | DIAMOND | 1800 | 05/03/2020 |
| 1042 | 75 | MICU | A26MDTSTM001 | STEAM MACHINE | A | MEDTECH | 1800 | 05/04/2020 |
| 1043 | 76 | MICU | A26XECGTRY001 | ECG Trolley | B | | 4500 | 17/06/2020 |
| 1044 | 77 | MICU | A26XECGMACH001 | ECG MACHINE | A | | 22000 | 04/06/2020 |
| 1045 | 78 | MICU | A26XAMBG001 | AMBU BAG | C | | 1500 | 22/07/2020 |
| 1046 | 79 | MICU | A26XAMBG002 | AMBU BAG | C | | 1500 | 22/07/2020 |
| 1047 | 80 | MICU | A26XAC001 | AIR CONDITIONER | A | DAIKIN | 110000 | 04/11/2020 |

Principal
RIDDHI VINAYAK COLLEGE OF NURSING (RVHSPCT)
 Nallasopara (W), Dist. Palghar 401203



TRUE COPY

| | | | | | | | | |
|------|-----|------------|----------------|--------------------|---|------------|--------|------------|
| 1048 | 81 | MICU | A26DKAC002 | AIR CONDITIONER | A | DAIKIN | 110000 | 04/11/2020 |
| 1049 | 82 | MICU | A26DKAC003 | AIR CONDITIONER | A | DAIKIN | 110000 | 04/11/2020 |
| 1050 | 83 | MICU | A26DKAC004 | AIR CONDITIONER | A | DAIKIN | 110000 | 04/11/2020 |
| 1051 | 84 | MICU | A26XFAN001 | FAN | B | | 1700 | 24/06/2020 |
| 1052 | 85 | MICU | A26XFAN002 | FAN | B | | 1700 | 24/06/2020 |
| 1053 | 86 | MICU | A26XFAN003 | FAN | B | | 1700 | 24/06/2020 |
| 1054 | 87 | MICU | A26XFAN004 | FAN | B | | 1700 | 24/06/2020 |
| 1055 | 88 | MICU | A26XFAN005 | FAN | B | | 1700 | 24/06/2020 |
| 1056 | 89 | MICU | A26XFAN006 | FAN | B | | 1700 | 24/06/2020 |
| 1057 | 90 | MICU | A26XFAN007 | FAN | B | | 1700 | 24/06/2020 |
| 1058 | 91 | MICU | A26XFAN008 | FAN | B | | 1700 | 24/06/2020 |
| 1059 | 92 | MICU | A26XFAN009 | FAN | B | | 1700 | 24/06/2020 |
| 1060 | 93 | MICU | A26XFAN010 | FAN | B | | 1700 | 24/06/2020 |
| 1061 | 94 | MICU | A26XFAN011 | FAN | B | | 1700 | 24/06/2020 |
| 1062 | 95 | MICU | A26XFAN012 | FAN | B | | 1700 | 24/06/2020 |
| 1063 | 96 | MICU | A26XFAN013 | FAN | B | | 1700 | 24/06/2020 |
| 1064 | 97 | MICU | A26XEMETRY001 | EMERGENCY TROLLEY | B | | 3500 | 21/06/2020 |
| 1065 | 98 | MICU | A26XCPBD001 | CUPBOARD | C | | 9500 | 07/11/2020 |
| 1066 | 99 | MICU | A26XTELE001 | TELEPHONE | A | PANASONIC | 800 | 29/04/20 |
| 1067 | 100 | MICU | A26XXRAY001 | X-RAY VIEW MACHINE | A | | 2500 | 13/04/21 |
| 1068 | 101 | MICU | A26XO2CY001 | O2 CYLINDER | A | | 4500 | 29/05/2020 |
| 1069 | 102 | MICU | A26XSC001 | Screen Curton | B | | 3800 | 07/07/2020 |
| 1070 | 103 | MICU | A26XNTBD001 | NOTICE BOARD | C | | 1200 | 20/07/2020 |
| 1071 | 104 | MICU | A26XWB001 | WHITE BOARD | C | | 1200 | 20/07/2020 |
| 1072 | 105 | MICU | A26XFDTRY001 | FOOD TROLLEY 3 | B | | 19500 | 25/06/2020 |
| 1073 | 106 | MICU | A26LGRFGT001 | REFRIGERATOR | A | LG | 27000 | 14/05/2020 |
| 1074 | 107 | MICU | A26SSNEED001 | NEEDLE BURNER | A | SURG | 1200 | 23/04/2020 |
| 1075 | 108 | MICU | A26XFT001 | FOOD TABLE 2 | B | | 7000 | 25/06/2020 |
| 1076 | 109 | MICU | A26SMSVVENT001 | SERVO VENTILATORS | A | SIEMENS | 500000 | 04/03/2018 |
| 1077 | 110 | MICU | A26SMSVVENT002 | SERVO VENTILATORS | A | SIEMENS | 500000 | 04/03/2018 |
| 1078 | 111 | MICU | A26HVVDPH001 | VIDEO DOOR PHONE | | HIKVISION | 7000 | |
| 1079 | | | | SURGICAL WARD | | | | |
| 1080 | 1 | SURGICAL W | A30XPTBD001 | 1 KEY BED | C | | 8330 | 07/08/2020 |
| 1081 | 2 | SURGICAL W | A30XPTBD002 | 1 KEY BED | C | | 8330 | 07/08/2020 |
| 1082 | 3 | SURGICAL W | A30XPTBD003 | 1 KEY BED | C | | 8330 | 07/08/2020 |
| 1083 | 4 | SURGICAL W | A30XPTBD004 | 1 KEY BED | C | | 8330 | 07/08/2020 |
| 1084 | 5 | SURGICAL W | A30XPTBD005 | 2 KEY BED | C | | 19125 | 07/08/2020 |
| 1085 | 6 | SURGICAL W | A30XPTBD006 | 2 KEY BED | C | | 19125 | 07/08/2020 |
| 1086 | 7 | SURGICAL W | A30XPTBD007 | 2 KEY BED | C | | 19125 | 07/08/2020 |
| 1087 | 8 | SURGICAL W | A30XPTBD008 | 2 KEY BED | C | | 19125 | 07/08/2020 |
| 1088 | 9 | SURGICAL W | A30XPTBD009 | 2 KEY BED | C | | 19125 | 07/08/2020 |
| 1089 | 10 | SURGICAL W | A30XPTBD010 | 2 KEY BED | C | | 19125 | 07/08/2020 |
| 1090 | 11 | SURGICAL W | A30XPTBD011 | 2 KEY BED | C | | 19125 | 07/08/2020 |
| 1091 | 12 | SURGICAL W | A30XPTBD012 | 2 KEY BED | C | | 19125 | 07/08/2020 |
| 1092 | 13 | SURGICAL W | A30XPTBD013 | 3 KEY BED | C | | 22185 | 07/08/2020 |
| 1093 | 14 | SURGICAL W | A30XPTBD014 | 3 KEY BED | C | | 22185 | 07/08/2020 |
| 1094 | 15 | SURGICAL W | A30XPTBD015 | 3 KEY BED | C | | 22185 | 07/08/2020 |
| 1095 | 16 | SURGICAL W | A30XPTBD016 | 3 KEY BED | C | | 22185 | 07/08/2020 |
| 1096 | 17 | SURGICAL W | A30XPTBD017 | 4 KEY BED | C | | 38250 | 07/08/2020 |
| 1097 | 18 | SURGICAL W | A31HRETRBD001 | ELECTRIC BED | B | HILL ROM | 18000 | 20/06/2020 |
| 1098 | 19 | SURGICAL W | A31HRETRBD002 | ELECTRIC BED | B | HILL ROM | 18000 | 20/06/2020 |
| 1099 | 20 | SURGICAL W | A31HRETRBD003 | ELECTRIC BED | B | HILL ROM | 18000 | 20/06/2020 |
| 1100 | 21 | SURGICAL W | A31HRETRBD004 | ELECTRIC BED | B | HILL ROM | 18000 | 20/06/2020 |
| 1101 | 22 | SURGICAL W | A31HRETRBD005 | ELECTRIC BED | B | HILL ROM | 18000 | 20/06/2020 |
| 1102 | 23 | SURGICAL W | A30M5CPOXY001 | PLUSE OXYMETER | A | MASIMO CAS | 2750 | |

Principal
RIDDHI VINAYAK COLLEGE OF NURSING (RVHSPT),
 Nallasopara (W), Dist. Palghar-401 203.



| | | | | | | |
|------|-------------------------|---------------------|---|--|-------|------------|
| 1103 | SURGICAL WA30MSCPOXY002 | PLUSE OXYMETER | A | MASIMO CAS | 2750 | 17/05/2020 |
| 1104 | SURGICAL WA30MSCPOXY003 | PLUSE OXYMETER | A | MASIMO CAS | 2750 | 17/05/2020 |
| 1105 | SURGICAL WA30XSJ001 | SUCTION JAR | A | | 1600 | 04/08/2020 |
| 1106 | SURGICAL WA30XFLM001 | FLOW METER | A | | 850 | 04/09/2020 |
| 1107 | SURGICAL WA30XFLM002 | FLOW METER | A | | 850 | 04/09/2020 |
| 1108 | SURGICAL WA30XFLM003 | FLOW METER | A | | 850 | 04/09/2020 |
| 1109 | SURGICAL WA30XFLM004 | FLOW METER | A | | 850 | 04/09/2020 |
| 1110 | SURGICAL WA30BPLECG001 | ECG MACHINE | A | BPL | 32000 | 04/06/2020 |
| 1111 | SURGICAL WA30MSYP001 | SYRINGE PUMP | A | MEDICOFITS | 15000 | 04/02/2020 |
| 1112 | SURGICAL WA30MTSYP001 | SYRINGE PUMP | A | Maestros (Not | 20500 | 04/02/2020 |
| 1113 | SURGICAL WA30XDRSTRY001 | DRESSING TROLLEY | B | | 7500 | 16/06/2020 |
| 1114 | SURGICAL WA30XEMETRY001 | EMERGENCY TROLLEY | B | | 3500 | 21/06/2020 |
| 1115 | SURGICAL WA30SSNEED001 | NEEDLE BURNER | A | SURG | 1200 | 23/04/2020 |
| 1116 | SURGICAL WA30DMNDBPM001 | BLOOD PRESSURE MACH | A | DIAMOND | 1800 | 05/03/2020 |
| 1117 | SURGICAL WA30MAXSTM001 | STEAM MACHINE | A | MAX KINGDO | 1800 | 05/04/2020 |
| 1118 | SURGICAL WA30DBNEBU001 | NEBU MACHINE | A | DEVIL BISS | 7000 | 22/04/2020 |
| 1119 | SURGICAL WA30XHGT001 | HGT MACHINE | A | NIKODING 1 | 2000 | 18/05/2020 |
| 1120 | SURGICAL WA30XIVS001 | IV STAND | B | | 600 | 27/06/2020 |
| 121 | SURGICAL WA30XIVS002 | IV STAND | B | | 600 | 27/06/2020 |
| | SURGICAL WA30XIVS003 | IV STAND | B | | 600 | 27/06/2020 |
| | SURGICAL WA30XIVS004 | IV STAND | B | | 600 | 27/06/2020 |
| 1124 | SURGICAL WA30XIVS005 | IV STAND | B | | 600 | 27/06/2020 |
| 1125 | SURGICAL WA30XIVS006 | IV STAND | B | | 600 | 27/06/2020 |
| 1126 | SURGICAL WA30XIVS007 | IV STAND | B | | 600 | 27/06/2020 |
| 1127 | SURGICAL WA30XIVS008 | IV STAND | B | | 600 | 27/06/2020 |
| 1128 | SURGICAL WA30XIVS009 | IV STAND | B | | 600 | 27/06/2020 |
| 1129 | SURGICAL WA30XIVS010 | IV STAND | B | | 600 | 27/06/2020 |
| 1130 | SURGICAL WA30XIVS011 | IV STAND | B | | 600 | 27/06/2020 |
| 1131 | SURGICAL WA30XIVS012 | IV STAND | B | | 600 | 27/06/2020 |
| 1132 | SURGICAL WA30XIVS013 | IV STAND | B | | 600 | 27/06/2020 |
| 1133 | SURGICAL WA30XIVS014 | IV STAND | B | | 600 | 27/06/2020 |
| 1134 | SURGICAL WA30XIVS015 | IV STAND | B | | 600 | 27/06/2020 |
| 1135 | SURGICAL WA30XIVS016 | IV STAND | B | | 600 | 27/06/2020 |
| 1136 | SURGICAL WA30XIVS017 | IV STAND | B | | 600 | 27/06/2020 |
| 1137 | SURGICAL WA30XIVS018 | IV STAND | B | | 600 | 27/06/2020 |
| 1138 | SURGICAL WA30XIVS019 | IV STAND | B | | 600 | 27/06/2020 |
| | SURGICAL WA30XIVS020 | IV STAND | B | | 600 | 27/06/2020 |
| | SURGICAL WA30XIVS021 | IV STAND | B | | 600 | 27/06/2020 |
| 1141 | SURGICAL WA30XIVS022 | IV STAND | B | | 600 | 27/06/2020 |
| 1142 | SURGICAL WA30XMDTTRY001 | MEDICINE TROLLEY | B | RIDDHI VINAYAK COLLEGE OF | 4000 | 26/06/2020 |
| 1143 | SURGICAL WA30XMDTTRY002 | MEDICINE TROLLEY | B | NURSING (RVHSPCT), | 4000 | 26/06/2020 |
| 1144 | SURGICAL WA30XMDTTRY003 | MEDICINE TROLLEY | B | Nalgasopara (W), Dist. Palghar 401 203 | 4000 | 26/06/2020 |
| 1145 | SURGICAL WA30XMDTTRY004 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 1146 | SURGICAL WA30XMDTTRY005 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 1147 | SURGICAL WA30XMDTTRY006 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 1148 | SURGICAL WA30XMDTTRY007 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 1149 | SURGICAL WA30XMDTTRY008 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 1150 | SURGICAL WA30XMDTTRY009 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 1151 | SURGICAL WA30XMDTTRY010 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 1152 | SURGICAL WA30XMDTTRY011 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 1153 | SURGICAL WA30XMDTTRY012 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 1154 | SURGICAL WA30XMDTTRY013 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 1155 | SURGICAL WA30XMDTTRY014 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 1156 | SURGICAL WA30XMDTTRY015 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |

Handwritten signature

Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nalgasopara (W), Dist. Palghar 401 203



Handwritten signature

Principal



TRUE COPY

| | | | | | | | |
|------|-----|--------------------------|----------------------|---|--------------|--------|------------|
| 1158 | 79 | SURGICAL WA30XMDTTRY017 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 1159 | 80 | SURGICAL WA30XMDTTRY018 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 1160 | 81 | SURGICAL WA30XMDTTRY019 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 1161 | 82 | SURGICAL WA30XMDTTRY020 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 1162 | 83 | SURGICAL WA30XMDTTRY021 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 1163 | 84 | SURGICAL WA30XMDTTRY022 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 1164 | 85 | SURGICAL WA30XCPBD001 | CUPBOARD | C | | 9500 | 07/11/2020 |
| 1165 | 86 | SURGICAL WA30XCPBD002 | CUPBOARD | C | | 9500 | 07/11/2020 |
| 1166 | 87 | SURGICAL WA30XCPBD003 | CUPBOARD | C | | 9500 | 07/11/2020 |
| 1167 | 88 | SURGICAL WA30XCHRBLK001 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 1168 | 89 | SURGICAL WA30XCHRBLK002 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 1169 | 90 | SURGICAL WA30XCHRPLT001 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 1170 | 91 | SURGICAL WA30XCHRPLT002 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 1171 | 92 | SURGICAL WA30XCHRPLT003 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 1172 | 93 | SURGICAL WA30XCHRPLT004 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 1173 | 94 | SURGICAL WA30XCHRPLT005 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 1174 | 95 | SURGICAL WA30SKWT001 | WEIGHT MACHINE | A | Skno1 7245sk | 2500 | 24/05/2020 |
| 1175 | 96 | SURGICAL WA30UDAC001 | AIR CONDITIONER | A | DAIKIN | 110000 | 04/11/2020 |
| 1176 | 97 | SURGICAL WA30XWTBD001 | WHITE BOARD | C | | 1200 | 20/07/2020 |
| 1177 | 98 | SURGICAL WA30XNTBD001 | NOTICE BOARD | C | | 1200 | 20/07/2020 |
| 1178 | 99 | SURGICAL WA30XTELE001 | TELEPHONE | A | PANASONIC | 800 | 29/04/2020 |
| 1179 | 100 | SURGICAL WA30XGSC001 | Green Screen Curtton | C | | 3800 | 28/07/2020 |
| 1180 | 101 | SURGICAL WA30XEHTF001 | EXHASUT FAN | B | | 2500 | 24/06/2020 |
| 1181 | 102 | SURGICAL WA30XEHTF002 | EXHASUT FAN | B | | 2500 | 24/06/2020 |
| 1182 | 103 | SURGICAL WA30LGFRG001 | REFRIGERATOR | A | LG | 27000 | 14/05/2020 |
| 1183 | 104 | SURGICAL WA30RVMHWH001 | WATCH | B | RVMH | 200 | 07/04/2020 |
| 1184 | 105 | SURGICAL WA30PEMELHT001 | EMERGENCY LIGHT | B | PHILIPS | 500 | 20/06/2020 |
| 1185 | 106 | SURGICAL WA30PWGTMACH001 | WEIGHT MACHINE | A | PESCO | 2500 | 24/05/2020 |
| 1186 | 107 | SURGICAL WA30PSNTELE001 | TELEPHONE | A | PANASONIC | 800 | 29/04/2020 |
| 1187 | 108 | SURGICAL WA26RMNRSPC001 | NURSING PC | A | RUBERMED | 16500 | 30/04/2020 |
| 1188 | 109 | SURGICAL WA30XFAN001 | FAN 25 | B | | 42500 | 24/06/2020 |
| 1189 | 110 | SURGICAL WA30XPL001 | PANEL LIGHT 2 | B | | 1800 | 29/06/2020 |
| 1190 | 111 | SURGICAL WA30XTL001 | TUBE LIGHT 24 | B | | 3600 | 29/06/2020 |
| 1191 | 112 | SURGICAL WA30XDTBL001 | DESK TABLE 3 | C | | 27000 | 07/12/2020 |
| 1192 | 113 | SURGICAL WA30MTSTS001 | STETHOSCOPE | B | MICRO TONE | 950 | 07/03/2020 |
| 1193 | 114 | SURGICAL WA30MTSTS002 | STETHOSCOPE | B | MICRO TONE | 950 | 07/03/2020 |
| 1194 | 115 | SURGICAL WA30HVVDPH001 | VIDEO DOOR PHONE | | HIKVISION | 7000 | |
| 1195 | | | GF DAY CARE | | | | |
| 1196 | | GF DC A31XPTBD001 | 1 KEY BED | | | 8330 | 07/08/2020 |
| 1197 | | GF DC A31XPTBD002 | 1 KEY BED | | | 8330 | 07/08/2020 |
| 1198 | | GF DC A31XPTBD003 | 1 KEY BED | | | 8330 | 07/08/2020 |
| 1199 | | GF DC A31XPTBD004 | 1 KEY BED | | | 8330 | 07/08/2020 |
| 1200 | | GF DC A31XPTBD005 | 1 KEY BED | | | 8330 | 07/08/2020 |
| 1201 | | GF DC A31XPTBD006 | 1 KEY BED | | | 8330 | 07/08/2020 |
| 1202 | | GF DC A31XPTBD007 | 2 KEY BED | | | 19125 | 07/08/2020 |
| 1203 | | GF DC A31XPTBD008 | 2 KEY BED | | | 19125 | 07/08/2020 |
| 1204 | | GF DC A31XPTBD009 | 2 KEY BED | | | 19125 | 07/08/2020 |
| 1205 | | GF DC A31XPTBD010 | 2 KEY BED | | | 19125 | 07/08/2020 |
| 1206 | | GF DC A31XPTBD011 | 3 KEY BED | | | 22185 | 07/08/2020 |
| 1207 | | GF DC A31XPTBD012 | 3 KEY BED | | | 22185 | 07/08/2020 |
| 1208 | | GF DC A31XPTBD013 | 3 KEY BED | | | 22185 | 07/08/2020 |
| 1209 | | GF DC A31WAMNT001 | CARDIAC MONITOR | A | WELCH ALLYN | 25000 | 04/01/2020 |
| 1210 | | GF DC A31V24MNT002 | CARDIAC MONITOR | A | V24 | 25000 | 04/01/2020 |
| 1211 | | GF DC A31XMDTTRY001 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 1212 | | GF DC A31XMDTTRY002 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |

Principal
RIDDHI VINAYAK COLLEGE OF NURSING (RVHS) (CT), Nallasopara (W), Dist. Palghar - 405 206



| | | | | | | | | |
|------|----|----------|----------------|---------------------|---|--------------|-------|------------|
| 1213 | 18 | GF DC | A31XMDTTRY003 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 1214 | 19 | GF DC | A31XMDTTRY004 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 1215 | 20 | GF DC | A31XMDTTRY005 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 1216 | 21 | GF DC | A31XMDTTRY006 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 1217 | 22 | GF DC | A31XMDTTRY007 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 1218 | 23 | GF DC | A31XMDTTRY008 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 1219 | 24 | GF DC | A31XMDTTRY009 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 1220 | 25 | GF DC | A31XMDTTRY010 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 1221 | 26 | GF DC | A31XMDTTRY011 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 1222 | 27 | GF DC | A31XMDTTRY012 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 1223 | 28 | GF DC | A31XMDTTRY013 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 1224 | 29 | GF DC | A31XMDTTRY014 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 1225 | 30 | GF DC | A31XIVS001 | IV STAND | B | | 600 | 27/06/2020 |
| 1226 | 31 | GF DC | A31XIVS002 | IV STAND | B | | 600 | 27/06/2020 |
| 1227 | 32 | GF DC | A31XIVS003 | IV STAND | B | | 600 | 27/06/2020 |
| 1228 | 33 | GF DC | A31XIVS004 | IV STAND | B | | 600 | 27/06/2020 |
| 1229 | 34 | GF DC | A31XIVS005 | IV STAND | B | | 600 | 27/06/2020 |
| 1230 | 35 | GF DC | A31XWTBD001 | WHITE BOARD | C | | 1200 | 20/07/2020 |
| 1231 | 36 | GF DC | A31XNTBD001 | NOTICE BOARD | C | | 1200 | 20/07/2020 |
| 1232 | 37 | GF DC | A31SSNEED001 | NEEDLE BURNER | A | SURG | 1200 | 23/04/2020 |
| 1233 | 38 | GF DC | A31XDRSTRY001 | DRESSING TROLLEY | B | | 7500 | 16/06/2020 |
| 1234 | 39 | GF DC | A31PSNTELE001 | TELEPHONE | A | PANASONIC | 800 | 29/04/2020 |
| 1235 | 40 | GF DC | A31XCPBD001 | CUPBOARD | C | | 9500 | 07/11/2020 |
| 1236 | 41 | GF DC | A31XCPBD002 | CUPBOARD | C | | 9500 | 07/11/2020 |
| 1237 | 42 | GF DC | A31XCHRPLT001 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 1238 | 43 | GF DC | A31XCHRPLT002 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 1239 | 44 | GF DC | A31XCHRBLK001 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 1240 | 45 | GF DC | A31ARFNEB001 | NEBU MACHINE | A | AIR FROCE OF | 7000 | 22/04/2020 |
| 1241 | 46 | GF DC | A31DMNDBPM001 | BLOOD PRESSURE MACH | A | DIAMOND | 1800 | 05/03/2020 |
| 1242 | 47 | GF DC | A31XHGT001 | HGT MACHINE | A | NIKODING 1 | 2000 | 18/05/2020 |
| 1243 | 48 | GF DC | A31AWTH001 | WATCH | B | AJANTA | 200 | 07/04/2020 |
| 1244 | 49 | GF DC | A31XFLM001 | FLOW METER | A | | 850 | 04/09/2020 |
| 1245 | 50 | GF DC | A31XFLM002 | FLOW METER | A | | 850 | 04/09/2020 |
| 1246 | 51 | GF DC | A31XFLM003 | FLOW METER | A | | 850 | 04/09/2020 |
| 1247 | 52 | GF DC | A31XFLM004 | FLOW METER | A | | 850 | 04/09/2020 |
| 1248 | 53 | GF DC | A31XGSC001 | GREEN SCREEN CURTON | C | | 3800 | 28/07/2020 |
| 1249 | 54 | GF DC | A31XGSC002 | GREEN SCREEN CURTON | C | | 3800 | 28/07/2020 |
| 1250 | 55 | GF DC | A31XGSC003 | GREEN SCREEN CURTON | C | | 3800 | 28/07/2020 |
| 1251 | 56 | GF DC | A31XFAN001 | FAN 15" | B | | 25500 | 24/06/2020 |
| 1252 | 57 | GF DC | A31XPL001 | PANEL LIGHT 18 | B | | 16200 | 29/06/2020 |
| 1253 | 58 | GF DC | A31XDTBL001 | DESK TABLE 2 | C | | 18000 | 07/12/2020 |
| 1254 | 59 | GF DC | A31XMEDSTND001 | MEDICINE STAND | C | | | |
| 1255 | 60 | GF DC | A31RMNRSPC001 | NURSING PC | A | RUBERMED | 16500 | 30/04/2020 |
| 1256 | | | | DIALYSIS | | | | |
| 1257 | | DIALYSIS | A31XPTBD001 | 3 KEY BED | C | | 22185 | 07/08/2020 |
| 1258 | | DIALYSIS | A31XPTBD002 | 3 KEY BED | C | | 22185 | 07/08/2020 |
| 1259 | | DIALYSIS | A31XPTBD003 | 3 KEY BED | C | | 22185 | 07/08/2020 |
| 1260 | | DIALYSIS | A31XPTBD004 | 3 KEY BED | C | | 22185 | 07/08/2020 |
| 1261 | | DIALYSIS | A31XPTBD005 | 3 KEY BED | C | | 22185 | 07/08/2020 |
| 1262 | | DIALYSIS | A31XPTBD006 | 3 KEY BED | C | | 22185 | 07/08/2020 |
| 1263 | | DIALYSIS | A31XPTBD007 | 3 KEY BED | C | | 22185 | 07/08/2020 |
| 1264 | | DIALYSIS | A31XPTBD008 | 3 KEY BED | C | | 22185 | 07/08/2020 |
| 1265 | | DIALYSIS | A31XPTBD009 | 3 KEY BED | C | | 22185 | 07/08/2020 |
| 1266 | | DIALYSIS | A31XPTBD010 | 3 KEY BED | C | | 22185 | 07/08/2020 |
| 1267 | | DIALYSIS | A31XPTBD011 | 3 KEY BED | C | | 22185 | 07/08/2020 |

RIDDHIVINAYAK COLLEGE
NURSING (RVHSPCT)



Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT)
Nallasopara (W), Dist. Palghar



TRUE COPY


| | | | | | | | | |
|------|----|----------|-----------------|----------------------|---|---------------|--------|------------|
| 1268 | 12 | DIALYSIS | A31XPTBD012 | 3 KEY BED | C | | 22185 | 07/08/2020 |
| 1269 | 13 | DIALYSIS | A31XPTBD013 | 3 KEY BED | C | | 22185 | 07/08/2020 |
| 1270 | 14 | DIALYSIS | A31XPTBD014 | 3 KEY BED | C | | 22185 | 07/08/2020 |
| 1271 | 15 | DIALYSIS | A31XPTBD015 | 3 KEY BED | C | | 22185 | 07/08/2020 |
| 1272 | 16 | DIALYSIS | A31XPTBD016 | 3 KEY BED | C | | 22185 | 07/08/2020 |
| 1273 | 17 | DIALYSIS | A31XPTBD017 | 3 KEY BED | C | | 22185 | 07/08/2020 |
| 1274 | 18 | DIALYSIS | A31XPTBD018 | 3 KEY BED | C | | 22185 | 07/08/2020 |
| 1275 | 19 | DIALYSIS | A31XPTBD019 | 3 KEY BED | C | | 22185 | 07/08/2020 |
| 1276 | 20 | DIALYSIS | A31XPTBD020 | 3 KEY BED | C | | 22185 | 07/08/2020 |
| 1277 | 21 | DIALYSIS | A31FMCDM001 | DIALYSIS MACHINE | A | 4008 S (Frese | 346500 | 04/10/2020 |
| 1278 | 22 | DIALYSIS | A31FMCDM002 | DIALYSIS MACHINE | A | 4008 S (Frese | 346500 | 04/10/2020 |
| 1279 | 23 | DIALYSIS | A31FMCDM003 | DIALYSIS MACHINE | A | 4008 S (Frese | 346500 | 04/10/2020 |
| 1280 | 24 | DIALYSIS | A31FMCDM004 | DIALYSIS MACHINE | A | 4008 S (Frese | 346500 | 04/10/2020 |
| 1281 | 25 | DIALYSIS | A31FMCDM005 | DIALYSIS MACHINE | A | 4008 S (Frese | 346500 | 04/10/2020 |
| 1282 | 26 | DIALYSIS | A31FMCDM006 | DIALYSIS MACHINE | A | 4008 S (Frese | 346500 | 04/10/2020 |
| 1283 | 27 | DIALYSIS | A31FMCDM007 | DIALYSIS MACHINE | A | 4008 S (Frese | 346500 | 04/10/2020 |
| 1284 | 28 | DIALYSIS | A31FMCDM008 | DIALYSIS MACHINE | A | 4008 S (Frese | 346500 | 04/10/2020 |
| 1285 | 29 | DIALYSIS | A31FMCDM009 | DIALYSIS MACHINE | A | 4008 S (Frese | 346500 | 04/10/2020 |
| 1286 | 30 | DIALYSIS | A31FMCDM010 | DIALYSIS MACHINE | A | 4008 S (Frese | 346500 | 04/10/2020 |
| 1287 | 31 | DIALYSIS | A31FMCDM011 | DIALYSIS MACHINE | A | 4008 H (Frese | 346500 | 04/10/2020 |
| 1288 | 32 | DIALYSIS | A31FMCDM012 | DIALYSIS MACHINE | A | 4008 H (Frese | 346500 | 04/10/2020 |
| 1289 | 33 | DIALYSIS | A31FMCDM013 | DIALYSIS MACHINE | A | 4008 H (Frese | 346500 | 04/10/2020 |
| 1290 | 34 | DIALYSIS | A31FMCDM014 | DIALYSIS MACHINE | A | 4009 H (Frese | 346500 | 04/10/2020 |
| 1291 | 35 | DIALYSIS | A31FMCDM015 | DIALYSIS MACHINE | A | 4010 H (Frese | 346500 | 04/10/2020 |
| 1292 | 36 | DIALYSIS | A31FMCDM016 | DIALYSIS MACHINE | A | 4011 H (Frese | 346500 | 04/10/2020 |
| 1293 | 37 | DIALYSIS | A31FMCDM017 | DIALYSIS MACHINE | A | 4012 H (Frese | 346500 | 04/10/2020 |
| 1294 | 38 | DIALYSIS | A31FMCDM018 | DIALYSIS MACHINE | A | 4013 H (Frese | 346500 | 04/10/2020 |
| 1295 | 39 | DIALYSIS | A31FMCDM019 | DIALYSIS MACHINE | A | 4014 H (Frese | 346500 | 04/10/2020 |
| 1296 | 40 | DIALYSIS | A31FMCDM020 | DIALYSIS MACHINE | A | 4015 H (Frese | 346500 | 04/10/2020 |
| 1297 | 41 | DIALYSIS | A31XIVS001 | IV STAND | B | BIG | 1000 | 27/06/2020 |
| 1298 | 42 | DIALYSIS | A31WAMNT001 | CARDIAC MONITOR | A | WELCH ALLYN | 25000 | 04/01/2020 |
| 1299 | 43 | DIALYSIS | A31WAMNT002 | CARDIAC MONITOR | A | WELCH ALLYN | 25000 | 04/01/2020 |
| 1300 | 44 | DIALYSIS | A31WAMNT003 | CARDIAC MONITOR | A | WELCH ALLYN | 25000 | 04/01/2020 |
| 1301 | 45 | DIALYSIS | A31WAMNT004 | CARDIAC MONITOR | A | WELCH ALLYN | 25000 | 04/01/2020 |
| 1302 | 46 | DIALYSIS | A31WAMNT005 | CARDIAC MONITOR | A | WELCH ALLYN | 25000 | 04/01/2020 |
| 1303 | 47 | DIALYSIS | A31WAMNT006 | CARDIAC MONITOR | A | WELCH ALLYN | 25000 | 04/01/2020 |
| 1304 | 48 | DIALYSIS | A31WAMNT007 | CARDIAC MONITOR | A | WELCH ALLYN | 25000 | 04/01/2020 |
| 1305 | 49 | DIALYSIS | A31WAMNT008 | CARDIAC MONITOR | A | WELCH ALLYN | 25000 | 04/01/2020 |
| 1306 | 50 | DIALYSIS | A31WAMNT009 | CARDIAC MONITOR | A | WELCH ALLYN | 25000 | 04/01/2020 |
| 1307 | 51 | DIALYSIS | A31WAMNT010 | CARDIAC MONITOR | A | WELCH ALLYN | 25000 | 04/01/2020 |
| 1308 | 52 | DIALYSIS | A31WAMNT011 | CARDIAC MONITOR | A | WELCH ALLYN | 25000 | 04/01/2020 |
| 1309 | 53 | DIALYSIS | A31WAMNT012 | CARDIAC MONITOR | A | WELCH ALLYN | 25000 | 04/01/2020 |
| 1310 | 54 | DIALYSIS | A31WAMNT013 | CARDIAC MONITOR | A | WELCH ALLYN | 25000 | 04/01/2020 |
| 1311 | 55 | DIALYSIS | A31WAMNT014 | CARDIAC MONITOR | A | WELCH ALLYN | 25000 | 04/01/2020 |
| 1312 | 56 | DIALYSIS | A31WAMNT015 | CARDIAC MONITOR | A | WELCH ALLYN | 25000 | 04/01/2020 |
| 1313 | 57 | DIALYSIS | A31XMDTRY001 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 1314 | 58 | DIALYSIS | A31LTNEED001 | NEEDLE BURNER | A | LAB TECH | 1200 | 23/04/2020 |
| 1315 | 59 | DIALYSIS | A31APCUPS001 | UPS | A | APC | 5600 | 28/04/2020 |
| 1316 | 60 | DIALYSIS | A31SKWGTMACH001 | WEIGHT MACHINE | A | SKNOL | 2500 | 24/05/2020 |
| 1317 | 61 | DIALYSIS | A31ACWGTMACH001 | WEIGHT MACHINE | A | Avon Corpora | 2500 | 24/05/2020 |
| 1318 | 62 | DIALYSIS | A31DMNTBPM001 | BLOOD PRESSURE MACHA | A | DIAMOND | 1800 | 05/03/2020 |
| 1319 | 63 | DIALYSIS | A31DMNTBPM002 | BLOOD PRESSURE MACHA | A | DIAMOND | 1800 | 05/03/2020 |
| 1320 | 64 | DIALYSIS | A31HPDEF001 | DEFIBRILATOR | A | HEWLETT | 20000 | 04/05/2020 |
| 1321 | 65 | DIALYSIS | A31XDESTROY001 | DRESSING TROLLEY | B | | 7500 | 16/06/2020 |
| 1322 | 66 | DIALYSIS | A31XDESTROY002 | DRESSING TROLLEY | B | | 7500 | 16/06/2020 |

Principal
BIDDI VINAYAK COLLEGE OF
NURSING (RVHS) (P)
Nallasopara (H), Dist. Palghar 401203.



| | | | | | | | | |
|------|-----|----------|-------------------|-------------------|---|------------|-------|------------|
| 1323 | 57 | DIALYSIS | A31XFDTRY001 | FOOD TROLLEY | B | | 6500 | 25/06/2020 |
| 1324 | 58 | DIALYSIS | A31XCPBD001 | CUPBOARD | C | SMALL | 5000 | 07/11/2020 |
| 1325 | 59 | DIALYSIS | A31XCPBD002 | CUPBOARD | C | SMALL | 5000 | 07/11/2020 |
| 1326 | 60 | DIALYSIS | A31XCPBD003 | CUPBOARD | C | SMALL | 5000 | 07/11/2020 |
| 1327 | 61 | DIALYSIS | A31XCPBD004 | CUPBOARD | C | BIG | 9500 | 07/11/2020 |
| 1328 | 62 | DIALYSIS | A31XCPBD005 | CUPBOARD | C | BIG | 9500 | 07/11/2020 |
| 1329 | 63 | DIALYSIS | A31XCPBD006 | CUPBOARD | C | BIG | 9500 | 07/11/2020 |
| 1330 | 64 | DIALYSIS | A31XCPBD007 | CUPBOARD | C | BIG | 9500 | 07/11/2020 |
| 1331 | 65 | DIALYSIS | A31XCPBD008 | CUPBOARD | C | BIG | 9500 | 07/11/2020 |
| 1332 | 66 | DIALYSIS | A31XEMETRY001 | EMERGENCY TROLLEY | B | | 3500 | 21/06/2020 |
| 1333 | 67 | DIALYSIS | A31XAMBG001 | AMBU BAG | C | | 1500 | 22/07/2020 |
| 1334 | 68 | DIALYSIS | A31NOCGTMACH001 | HGT MACHINE | A | NIKODING 1 | 2000 | 18/05/2020 |
| 1335 | 69 | DIALYSIS | A318PLECGMACHI001 | ECG MACHINE | A | BPL | 32000 | 04/06/2020 |
| 1336 | 70 | DIALYSIS | A31GENEB001 | NEBU MACHINE | A | Gene | 7000 | 22/04/2020 |
| 1337 | 71 | DIALYSIS | A31WDRFGT001 | REFRIGERATOR | A | WOODS | 5000 | 14/05/2020 |
| 1338 | 72 | DIALYSIS | A31HRRFGT002 | REFRIGERATOR | A | HAIER | 27000 | 14/05/2020 |
| 1339 | 73 | DIALYSIS | A31DLPTP001 | LAPTOP | A | DELL | 16500 | 30/04/2020 |
| 1340 | 74 | DIALYSIS | A31OTFN001 | FAN 22 | B | ORIENT | 37400 | 24/06/2020 |
| 1341 | 75 | DIALYSIS | A31PSTELE001 | TELEPHONE | A | PANASONIC | 800 | 29/04/2020 |
| 1342 | 76 | DIALYSIS | A31XCHRBLCK001 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 1343 | 77 | DIALYSIS | A31XRST001 | ROUND STOOL | B | | 1275 | 30/06/2020 |
| 1344 | 78 | DIALYSIS | A31XRST002 | ROUND STOOL | B | | 1275 | 30/06/2020 |
| 1345 | 79 | DIALYSIS | A31XRST003 | ROUND STOOL | B | | 1275 | 30/06/2020 |
| 1346 | 80 | DIALYSIS | A31XRST004 | ROUND STOOL | B | | 1275 | 30/06/2020 |
| 1347 | 81 | DIALYSIS | A31XRST005 | ROUND STOOL | B | | 1275 | 30/06/2020 |
| 1348 | 82 | DIALYSIS | A31XSJ001 | SUCTION JAR | A | | 1600 | 04/08/2020 |
| 1349 | 83 | DIALYSIS | A31XSJ002 | SUCTION JAR | A | | 1600 | 04/08/2020 |
| 1350 | 84 | DIALYSIS | A31XSJ003 | SUCTION JAR | A | | 1600 | 04/08/2020 |
| 1351 | 85 | DIALYSIS | A31XSJ004 | SUCTION JAR | A | | 1600 | 04/08/2020 |
| 1352 | 86 | DIALYSIS | A31XSJ005 | SUCTION JAR | A | | 1600 | 04/08/2020 |
| 1353 | 87 | DIALYSIS | A31XSJ006 | SUCTION JAR | A | | 1600 | 04/08/2020 |
| 1354 | 88 | DIALYSIS | A31XSJ007 | SUCTION JAR | A | | 1600 | 04/08/2020 |
| 1355 | 89 | DIALYSIS | A31XSJ008 | SUCTION JAR | A | | 1600 | 04/08/2020 |
| 1356 | 90 | DIALYSIS | A31XSJ009 | SUCTION JAR | A | | 1600 | 04/08/2020 |
| 1357 | 91 | DIALYSIS | A31XSJ010 | SUCTION JAR | A | | 1600 | 04/08/2020 |
| 1358 | 92 | DIALYSIS | A31XFLMT001 | FLOW METER | A | | 850 | 04/09/2020 |
| 1359 | 93 | DIALYSIS | A31XFLMT002 | FLOW METER | A | | 850 | 04/09/2020 |
| 1360 | 94 | DIALYSIS | A31XFLMT003 | FLOW METER | A | | 850 | 04/09/2020 |
| 1361 | 95 | DIALYSIS | A31XFLMT004 | FLOW METER | A | | 850 | 04/09/2020 |
| 1362 | 96 | DIALYSIS | A31XFLMT005 | FLOW METER | A | | 850 | 04/09/2020 |
| 1363 | 97 | DIALYSIS | A31XFLMT006 | FLOW METER | A | | 850 | 04/09/2020 |
| 1364 | 98 | DIALYSIS | A31XFLMT007 | FLOW METER | A | | 850 | 04/09/2020 |
| 1365 | 99 | DIALYSIS | A31XFLMT008 | FLOW METER | A | | 850 | 04/09/2020 |
| 1366 | 100 | DIALYSIS | A31XNTB001 | NOTICE BOARD | C | | 1200 | 20/07/2020 |
| 1367 | 101 | DIALYSIS | A31XWTB001 | WHITE BOARD | C | | 1200 | 20/07/2020 |
| 1368 | 102 | DIALYSIS | A31XWTB002 | WHITE BOARD | C | | 1200 | 20/07/2020 |
| 1369 | 103 | DIALYSIS | A31RWT001 | WATCH | B | RIKON | 200 | 07/04/2020 |
| 1370 | 104 | DIALYSIS | A31SUCTNMACH001 | SUCTION MACHINE | A | | 21500 | 04/08/2020 |
| 1371 | 105 | DIALYSIS | A31XDTBL001 | DESK TABLE 2 | C | | 18000 | 07/12/2020 |
| 1372 | 106 | DIALYSIS | A31XCHRPLT001 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 1373 | 107 | DIALYSIS | A31XCHRPLT002 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 1374 | 108 | DIALYSIS | A31XCHRPLT003 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 1375 | 109 | DIALYSIS | A31XCHRPLT004 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 1376 | 110 | DIALYSIS | A31ETAC001 | AIR CONDITIONER | A | ETA | 28000 | 04/11/2020 |
| 1377 | 111 | DIALYSIS | A31MTSTS001 | STETHOSCOPE | B | MICRO TONE | 950 | 07/03/2020 |

Principal
RIDDHI VINAYAK COLLEGE OF NURSING (RVHSPCT)
 Nallasopara (W), Dist. Palghar 401203



Principal
RIDDHI VINAYAK COLLEGE OF NURSING (RVHSPCT)
 Nallasopara (W), Dist. Palghar 401203



TRUE COPY

| | | | | | | | | |
|------|-----|-----------|------------------|--------------------|---|-------------|--------|------------|
| 1378 | 122 | DIALYSIS | A31MTST5002 | STETHOSCOPE | B | MICRO TONE | 950 | 07/03/2020 |
| 1379 | | | | | | | | |
| 1380 | | | | PATHOLOGY | | | 7000 | 20/05/2020 |
| 1381 | | PATHOLOGY | A39TSHAO001 | HOT AIR OVEN | A | THERMOSTAT | 7000 | 20/05/2020 |
| 1382 | 2 | PATHOLOGY | A39TSIBRMACH001 | INCUBATOR MACHINE | A | THERMOSTAT | 625000 | 05/10/2020 |
| 1383 | 3 | PATHOLOGY | A39MDTHYMACH001 | THYROID BLOOD TEST | A | MINI VIDAS | 800000 | 05/11/2020 |
| 1384 | 4 | PATHOLOGY | A39SYMBCBC001 | CBC MACHINE | A | SYMEX | 450000 | 05/12/2020 |
| 1385 | 5 | PATHOLOGY | A39CBABGMACH001 | ABG MACHINE | A | COBAS | 21000 | 21/05/2020 |
| 1386 | 6 | PATHOLOGY | A39AVMS001 | MICROSCOPE | A | ABOMED VISI | 15000 | 22/04/2020 |
| 1387 | 7 | PATHOLOGY | A39XBCPNTR001 | PRINTER | A | ERAB EM200 | 670000 | 13/05/2020 |
| 1388 | 8 | PATHOLOGY | A39ERBADIO001 | BIOCHEMISTRY | A | ERAB EM200 | 19900 | 22/05/2020 |
| 1389 | 9 | PATHOLOGY | A39EQWB001 | WATER BATH MACHINE | A | EQUITRON | 5500 | 23/05/2020 |
| 1390 | 10 | PATHOLOGY | A39XCNTFMACHID01 | CENTRIFUGE MACHINE | A | | 27000 | 14/05/2020 |
| 1391 | 11 | PATHOLOGY | A39SMSFRG001 | REFRIGERATOR | A | SAMSUNG | 27000 | 14/05/2020 |
| 1392 | 12 | PATHOLOGY | A39LGFRG001 | REFRIGERATOR | A | LG | 1200 | 23/04/2020 |
| 1393 | 13 | PATHOLOGY | A39SNDL001 | NEEDLE BURNER | A | SURG | 110000 | 04/11/2020 |
| 1394 | 14 | PATHOLOGY | A39DKAC001 | AIR CONDITIONER | A | DAIKIN | 110000 | 04/11/2020 |
| 1395 | 15 | PATHOLOGY | A39DKAC002 | AIR CONDITIONER | A | DAIKIN | 110000 | 04/11/2020 |
| 1396 | 16 | PATHOLOGY | A39DKAC003 | AIR CONDITIONER | A | DAIKIN | 110000 | 04/11/2020 |
| 1397 | 17 | PATHOLOGY | A39DKAC004 | AIR CONDITIONER | A | DAIKIN | 15000 | 22/04/2020 |
| 1398 | 18 | PATHOLOGY | A39CPNT001 | PRINTER | A | CANON | 8000 | 22/04/2020 |
| 1399 | 19 | PATHOLOGY | A39HPPNT001 | PRINTER | A | HP | 8000 | 22/04/2020 |
| 1400 | 20 | PATHOLOGY | A39RPNT001 | PRINTER | A | RICOTN | 40000 | 28/04/2020 |
| 1401 | 21 | PATHOLOGY | A39NUPS001 | UPS | A | NUMERIC | 40000 | 28/04/2020 |
| 1402 | 22 | PATHOLOGY | A39NUPS002 | UPS | A | NUMERIC | 14000 | 30/04/2020 |
| 1403 | 23 | PATHOLOGY | A39DCMNT001 | COMPUTER | A | DELL | 14000 | 30/04/2020 |
| 1404 | 24 | PATHOLOGY | A39DCMNT002 | COMPUTER | A | DELL | 14000 | 30/04/2020 |
| 1405 | 25 | PATHOLOGY | A39ACMNT001 | COMPUTER | A | ACER | 14000 | 30/04/2020 |
| 1406 | 26 | PATHOLOGY | A39ACMNT002 | COMPUTER | A | ACER | 14000 | 30/04/2020 |
| 1407 | 27 | PATHOLOGY | A39ACMNT003 | COMPUTER | A | ACER | 14000 | 30/04/2020 |
| 1408 | 28 | PATHOLOGY | A39DCPU001 | CPU | A | DELL | 14000 | 30/04/2020 |
| 1409 | 29 | PATHOLOGY | A39DCPU002 | CPU | A | DELL | 14000 | 30/04/2020 |
| 1410 | 30 | PATHOLOGY | A39SMSCPU001 | CPU | A | SAMSUNG | 14000 | 30/04/2020 |
| 1411 | 31 | PATHOLOGY | A39SMSCPU002 | CPU | A | SAMSUNG | 14000 | 30/04/2020 |
| 1412 | 32 | PATHOLOGY | A39ACPU001 | CPU | A | ACER | 1200 | 20/07/2020 |
| 1413 | 33 | PATHOLOGY | A39XNTBD001 | NOTICE BOARD | C | | 1200 | 20/07/2020 |
| 1414 | 34 | PATHOLOGY | A39XNTBD002 | NOTICE BOARD | C | | 1500 | 07/10/2020 |
| 1415 | 35 | PATHOLOGY | A39XCHRBLK001 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 1416 | 36 | PATHOLOGY | A39XCHRBLK002 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 1417 | 37 | PATHOLOGY | A39XCHRBLK003 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 1418 | 38 | PATHOLOGY | A39XCHRBLK004 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 1419 | 39 | PATHOLOGY | A39XCHRBLK005 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 1420 | 40 | PATHOLOGY | A39XCHRBLK006 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 1421 | 41 | PATHOLOGY | A39XCHRBLK007 | CHAIR BLACK | C | | 112000 | 07/12/2020 |
| 1422 | 42 | PATHOLOGY | A39XTBL001 | TABLE 14 | C | | 54000 | 07/12/2020 |
| 1423 | 43 | PATHOLOGY | A39XDTBL001 | DESK TABLE 6 | C | | 9500 | 07/11/2020 |
| 1424 | 44 | PATHOLOGY | A39XCBP001 | CUPBOARD | C | | 22500 | 13/07/2020 |
| 1425 | 45 | PATHOLOGY | A39XDWR001 | DRAWER 5 | C | | 13600 | 24/06/2020 |
| 1426 | 46 | PATHOLOGY | A39XFAN001 | FAN 8 | B | | 13500 | 29/06/2020 |
| 1427 | 47 | PATHOLOGY | A39XPL001 | PANEL LIGHT 15 | B | | 150 | 29/06/2020 |
| 1428 | 48 | PATHOLOGY | A39XTL001 | TUBE LIGHT | B | | 6200 | 15/05/2020 |
| 1429 | 49 | PATHOLOGY | A39MTV001 | TELEVISION | A | MEPL | 21000 | 21/05/2020 |
| 1430 | 50 | PATHOLOGY | A39LBMMS001 | MICROSCOPE | A | LABOMED | | |
| 1431 | 51 | PATHOLOGY | A39 | VITEK2COMPACT | A | BIOMERIEUX | | |
| 1432 | 52 | PATHOLOGY | | BACT / ALERT 3D | A | BIOMERIEUX | | |

Principal
RIDDHI VINAYAK COLLEGE OF NURSING (RVMSPECT)
 Nallasopara (W), Dist. Palghar 401 203.



| | | | | | | | |
|------|--------------|-------------|---------------------------|------------------|---------------------|-----------|------------------|
| 1433 | 53 | PATHOLOGY | COMPUTER | A | HP | | |
| 1434 | 54 | PATHOLOGY | CPU | A | HP | | |
| 1435 | 55 | PATHOLOGY | PRINTER | A | HP | | |
| 1436 | 56 | PATHOLOGY | HOT AIR OVEN | A | BIO-TECHNICS INDIA | | |
| 1437 | 57 | PATHOLOGY | BACTERIOLOGICAL INCUBATOR | A | BIO-TECHNICS INDIA | | |
| 1438 | 58 | PATHOLOGY | PRO CYTE MACHINE | A | | | |
| 1439 | 59 | PATHOLOGY | GASTAT-730 MACHINE | A | | | |
| 1440 | | | | | | | |
| 1441 | | | | | | | |
| 1442 | | | | | | | |
| 1443 | | | | | | | |
| 1444 | SR NO | WARD | CODE | Article | COMPANY NAME | | |
| 1445 | | | ROOM NO: 101 | | | | |
| 1446 | | ROOM NO 1 | A40MPTBE001 | 4 KEY BED | C | MEDITEK | 38250 07/08/2020 |
| 1447 | | ROOM NO 1 | A40MPTBE002 | 4 KEY BED | C | MEDITEK | 38250 07/08/2020 |
| 1448 | | ROOM NO 1 | A40MMEDTRY001 | MEDICINE TROLLEY | B | MEDITEK | 4000 26/06/2020 |
| 1449 | | ROOM NO 1 | A40XWDB001 | WOODEN BED | C | | 9500 15/07/2020 |
| 1450 | | ROOM NO 1 | A40XWDB002 | WOODEN BED | C | | 9500 15/07/2020 |
| 1451 | | ROOM NO 1 | A40VFRG001 | REFRIGERATOR | A | VIDEOCON | 9000 14/05/2020 |
| 1452 | | ROOM NO 1 | A40BSAC001 | AIR CONDITIONER | A | BLUE STAR | 22000 04/11/2020 |
| 1453 | | ROOM NO 1 | A40VTV001 | TELEVISION | A | WISE | 7000 15/05/2020 |
| 1454 | | ROOM NO 1 | A40OF001 | FAN | B | ORIENT | 1700 24/06/2020 |
| 1455 | | ROOM NO 1 | A40OF002 | FAN | B | ORIENT | 1700 24/06/2020 |
| 1456 | | ROOM NO 1 | A40XTL001 | TUBE LIGHT 2 | B | | 300 29/06/2020 |
| 1457 | 12 | ROOM NO 1 | A40BRYP001 | SYRINGE PUMP | A | B BRAUN | 35000 04/02/2020 |
| 1458 | | | | | | | |
| 1459 | | | | | | | |
| 1460 | | | ROOM NO : 103 | | | | |
| 1461 | | ROOM NO 1 | A40MPTBE001 | 4 KEY BED | C | MEDITEK | 38250 07/08/2020 |
| 1462 | | ROOM NO 1 | A40MPTBE002 | 4 KEY BED | C | MEDITEK | 38250 07/08/2020 |
| 1463 | | ROOM NO 1 | A40MMEDTRY001 | MEDICINE TROLLEY | B | MEDITEK | 4000 26/06/2020 |
| 1464 | | ROOM NO 1 | A40ATV001 | TELEVISION | A | AKIA | 6200 15/05/2020 |
| 1465 | | ROOM NO 1 | A40BSAC001 | AIR CONDITIONER | A | BLUE STAR | 22000 04/11/2020 |
| 1466 | | ROOM NO 1 | A40XWDB001 | WOODEN BED | C | | 9500 15/07/2020 |
| 1467 | | ROOM NO 1 | A40XWDB002 | WOODEN BED | C | | 9500 15/07/2020 |
| 1468 | | ROOM NO 1 | A40OF001 | FAN | B | ORIENT | 1700 24/06/2020 |
| 1469 | | ROOM NO 1 | A40OF002 | FAN | B | ORIENT | 1700 24/06/2020 |
| 1470 | | ROOM NO 1 | A40VFRG001 | REFRIGERATOR | A | VIDEOCON | 9000 14/05/2020 |
| 1471 | | ROOM NO 1 | A40XTL001 | TUBE LIGHT 2 | B | | 300 29/06/2020 |
| 1472 | | ROOM NO 1 | A40XFLMT001 | FLOW METER | A | | 850 04/09/2020 |
| 1473 | 13 | ROOM NO 1 | A40BRYP001 | SYRINGE PUMP | A | B BRAUN | 35000 04/02/2020 |
| 1474 | | | | | | | |
| 1475 | | | ROOM NO : 105 | | | | |
| 1476 | | ROOM NO 1 | A40MPTBE001 | 4 KEY BED | C | MEDITEK | 38250 07/08/2020 |
| 1477 | | ROOM NO 1 | A40XWDB001 | WOODEN BED | C | | 9500 15/07/2020 |
| 1478 | | ROOM NO 1 | A40XWDB002 | WOODEN BED | C | | 9500 15/07/2020 |
| 1479 | | ROOM NO 1 | A40XWDB003 | WOODEN BED | C | | 9500 15/07/2020 |
| 1480 | | ROOM NO 1 | A40VFRG001 | REFRIGERATOR | A | VIDEOCON | 9000 14/05/2020 |
| 1481 | | ROOM NO 1 | A40BSAC001 | AIR CONDITIONER | A | BLUE STAR | 22000 04/11/2020 |
| 1482 | | ROOM NO 1 | A40VTV001 | TELEVISION | A | WISE | 7000 15/05/2020 |
| 1483 | | ROOM NO 1 | A40OF001 | FAN | B | ORIENT | 1700 24/06/2020 |
| 1484 | | ROOM NO 1 | A40OF002 | FAN | B | ORIENT | 1700 24/06/2020 |
| 1485 | | ROOM NO 1 | A40MMEDTRY001 | MEDICINE TROLLEY | B | MEDITEK | 4000 26/06/2020 |
| 1486 | | ROOM NO 1 | A40XIVS001 | IV STAND | B | | 600 27/06/2020 |
| 1487 | | ROOM NO 1 | A40XTL001 | TUBE LIGHT 2 | B | | 300 29/06/2020 |

(Handwritten signature)
Principal



RIDDHI VINAYAK COLLEGE OF NURSING (RVHSPCT), Palghar (W), Dist. Palghar 401 203.

TRUE COPY


| | | | | | | | |
|------|----|-------------------------|------------------|---|-----------|-------|------------|
| 1489 | 1 | ROOM NO 1 A40MPTBE001 | 4 KEY BED | C | MEDITEK | 38250 | 07/08/2020 |
| 1490 | 2 | ROOM NO 1 A40MPTBE002 | 4 KEY BED | C | MEDITEK | 38250 | 07/08/2020 |
| 1491 | 3 | ROOM NO 1 A40MMEDTRY001 | MEDICINE TROLLEY | B | MEDITEK | 4000 | 26/06/2020 |
| 1492 | 4 | ROOM NO 1 A40XWDB001 | WOODEN BED | C | | 9500 | 15/07/2020 |
| 1493 | 5 | ROOM NO 1 A40XWDB002 | WOODEN BED | C | | 9500 | 15/07/2020 |
| 1494 | 6 | ROOM NO 1 A40BSAC001 | AIR CONDITIONER | A | BLUE STAR | 22000 | 04/11/2020 |
| 1495 | 7 | ROOM NO 1 A40ATV001 | TELEVISION | A | AKAI | 6200 | 15/05/2020 |
| 1496 | 8 | ROOM NO 1 A40VFRG001 | REFRIGERATOR | A | VIDEOCON | 9000 | 14/05/2020 |
| 1497 | 9 | ROOM NO 1 A40OF001 | FAN | B | ORIENT | 1700 | 24/06/2020 |
| 1498 | 10 | ROOM NO 1 A40OF002 | FAN | B | ORIENT | 1700 | 24/06/2020 |
| 1499 | 11 | ROOM NO 1 A40XSJ001 | SUCTION JAR | A | | 1600 | 04/08/2020 |
| 1500 | 12 | ROOM NO 1 A40XFLM001 | FLOW METER | A | | 850 | 04/09/2020 |
| 1501 | 13 | ROOM NO 1 A40XTL001 | TUBE LIGHT 2 | B | | 300 | 29/06/2020 |
| 1502 | | | | | | | |
| 1503 | | ROOM NO : 109 | | | | | |
| 1504 | 1 | ROOM NO 1 A40MPTBE001 | 4 KEY BED | C | MEDITEK | 38250 | 07/08/2020 |
| 1505 | 2 | ROOM NO 1 A40XWDB001 | WOODEN BED | C | | 9500 | 15/07/2020 |
| 1506 | 3 | ROOM NO 1 A40XWDB002 | WOODEN BED | C | | 9500 | 15/07/2020 |
| 1507 | 4 | ROOM NO 1 A40XWDB003 | WOODEN BED | C | | 9500 | 15/07/2020 |
| 1508 | 5 | ROOM NO 1 A40XSJ001 | SUCTION JAR | A | | 1600 | 04/08/2020 |
| 1509 | 6 | ROOM NO 1 A40XFLM001 | FLOW METER | A | | 850 | 04/09/2020 |
| 1510 | 7 | ROOM NO 1 A40MMEDTRY001 | MEDICINE TROLLEY | B | MEDITEK | 4000 | 26/06/2020 |
| 1511 | 8 | ROOM NO 1 A40XFT001 | FOOD TABLE | B | | 3500 | 25/06/2020 |
| 1512 | 9 | ROOM NO 1 A40XIVS001 | IV STAND | B | | 600 | 27/06/2020 |
| 1513 | 10 | ROOM NO 1 A40VFRG001 | REFRIGERATOR | A | VIDEOCON | 9000 | 14/05/2020 |
| 1514 | 11 | ROOM NO 1 A40BSAC001 | AIR CONDITIONER | A | BLUE STAR | 22000 | 04/11/2020 |
| 1515 | 12 | ROOM NO 1 A40MTV001 | TELEVISION | A | MEPL | 7000 | 15/05/2020 |
| 1516 | 13 | ROOM NO 1 A40OF001 | FAN | B | ORIENT | 1700 | 24/06/2020 |
| 1517 | 14 | ROOM NO 1 A40OF002 | FAN | B | ORIENT | 1700 | 24/06/2020 |
| 1518 | 15 | ROOM NO 1 A40XTL001 | TUBE LIGHT 2 | B | | 300 | 29/06/2020 |
| 1519 | 16 | ROOM NO 1 A40XSTPSTL | STEP STOOL | C | | 600 | 16/07/2020 |
| 1520 | | | | | | | |
| 1521 | | ROOM NO : 111 | | | | | |
| 1522 | 1 | ROOM NO 1 A40MPTBE001 | 4 KEY BED | C | MEDITEK | 38250 | 07/08/2020 |
| 1523 | 2 | ROOM NO 1 A40XWDB001 | WOODEN BED | C | | 9500 | 15/07/2020 |
| 1524 | 3 | ROOM NO 1 A40XWDB002 | WOODEN BED | C | | 9500 | 15/07/2020 |
| 1525 | 4 | ROOM NO 1 A40XWDB003 | WOODEN BED | C | | 9500 | 15/07/2020 |
| 1526 | 5 | ROOM NO 1 A40XSJ001 | SUCTION JAR | A | | 1600 | 04/08/2020 |
| 1527 | 6 | ROOM NO 1 A40VFRG001 | REFRIGERATOR | A | VIDEOCON | 9000 | 14/05/2020 |
| 1528 | 7 | ROOM NO 1 A40MTV001 | TELEVISION | A | MEPL | 6200 | 15/05/2020 |
| 1529 | 8 | ROOM NO 1 A40BSAC001 | AIR CONDITIONER | A | BLUE STAR | 22000 | 04/11/2020 |
| 1530 | 9 | ROOM NO 1 A40OF001 | FAN | B | ORIENT | 1700 | 24/06/2020 |
| 1531 | 10 | ROOM NO 1 A40OF002 | FAN | B | ORIENT | 1700 | 24/06/2020 |
| 1532 | 11 | ROOM NO 1 A40XFLM001 | FLOW METER | A | | 850 | 04/09/2020 |
| 1533 | 12 | ROOM NO 1 A40MMEDTRY001 | MEDICINE TROLLEY | B | MEDITEK | 4000 | 26/06/2020 |
| 1534 | 13 | ROOM NO 1 A40XTL001 | TUBE LIGHT 2 | B | | 300 | 29/06/2020 |
| 1535 | | | | | | | |
| 1536 | | ROOM NO : 113 | | | | | |
| 1537 | 1 | ROOM NO 1 A40MPTBE001 | 4 KEY BED | C | MEDITEK | 38250 | 07/08/2020 |
| 1538 | 2 | ROOM NO 1 A40XWDB001 | WOODEN BED | C | | 9500 | 15/07/2020 |
| 1539 | 3 | ROOM NO 1 A40MMEDTRY001 | MEDICINE TROLLEY | B | MEDITEK | 4000 | 26/06/2020 |
| 1540 | 4 | ROOM NO 1 A40XWDB001 | WOODEN BED | C | | 9500 | 15/07/2020 |
| 1541 | 5 | ROOM NO 1 A40XWDB002 | WOODEN BED | C | | 9500 | 15/07/2020 |
| 1542 | 6 | ROOM NO 1 A40XFLM001 | FLOW METER | A | | 850 | 04/09/2020 |
| 1543 | 7 | ROOM NO 1 A40TV001 | TELEVISION | A | WISE | 7000 | 15/05/2020 |

Principal
 RIDDHI YAK COLLEGE OF
 NURSING (W.P.C.T.),
 Nallasopara (W), Dist. Palghar 401 203

401203

| | | | | | | | | |
|------|----|-------------|---------------|------------------|---|-----------|-------|------------|
| 1544 | 8 | ROOM NO 1 | A40VFRG001 | REFRIGERATOR | A | VIDEOCON | 9000 | 14/05/2020 |
| 1545 | 9 | ROOM NO 1 | A40BSAC001 | AIR CONDITIONER | A | BLUE STAR | 22000 | 04/11/2020 |
| 1546 | 10 | ROOM NO 1 | A40OF001 | FAN | B | ORIENT | 1700 | 24/06/2020 |
| 1547 | 11 | ROOM NO 1 | A40OF002 | FAN | B | ORIENT | 1700 | 24/06/2020 |
| 1548 | 12 | ROOM NO 1 | A40XTL001 | TUBE LIGHT 2 | B | | 300 | 29/06/2020 |
| 1549 | | | | | | | | |
| 1550 | | | ROOM NO: 115 | | | | | |
| 1551 | 1 | ROOM NO 1 | A40MPTBE001 | 4 KEY BED | C | MEDITEK | 38250 | 07/08/2020 |
| 1552 | 2 | ROOM NO 1 | A40MPTBE002 | 4 KEY BED | C | MEDITEK | 38250 | 07/08/2020 |
| 1553 | 3 | ROOM NO 1 | A40MMEDTRY001 | MEDICINE TROLLEY | B | MEDITEK | 4000 | 26/06/2020 |
| 1554 | 4 | ROOM NO 1 | A40XFLMT001 | FLOW METER | A | | 850 | 04/09/2020 |
| 1555 | 5 | ROOM NO 1 | A40XIVS001 | IV STAND | B | | 600 | 27/06/2020 |
| 1556 | 6 | ROOM NO 1 | A40XWDB001 | WOODEN BED | C | | 9500 | 15/07/2020 |
| 1557 | 7 | ROOM NO 1 | A40VTV001 | TELEVISION | A | WISE | 7000 | 15/05/2020 |
| 1558 | 8 | ROOM NO 1 | A40BSAC001 | AIR CONDITIONER | A | BLUE STAR | 22000 | 04/11/2020 |
| 1559 | 9 | ROOM NO 1 | A40VFRG001 | REFRIGERATOR | A | VIDEOCON | 9000 | 14/05/2020 |
| 1560 | 10 | ROOM NO 1 | A40OF001 | FAN | B | ORIENT | 1700 | 24/06/2020 |
| 1561 | 11 | ROOM NO 1 | A40OF002 | FAN | B | ORIENT | 1700 | 24/06/2020 |
| 1562 | 12 | ROOM NO 1 | A40XTL001 | TUBE LIGHT 2 | B | | 300 | 29/06/2020 |
| 1563 | | | | | | | | |
| 1564 | | | ROOM NO : 117 | | | | | |
| 1565 | 1 | ROOM NO 1 | A40MPTBE001 | 4 KEY BED | C | MEDITEK | 38250 | 07/08/2020 |
| 1566 | 2 | ROOM NO 1 | A40MPTBE002 | 4 KEY BED | C | MEDITEK | 38250 | 07/08/2020 |
| 1567 | 3 | ROOM NO 1 | A40MMEDTRY001 | MEDICINE TROLLEY | B | MEDITEK | 4000 | 26/06/2020 |
| 1568 | 4 | ROOM NO 1 | A40XFLMT001 | FLOW METER | A | | 850 | 04/09/2020 |
| 1569 | 5 | ROOM NO 1 | A40XWDB001 | WOODEN BED | C | | 9500 | 15/07/2020 |
| 1570 | 6 | ROOM NO 1 | A40XWDB002 | WOODEN BED | C | | 9500 | 15/07/2020 |
| 1571 | 7 | ROOM NO 1 | A40BSAC001 | AIR CONDITIONER | A | BLUE STAR | 22000 | 04/11/2020 |
| 1572 | 8 | ROOM NO 1 | A40VTV001 | TELEVISION | A | WISE | 7000 | 15/05/2020 |
| 1573 | 9 | ROOM NO 1 | A40VFRG001 | REFRIGERATOR | A | VIDEOCON | 9000 | 14/05/2020 |
| 1574 | 10 | ROOM NO 1 | A40OF001 | FAN | B | ORIENT | 1700 | 24/06/2020 |
| 1575 | 11 | ROOM NO 1 | A40OF002 | FAN | B | ORIENT | 1700 | 24/06/2020 |
| 1576 | 12 | ROOM NO 1 | A40XTL001 | TUBE LIGHT 2 | B | | 300 | 29/06/2020 |
| 1577 | | | | | | | | |
| 1578 | | | SUPER DX 101 | | | | | |
| 1579 | 1 | SUPER DX 10 | A40XPTBD001 | PATIENT BED | C | | 18000 | 21/07/2020 |
| 1580 | 2 | SUPER DX 10 | A40XWDBD001 | WOODEN BED | C | | 9500 | 15/07/2020 |
| 1581 | 3 | SUPER DX 10 | A40MTV001 | TELEVISION | A | MEPL | 6200 | 15/05/2020 |
| 1582 | 4 | SUPER DX 10 | A40VFRG001 | REFRIGERATOR | A | VIDEOCON | 9000 | 14/05/2020 |
| 1583 | 5 | SUPER DX 10 | A40ETAAC001 | AIR CONDITIONER | A | ETA | 28000 | 04/11/2020 |
| 1584 | 6 | SUPER DX 10 | A40CFAN001 | FAN | B | CROMPTON | 1700 | 24/06/2020 |
| 1585 | 7 | SUPER DX 10 | A40CFAN002 | FAN | B | CROMPTON | 1700 | 24/06/2020 |
| 1586 | 8 | SUPER DX 10 | A40XPLT001 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1587 | 9 | SUPER DX 10 | A40XPLT002 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1588 | 10 | SUPER DX 10 | A40XPLT003 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1589 | 11 | SUPER DX 10 | A40XTVTBLE001 | TV TABLE | C | | 2800 | 07/12/2020 |
| 1590 | | | | | | | | |
| 1591 | | | SUPER DX 102 | | | | | |
| 1592 | 1 | SUPER DX 10 | A40XPTBD001 | PATIENT BED | C | MEDITEK | 18000 | 21/07/2020 |
| 1593 | 2 | SUPER DX 10 | A40XWDBD001 | WOODEN BED | C | | 9500 | 15/07/2020 |
| 1594 | 3 | SUPER DX 10 | A40MMDTRY001 | MEDICINE TROLLEY | B | MEDITEK | 4000 | 26/06/2020 |
| 1595 | 4 | SUPER DX 10 | A40MTV001 | TELEVISION | A | MEPL | 6200 | 15/05/2020 |
| 1596 | 5 | SUPER DX 10 | A40VFRG001 | REFRIGERATOR | A | VIDEOCON | 9000 | 14/05/2020 |
| 1597 | 6 | SUPER DX 10 | A40ETAAC001 | AIR CONDITIONER | A | ETA | 28000 | 04/11/2020 |
| 1598 | 7 | SUPER DX 10 | A40CFAN001 | FAN | B | CROMPTON | 1700 | 24/06/2020 |

Principal
RIDDHI VINAYAK COLLEGE OF NURSING (RVHSPCT), Nallasopara (W), Dist. Palghar 401 203.



TRUE COPY


| | | | | | | | |
|------|-----|--------------------------|------------------|---|----------|-------|------------|
| 1654 | 3 | SUPER DX 10A40XPLT001 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1655 | 4 | SUPER DX 10A40XPLT002 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1656 | 5 | SUPER DX 10A40XPLT003 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1657 | 6 | SUPER DX 10A40XTVTBLE001 | TV TABLE | C | | 2200 | 07/12/2020 |
| 1658 | 7 | SUPER DX 10A40MMDTRY001 | MEDICINE TROLLEY | B | MEDITEK | 4000 | 26/06/2020 |
| 1659 | | SUPER DX 107 | | | | | |
| 1660 | 8 | SUPER DX 10A40HRPTBD001 | PATIENT BED | C | HILL ROM | 18000 | 21/07/2020 |
| 1661 | 9 | SUPER DX 10A40XWDBD001 | WOODEN BED | C | | 9500 | 15/07/2020 |
| 1662 | 10 | SUPER DX 10A40MTV001 | TELEVISION | A | MEPL | 6200 | 15/05/2020 |
| 1663 | 11 | SUPER DX 10A40VFRG001 | REFRIGERATOR | A | VIDEOCON | 9000 | 14/05/2020 |
| 1664 | 12 | SUPER DX 10A40ETAAC001 | AIR CONDITIONER | A | ETA | 28000 | 04/11/2020 |
| 1665 | 13 | SUPER DX 10A40PFAN001 | FAN | B | POLYCAB | 1700 | 24/06/2020 |
| 1666 | 14 | SUPER DX 10A40PFAN002 | FAN | B | POLYCAB | 1700 | 24/06/2020 |
| 1667 | 15 | SUPER DX 10A40XPLT001 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1668 | 16 | SUPER DX 10A40XPLT002 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1669 | 17 | SUPER DX 10A40XPLT003 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1670 | 18 | SUPER DX 10A40XTVTBLE001 | TV TABLE | C | | 2200 | 07/12/2020 |
| 1671 | | SUPER DX 108 | | | | | |
| 1672 | 19 | SUPER DX 10A40HRPTBD001 | PATIENT BED | C | HILL ROM | 18000 | 21/07/2020 |
| 1673 | 20 | SUPER DX 10A40XWDBD001 | WOODEN BED | C | | 9500 | 15/07/2020 |
| 1674 | 21 | SUPER DX 10A40MTV001 | TELEVISION | A | MEPL | 6200 | 15/05/2020 |
| 1675 | 22 | SUPER DX 10A40ETAAC001 | AIR CONDITIONER | A | ETA | 28000 | 04/11/2020 |
| 1676 | 23 | SUPER DX 10A40PFAN001 | FAN | B | POLYCAB | 1700 | 24/06/2020 |
| 1677 | 24 | SUPER DX 10A40PFAN002 | FAN | B | POLYCAB | 1700 | 24/06/2020 |
| 1678 | 25 | SUPER DX 10A40XPLT001 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1679 | 26 | SUPER DX 10A40XPLT002 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1680 | 27 | SUPER DX 10A40XPLT003 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1681 | 28 | SUPER DX 10A40XTVTBLE001 | TV TABLE | C | | 2200 | 07/12/2020 |
| 1682 | 29 | SUPER DX 109 | | | | | |
| 1683 | 30 | SUPER DX 10A40HRPTBD001 | PATIENT BED | C | HILL ROM | 18000 | 21/07/2020 |
| 1684 | 31 | SUPER DX 10A40XWDBD001 | WOODEN BED | C | | 9500 | 15/07/2020 |
| 1685 | 32 | SUPER DX 10A40MTV001 | TELEVISION | A | MEPL | 6200 | 15/05/2020 |
| 1686 | 33 | SUPER DX 10A40ETAAC001 | AIR CONDITIONER | A | ETA | 28000 | 04/11/2020 |
| 1687 | 34 | SUPER DX 10A40PFAN001 | FAN | B | POLYCAB | 1700 | 24/06/2020 |
| 1688 | 35 | SUPER DX 10A40PFAN002 | FAN | B | POLYCAB | 1700 | 24/06/2020 |
| 1689 | 36 | SUPER DX 10A40XPLT001 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1690 | 37 | SUPER DX 10A40XPLT002 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1691 | 38 | SUPER DX 10A40XPLT003 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1692 | 39 | SUPER DX 10A40XTVTBLE001 | TV TABLE | C | | 2200 | 07/12/2020 |
| 1693 | 40 | SUPER DX 110 | | | | | |
| 1694 | 41 | SUPER DX 11A40HRPTBD001 | PATIENT BED | C | HILL ROM | 18000 | 21/07/2020 |
| 1695 | 42 | SUPER DX 11A40XWDBD001 | WOODEN BED | C | | 9500 | 15/07/2020 |
| 1696 | 43 | SUPER DX 11A40MMDTRY001 | MEDICINE TROLLEY | B | MEDITEK | 4000 | 26/06/2020 |
| 1697 | 44 | SUPER DX 11A40MTV001 | TELEVISION | A | MEPL | 6200 | 15/05/2020 |
| 1698 | 45 | SUPER DX 11A40VFRG001 | REFRIGERATOR | A | VIDEOCON | 9000 | 14/05/2020 |
| 1699 | 46 | SUPER DX 11A40ETAAC001 | AIR CONDITIONER | A | ETA | 28000 | 04/11/2020 |
| 1700 | 47 | SUPER DX 11A40PFAN001 | FAN | B | POLYCAB | 1700 | 24/06/2020 |
| 1701 | 48 | SUPER DX 11A40PFAN002 | FAN | B | POLYCAB | 1700 | 24/06/2020 |
| 1702 | 49 | SUPER DX 11A40XPLT001 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1703 | 50 | SUPER DX 11A40XPLT002 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1704 | 51 | SUPER DX 11A40XPLT003 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1705 | 52 | SUPER DX 111 | | | | | |
| 1706 | 53 | SUPER DX 11A40HRPTBD001 | PATIENT BED | C | HILL ROM | 18000 | 21/07/2020 |
| 1707 | 54 | SUPER DX 11A40XWDBD001 | WOODEN BED | C | | 9500 | 15/07/2020 |
| 1708 | 55 | SUPER DX 11A40MMDTRY001 | MEDICINE TROLLEY | B | MEDITEK | 4000 | 26/06/2020 |
| 1709 | 56 | SUPER DX 11A40MTV001 | TELEVISION | A | MEPL | 6200 | 15/05/2020 |
| 1710 | 57 | SUPER DX 11A40VFRG001 | REFRIGERATOR | A | VIDEOCON | 9000 | 14/05/2020 |
| 1711 | 58 | SUPER DX 11A40ETAAC001 | AIR CONDITIONER | A | ETA | 28000 | 04/11/2020 |
| 1712 | 59 | SUPER DX 11A40PFAN001 | FAN | B | POLYCAB | 1700 | 24/06/2020 |
| 1713 | 60 | SUPER DX 11A40PFAN002 | FAN | B | POLYCAB | 1700 | 24/06/2020 |
| 1714 | 61 | SUPER DX 11A40XPLT001 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1715 | 62 | SUPER DX 11A40XPLT002 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1716 | 63 | SUPER DX 11A40XPLT003 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1717 | 64 | SUPER DX 112 | | | | | |
| 1718 | 65 | SUPER DX 11A40HRPTBD001 | PATIENT BED | C | HILL ROM | 18000 | 21/07/2020 |
| 1719 | 66 | SUPER DX 11A40XWDBD001 | WOODEN BED | C | | 9500 | 15/07/2020 |
| 1720 | 67 | SUPER DX 11A40MMDTRY001 | MEDICINE TROLLEY | B | MEDITEK | 4000 | 26/06/2020 |
| 1721 | 68 | SUPER DX 11A40MTV001 | TELEVISION | A | MEPL | 6200 | 15/05/2020 |
| 1722 | 69 | SUPER DX 11A40VFRG001 | REFRIGERATOR | A | VIDEOCON | 9000 | 14/05/2020 |
| 1723 | 70 | SUPER DX 11A40ETAAC001 | AIR CONDITIONER | A | ETA | 28000 | 04/11/2020 |
| 1724 | 71 | SUPER DX 11A40PFAN001 | FAN | B | POLYCAB | 1700 | 24/06/2020 |
| 1725 | 72 | SUPER DX 11A40PFAN002 | FAN | B | POLYCAB | 1700 | 24/06/2020 |
| 1726 | 73 | SUPER DX 11A40XPLT001 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1727 | 74 | SUPER DX 11A40XPLT002 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1728 | 75 | SUPER DX 11A40XPLT003 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1729 | 76 | SUPER DX 113 | | | | | |
| 1730 | 77 | SUPER DX 11A40HRPTBD001 | PATIENT BED | C | HILL ROM | 18000 | 21/07/2020 |
| 1731 | 78 | SUPER DX 11A40XWDBD001 | WOODEN BED | C | | 9500 | 15/07/2020 |
| 1732 | 79 | SUPER DX 11A40MMDTRY001 | MEDICINE TROLLEY | B | MEDITEK | 4000 | 26/06/2020 |
| 1733 | 80 | SUPER DX 11A40MTV001 | TELEVISION | A | MEPL | 6200 | 15/05/2020 |
| 1734 | 81 | SUPER DX 11A40VFRG001 | REFRIGERATOR | A | VIDEOCON | 9000 | 14/05/2020 |
| 1735 | 82 | SUPER DX 11A40ETAAC001 | AIR CONDITIONER | A | ETA | 28000 | 04/11/2020 |
| 1736 | 83 | SUPER DX 11A40PFAN001 | FAN | B | POLYCAB | 1700 | 24/06/2020 |
| 1737 | 84 | SUPER DX 11A40PFAN002 | FAN | B | POLYCAB | 1700 | 24/06/2020 |
| 1738 | 85 | SUPER DX 11A40XPLT001 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1739 | 86 | SUPER DX 11A40XPLT002 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1740 | 87 | SUPER DX 11A40XPLT003 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1741 | 88 | SUPER DX 114 | | | | | |
| 1742 | 89 | SUPER DX 11A40HRPTBD001 | PATIENT BED | C | HILL ROM | 18000 | 21/07/2020 |
| 1743 | 90 | SUPER DX 11A40XWDBD001 | WOODEN BED | C | | 9500 | 15/07/2020 |
| 1744 | 91 | SUPER DX 11A40MMDTRY001 | MEDICINE TROLLEY | B | MEDITEK | 4000 | 26/06/2020 |
| 1745 | 92 | SUPER DX 11A40MTV001 | TELEVISION | A | MEPL | 6200 | 15/05/2020 |
| 1746 | 93 | SUPER DX 11A40VFRG001 | REFRIGERATOR | A | VIDEOCON | 9000 | 14/05/2020 |
| 1747 | 94 | SUPER DX 11A40ETAAC001 | AIR CONDITIONER | A | ETA | 28000 | 04/11/2020 |
| 1748 | 95 | SUPER DX 11A40PFAN001 | FAN | B | POLYCAB | 1700 | 24/06/2020 |
| 1749 | 96 | SUPER DX 11A40PFAN002 | FAN | B | POLYCAB | 1700 | 24/06/2020 |
| 1750 | 97 | SUPER DX 11A40XPLT001 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1751 | 98 | SUPER DX 11A40XPLT002 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1752 | 99 | SUPER DX 11A40XPLT003 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1753 | 100 | SUPER DX 115 | | | | | |
| 1754 | 101 | SUPER DX 11A40HRPTBD001 | PATIENT BED | C | HILL ROM | 18000 | 21/07/2020 |
| 1755 | 102 | SUPER DX 11A40XWDBD001 | WOODEN BED | C | | 9500 | 15/07/2020 |
| 1756 | 103 | SUPER DX 11A40MMDTRY001 | MEDICINE TROLLEY | B | MEDITEK | 4000 | 26/06/2020 |
| 1757 | 104 | SUPER DX 11A40MTV001 | TELEVISION | A | MEPL | 6200 | 15/05/2020 |
| 1758 | 105 | SUPER DX 11A40VFRG001 | REFRIGERATOR | A | VIDEOCON | 9000 | 14/05/2020 |
| 1759 | 106 | SUPER DX 11A40ETAAC001 | AIR CONDITIONER | A | ETA | 28000 | 04/11/2020 |
| 1760 | 107 | SUPER DX 11A40PFAN001 | FAN | B | POLYCAB | 1700 | 24/06/2020 |
| 1761 | 108 | SUPER DX 11A40PFAN002 | FAN | B | POLYCAB | 1700 | 24/06/2020 |
| 1762 | 109 | SUPER DX 11A40XPLT001 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1763 | 110 | SUPER DX 11A40XPLT002 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1764 | 111 | SUPER DX 11A40XPLT003 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1765 | 112 | SUPER DX 116 | | | | | |
| 1766 | 113 | SUPER DX 11A40HRPTBD001 | PATIENT BED | C | HILL ROM | 18000 | 21/07/2020 |
| 1767 | 114 | SUPER DX 11A40XWDBD001 | WOODEN BED | C | | 9500 | 15/07/2020 |
| 1768 | 115 | SUPER DX 11A40MMDTRY001 | MEDICINE TROLLEY | B | MEDITEK | 4000 | 26/06/2020 |
| 1769 | 116 | SUPER DX 11A40MTV001 | TELEVISION | A | MEPL | 6200 | 15/05/2020 |
| 1770 | 117 | SUPER DX 11A40VFRG001 | REFRIGERATOR | A | VIDEOCON | 9000 | 14/05/2020 |
| 1771 | 118 | SUPER DX 11A40ETAAC001 | AIR CONDITIONER | A | ETA | 28000 | 04/11/2020 |
| 1772 | 119 | SUPER DX 11A40PFAN001 | FAN | B | POLYCAB | 1700 | 24/06/2020 |
| 1773 | 120 | SUPER DX 11A40PFAN002 | FAN | B | POLYCAB | 1700 | 24/06/2020 |
| 1774 | 121 | SUPER DX 11A40XPLT001 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1775 | 122 | SUPER DX 11A40XPLT002 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1776 | 123 | SUPER DX 11A40XPLT003 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1777 | 124 | SUPER DX 117 | | | | | |
| 1778 | 125 | SUPER DX 11A40HRPTBD001 | PATIENT BED | C | HILL ROM | 18000 | 21/07/2020 |
| 1779 | 126 | SUPER DX 11A40XWDBD001 | WOODEN BED | C | | 9500 | 15/07/2020 |
| 1780 | 127 | SUPER DX 11A40MMDTRY001 | MEDICINE TROLLEY | B | MEDITEK | 4000 | 26/06/2020 |
| 1781 | 128 | SUPER DX 11A40MTV001 | TELEVISION | A | MEPL | 6200 | 15/05/2020 |
| 1782 | 129 | SUPER DX 11A40VFRG001 | REFRIGERATOR | A | VIDEOCON | 9000 | 14/05/2020 |
| 1783 | 130 | SUPER DX 11A40ETAAC001 | AIR CONDITIONER | A | ETA | 28000 | 04/11/2020 |
| 1784 | 131 | SUPER DX 11A40PFAN001 | FAN | B | POLYCAB | 1700 | 24/06/2020 |
| 1785 | 132 | SUPER DX 11A40PFAN002 | FAN | B | POLYCAB | 1700 | 24/06/2020 |
| 1786 | 133 | SUPER DX 11A40XPLT001 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1787 | 134 | SUPER DX 11A40XPLT002 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1788 | 135 | SUPER DX 11A40XPLT003 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1789 | 136 | SUPER DX 118 | | | | | |
| 1790 | 137 | SUPER DX 11A40HRPTBD001 | PATIENT BED | C | HILL ROM | 18000 | 21/07/2020 |
| 1791 | 138 | SUPER DX 11A40XWDBD001 | WOODEN BED | C | | 9500 | 15/07/2020 |
| 1792 | 139 | SUPER DX 11A40MMDTRY001 | MEDICINE TROLLEY | B | MEDITEK | 4000 | 26/06/2020 |
| 1793 | 140 | SUPER DX 11A40MTV001 | TELEVISION | A | MEPL | 6200 | 15/05/2020 |
| 1794 | 141 | SUPER DX 11A40VFRG001 | REFRIGERATOR | A | VIDEOCON | 9000 | 14/05/2020 |
| 1795 | 142 | SUPER DX 11A40ETAAC001 | AIR CONDITIONER | A | ETA | 28000 | 04/11/2020 |
| 1796 | 143 | SUPER DX 11A40PFAN001 | FAN | B | POLYCAB | 1700 | 24/06/2020 |
| 1797 | 144 | SUPER DX 11A40PFAN002 | FAN | B | POLYCAB | 1700 | 24/06/2020 |
| 1798 | 145 | SUPER DX 11A40XPLT001 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1799 | 146 | SUPER DX 11A40XPLT002 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1800 | 147 | SUPER DX 11A40XPLT003 | PANEL LIGHT | B | | 900 | 29/06/2020 |

Principal
RIDDHIVINAYAK COLLEGE OF
NURSING (RVHSPCT),

Hill Rom, Dist. Palghar 401 203

Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),

Hill Rom, Dist. Palghar 401 203



TRUE COPY

| | | | | | | | | |
|------|----|-------------------------|------------------|---|----------|-------|------------|--|
| 1709 | | | | | | | | |
| 1710 | | SUPER DX 111 | | | | | | |
| 1711 | 1 | SUPER DX 11A40HRPTBD001 | PATIENT BED | C | HILL ROM | 18000 | 21/07/2020 | |
| 1712 | 2 | SUPER DX 11A40XWDBD001 | WOODEN BED | C | | 9500 | 15/07/2020 | |
| 1713 | 3 | SUPER DX 11A40MMDTRY001 | MEDICINE TROLLEY | B | MEDITEK | 4000 | 26/06/2020 | |
| 1714 | 4 | SUPER DX 11A40MTV001 | TELEVISION | A | MEPL | 6200 | 15/05/2020 | |
| 1715 | 5 | SUPER DX 11A40VFRG001 | REFRIGERATOR | A | VIDEOCON | 9000 | 14/05/2020 | |
| 1716 | 6 | SUPER DX 11A40ETAAC001 | AIR CONDITIONER | A | ETA | 28000 | 04/11/2020 | |
| 1717 | 7 | SUPER DX 11A40PFAN001 | FAN | B | POLYCAB | 1700 | 24/06/2020 | |
| 1718 | 8 | SUPER DX 11A40PFAN002 | FAN | B | POLYCAB | 1700 | 24/06/2020 | |
| 1719 | 9 | SUPER DX 11A40XPLT001 | PANEL LIGHT | B | | 900 | 29/06/2020 | |
| 1720 | 10 | SUPER DX 11A40XPLT002 | PANEL LIGHT | B | | 900 | 29/06/2020 | |
| 1721 | 11 | SUPER DX 11A40XPLT003 | PANEL LIGHT | B | | 900 | 29/06/2020 | |
| 1722 | 12 | SUPER DX 11A40XTVBLE001 | TV TABLE | C | | 2200 | 07/12/2020 | |
| 1723 | | | | | | | | |
| 1724 | | SUPER DX 112 | | | | | | |
| 1725 | 1 | SUPER DX 11A40HRPTBD001 | PATIENT BED | C | HILL ROM | 18000 | 21/07/2020 | |
| 1726 | 2 | SUPER DX 11A40XWDBD001 | WOODEN BED | C | | 9500 | 15/07/2020 | |
| 1727 | 3 | SUPER DX 11A40MMDTRY001 | MEDICINE TROLLEY | B | MEDITEK | 4000 | 26/06/2020 | |
| 1728 | 4 | SUPER DX 11A40MTV001 | TELEVISION | A | MEPL | 6200 | 15/05/2020 | |
| 1729 | 5 | SUPER DX 11A40ETAAC001 | AIR CONDITIONER | A | ETA | 28000 | 04/11/2020 | |
| 1730 | 6 | SUPER DX 11A40PFAN001 | FAN | B | POLYCAB | 1700 | 24/06/2020 | |
| 1731 | 7 | SUPER DX 11A40PFAN002 | FAN | B | POLYCAB | 1700 | 24/06/2020 | |
| 1732 | 8 | SUPER DX 11A40XPLT001 | PANEL LIGHT | B | | 900 | 29/06/2020 | |
| 1733 | 9 | SUPER DX 11A40XPLT002 | PANEL LIGHT | B | | 900 | 29/06/2020 | |
| 1734 | 10 | SUPER DX 11A40XPLT003 | PANEL LIGHT | B | | 900 | 29/06/2020 | |
| 1735 | 11 | SUPER DX 11A40XTVBLE001 | TV TABLE | C | | 2200 | 07/12/2020 | |
| 1736 | 12 | SUPER DX 11A40VFRG001 | REFRIGERATOR | C | VIDEOCON | 9000 | 14/05/2020 | |
| 1737 | | | | | | | | |
| 1738 | | SUPER DX 113 | | | | | | |
| 1739 | 1 | SUPER DX 11A40HRPTBD001 | PATIENT BED | C | HILL ROM | 18000 | 21/07/2020 | |
| 1740 | 2 | SUPER DX 11A40XWDBD001 | WOODEN BED | C | | 9500 | 15/07/2020 | |
| 1741 | 3 | SUPER DX 11A40XWDBD002 | WOODEN BED | C | | 9500 | 15/07/2020 | |
| 1742 | 4 | SUPER DX 11A40MMDTRY001 | MEDICINE TROLLEY | B | MEDITEK | 4000 | 26/06/2020 | |
| 1743 | 5 | SUPER DX 11A40VTV001 | TELEVISION | A | WISE | 7000 | 15/05/2020 | |
| 1744 | 6 | SUPER DX 11A40ETAAC001 | AIR CONDITIONER | A | ETA | 28000 | 04/11/2020 | |
| 1745 | 7 | SUPER DX 11A40XFAN001 | FAN | B | | 1700 | 24/06/2020 | |
| 1746 | 8 | SUPER DX 11A40XFAN002 | FAN | B | | 1700 | 24/06/2020 | |
| 1747 | 9 | SUPER DX 11A40XPLT001 | PANEL LIGHT | B | | 900 | 29/06/2020 | |
| 1748 | 10 | SUPER DX 11A40XPLT002 | PANEL LIGHT | B | | 900 | 29/06/2020 | |
| 1749 | 11 | SUPER DX 11A40XPLT003 | PANEL LIGHT | B | | 900 | 29/06/2020 | |
| 1750 | 12 | SUPER DX 11A40XTVBLE001 | TV TABLE | C | | 2200 | 07/12/2020 | |
| 1751 | | | | | | | | |
| 1752 | | SUPER DX 114 | | | | | | |
| 1753 | 1 | SUPER DX 11A40HRPTBD001 | PATIENT BED | C | HILL ROM | 18000 | 21/07/2020 | |
| 1754 | 2 | SUPER DX 11A40XWDBD001 | WOODEN BED | C | | 9500 | 15/07/2020 | |
| 1755 | 3 | SUPER DX 11A40XWDBD002 | WOODEN BED | C | | 9500 | 15/07/2020 | |
| 1756 | 4 | SUPER DX 11A40MMDTRY001 | MEDICINE TROLLEY | B | MEDITEK | 4000 | 26/06/2020 | |
| 1757 | 5 | SUPER DX 11A40VTV001 | TELEVISION | A | WISE | 7000 | 15/05/2020 | |
| 1758 | 6 | SUPER DX 11A40ETAAC001 | AIR CONDITIONER | A | ETA | 28000 | 04/11/2020 | |
| 1759 | 7 | SUPER DX 11A40XFAN001 | FAN | B | | 1700 | 24/06/2020 | |
| 1760 | 8 | SUPER DX 11A40XFAN002 | FAN | B | | 1700 | 24/06/2020 | |
| 1761 | 9 | SUPER DX 11A40XPLT001 | PANEL LIGHT | B | | 900 | 29/06/2020 | |
| 1762 | 10 | SUPER DX 11A40XPLT002 | PANEL LIGHT | B | | 900 | 29/06/2020 | |
| 1763 | 11 | SUPER DX 11A40XPLT003 | PANEL LIGHT | B | | 900 | 29/06/2020 | |


Principal
RIDDHI VINAYAK COLLEGE OF NURSING (RVHSPECT)
 Nallasopara (W), Dist. Palghat-401 203.



| | | | | | | | |
|------|-------|--------------------------|------------------|-----------------|----------|---|------------------|
| 1764 | | SUPER DX 11A40XTVTBLE001 | TV TABLE | C | | 2200 | 07/12/2020 |
| 1765 | | SUPER DX 11A40VFRG001 | REFRIGERATOR | A | VIDEOCON | 9000 | 14/05/2020 |
| 1766 | | | | | | | |
| 1767 | | SUPER DX 115 | | | | | |
| 1768 | | SUPER DX 11A40HRPTBD001 | PATIENT BED | C | HILL ROM | 18000 | 21/07/2020 |
| 1769 | | SUPER DX 11A40XWDBD001 | WOODEN BED | C | | 9500 | 15/07/2020 |
| 1770 | | SUPER DX 11A40XWDBD002 | WOODEN BED | C | | 9500 | 15/07/2020 |
| 1771 | | SUPER DX 11A40MMDTRY001 | MEDICINE TROLLEY | B | MEDITEK | 4000 | 26/06/2020 |
| 1772 | | SUPER DX 11A40VTV001 | TELEVISION | A | WISE | 7000 | 15/05/2020 |
| 1773 | | SUPER DX 11A40ETAAC001 | AIR CONDITIONER | A | ETA | 28000 | 04/11/2020 |
| 1774 | | SUPER DX 11A40XFAN001 | FAN | B | | 1700 | 24/06/2020 |
| 1775 | | SUPER DX 11A40XFAN002 | FAN | B | | 1700 | 24/06/2020 |
| 1776 | | SUPER DX 11A40XPLT001 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1777 | | SUPER DX 11A40XPLT002 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1778 | | SUPER DX 11A40XPLT003 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1779 | | SUPER DX 11A40XTVTBLE001 | TV TABLE | C | | 2200 | 07/12/2020 |
| 1780 | | SUPER DX 11A40VFRG001 | REFRIGERATOR | A | VIDEOCON | 9000 | 14/05/2020 |
| 1781 | | SUPER DX 116 | | | | | |
| 1782 | | SUPER DX 11A40XWDBD001 | WOODEN BED | C | | 9500 | 15/07/2020 |
| 1783 | | SUPER DX 11A40XWDBD002 | WOODEN BED | C | | 9500 | 15/07/2020 |
| 1784 | | SUPER DX 11A40XWDBD003 | WOODEN BED | C | | 9500 | 15/07/2020 |
| 1785 | | SUPER DX 11A40MMDTRY001 | MEDICINE TROLLEY | B | MEDITEK | 4000 | 26/06/2020 |
| 1786 | | SUPER DX 11A40VTV001 | TELEVISION | A | WISE | 7000 | 15/05/2020 |
| 1787 | | SUPER DX 11A40ETAAC001 | AIR CONDITIONER | A | ETA | 28000 | 04/11/2020 |
| 1788 | | SUPER DX 11A40XFAN001 | FAN | B | | 1700 | 24/06/2020 |
| 1789 | | SUPER DX 11A40XFAN002 | FAN | B | | 1700 | 24/06/2020 |
| 1790 | | SUPER DX 11A40XPLT001 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1791 | | SUPER DX 11A40XPLT002 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1792 | | SUPER DX 11A40XPLT003 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1793 | | SUPER DX 11A40XTVTBLE001 | TV TABLE | C | | 2200 | 07/12/2020 |
| 1794 | | | | | | | |
| 1795 | SR NO | WARD | CODE | Article | | COMPANY NAME | |
| 1796 | | | OPD 1 | | | | |
| 1797 | 1 | OPD 1 | A40XTBL001 | TABLE | C | | 8000 07/12/2020 |
| 1798 | 2 | OPD 1 | A40XPCTBL001 | PC TABLE | C | | 2500 07/12/2020 |
| 1799 | 3 | OPD 1 | A40XPCTBL002 | PC TABLE | C | | 2500 07/12/2020 |
| 1800 | 4 | OPD 1 | A40XPCTBL003 | PC TABLE | C | Principal | 2500 07/12/2020 |
| 1801 | 5 | OPD 1 | A40XCHRBLK001 | CHAIR BLACK | C | RIDDHI VINAYAK COLLEGE OF NURSING (RVHS&PCT), Nallasopara (W), Dist. Palghar 401203 | 1500 07/10/2020 |
| 1802 | 6 | OPD 1 | A40XCHRBLK002 | CHAIR BLACK | C | | 1500 07/10/2020 |
| 1803 | 7 | OPD 1 | A40XCHRRD001 | CHAIR RED | B | | 800 07/01/2020 |
| 1804 | 8 | OPD 1 | A40XCHRRD002 | CHAIR RED | B | | 800 07/01/2020 |
| 1805 | 9 | OPD 1 | A40XRSTL001 | ROUND CHAIR | B | Principal | 1500 30/06/2020 |
| 1806 | 10 | OPD 1 | A40LGCMT001 | COMPUTER | A | RIDDHI VINAYAK COLLEGE OF NURSING (RVHS&PCT), Nallasopara (W), Dist. Palghar 401203 | 14000 30/04/2020 |
| 1807 | 11 | OPD 1 | A40ACMT001 | COMPUTER | A | | 14000 30/04/2020 |
| 1808 | 12 | OPD 1 | A40CCMP001 | COMPUTER | A | | 14000 30/04/2020 |
| 1809 | 13 | OPD 1 | A40ZCPU001 | CPU | A | ZIP | 14000 30/04/2020 |
| 1810 | 14 | OPD 1 | A40DLPT001 | LAPTOP | A | DELL | 16500 30/04/2020 |
| 1811 | 15 | OPD 1 | A40DLPT002 | LAPTOP | A | DELL | 16500 30/04/2020 |
| 1812 | 16 | OPD 1 | A40AUPS001 | UPS | A | APC | 5600 28/04/2020 |
| 1813 | 17 | OPD 1 | A40OFAN001 | FAN | B | ORIENT | 1700 24/06/2020 |
| 1814 | 18 | OPD 1 | A40OFAN002 | FAN | B | ORIENT | 1700 24/06/2020 |
| 1815 | 19 | OPD 1 | A40EAC001 | AIR CONDITIONER | A | ETA | 28000 04/11/2020 |
| 1816 | 20 | OPD 1 | A40XBD001 | BENCH DESK | C | | 4500 07/09/2020 |
| 1817 | 21 | OPD 1 | A40XBD002 | BENCH DESK | C | | 4500 07/09/2020 |

TRUE COPY

| | | | | | | | | |
|------|----|-------|-----------------|---------------------|---|------------|-------|------------|
| 1819 | 23 | OPD 1 | A40XC8P001 | CUPBOARD | C | | 9500 | 07/11/2020 |
| 1820 | 24 | OPD 1 | A40XLKR001 | LOCKER | C | | 2500 | 25/07/2020 |
| 1821 | 25 | OPD 1 | A40XXVM001 | X-RAY VIEW MACHINE | A | | 2500 | 13/04/2020 |
| 1822 | 26 | OPD 1 | A40XWT001 | WATCH | B | OREVA | 200 | 07/04/2020 |
| 1823 | 27 | OPD 1 | A40PSNTELE001 | TELEPHONE | A | PANASONIC | 800 | 29/04/2020 |
| 1824 | 28 | OPD 1 | A40ATB001 | TUBE LIGHT | B | ANCHOR | 150 | 29/06/2020 |
| 1825 | 29 | OPD 1 | A40ATB002 | TUBE LIGHT | B | ANCHOR | 150 | 29/06/2020 |
| 1826 | 30 | OPD 1 | A40ATB003 | TUBE LIGHT | B | ANCHOR | 150 | 29/06/2020 |
| 1827 | 31 | OPD 1 | A40PSEMLGT001 | EMERGENCY LIGHT | B | PHILIPS | 500 | 20/06/2020 |
| 1828 | 32 | OPD 1 | A40LS1S001 | STETHOSCOPE | B | LITTMONN | 5000 | 07/03/2020 |
| 1829 | 33 | OPD 1 | A40XWHCHR001 | WHEEL CHAIR 1 | C | | 5500 | 21/07/2020 |
| 1830 | 34 | OPD 1 | A40VFRG001 | REFRIGERATOR | A | VIDEOCON | 9000 | 14/05/2020 |
| 1831 | | | OPD 2 | | | | | |
| 1832 | 1 | OPD 2 | A40PTBD001 | PATIENT BED | C | | 13000 | 21/07/2020 |
| 1833 | 2 | OPD 2 | A40PTBD002 | PATIENT BED | C | | 13000 | 21/07/2020 |
| 1834 | 3 | OPD 2 | A40PTBD003 | PATIENT BED | C | | 13000 | 21/07/2020 |
| 1835 | 4 | OPD 2 | A40MECG001 | ECG MACHINE | A | MEDICOFTIS | 27000 | 04/06/2020 |
| 1836 | 5 | OPD 2 | A40DMNDBPM001 | BLOOD PRESSURE MACH | A | DIAMOND | 1800 | 05/03/2020 |
| 1837 | 6 | OPD 2 | A40MSTS001 | STETHOSCOPE | B | MICRO TONE | 950 | 07/03/20 |
| 1838 | 7 | OPD 2 | A40XFLM001 | FLOW METER | A | | 850 | 04/09/2020 |
| 1839 | 8 | OPD 2 | A40XDRSTRY001 | DRESSING TROLLEY | B | | 7500 | 16/06/2020 |
| 1840 | 9 | OPD 2 | A40XSTP001 | STEP | C | | 400 | 20/07/2020 |
| 1841 | 10 | OPD 2 | A40DTWGTMACH001 | WEIGHT MACHINE | A | DETECTO | 2500 | 24/05/2020 |
| 1842 | 11 | OPD 2 | A40SWGTMACH001 | WEIGHT MACHINE | A | SKNOL | 2500 | 24/05/2020 |
| 1843 | 12 | OPD 2 | A40NDHGT001 | HGT MACHINE | A | NIKODING 1 | 2000 | 18/05/2020 |
| 1844 | 13 | OPD 2 | A40XTBL001 | TABLE | C | | 8000 | 07/12/2020 |
| 1845 | 14 | OPD 2 | A40XCHRPLT001 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 1846 | 15 | OPD 2 | A40XCHRPLT002 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 1847 | 16 | OPD 2 | A40XCHRPLT003 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 1848 | 17 | OPD 2 | A40XCHRPLT004 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 1849 | 18 | OPD 2 | A40XCHRBLK001 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 1850 | 19 | OPD 2 | A40XCHRBLK002 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 1851 | 20 | OPD 2 | A40PSNTELE001 | TELEPHONE | A | PANASONIC | 800 | 29/04/2020 |
| 1852 | 21 | OPD 2 | A40OFAN001 | FAN | B | ORIENT | 1700 | 24/06/2020 |
| 1853 | 22 | OPD 2 | A40OFAN002 | FAN | B | ORIENT | 1700 | 24/06/2020 |
| 1854 | 23 | OPD 2 | A40EAC001 | AIR CONDITIONER | A | ETA | 28000 | 04/11/2 |
| 1855 | 24 | OPD 2 | A40ATL001 | TUBE LIGHT | B | ANCHOR | 150 | 29/06/2020 |
| 1856 | 25 | OPD 2 | A40ATL002 | TUBE LIGHT | B | ANCHOR | 150 | 29/06/2020 |
| 1857 | 26 | OPD 2 | A40ATL003 | TUBE LIGHT | B | ANCHOR | 150 | 29/06/2020 |
| 1858 | 27 | OPD 2 | A40ATL004 | TUBE LIGHT | B | ANCHOR | 150 | 29/06/2020 |
| 1859 | 28 | OPD 2 | A40RVMHWT001 | WATCH | B | RVMH | 200 | 07/04/2020 |
| 1860 | 29 | OPD 2 | A40PSEMLGT001 | EMERGENCY LIGHT | B | PHILIPS | 500 | 20/06/2020 |
| 1861 | | | | | | | | |
| 1862 | | | OPD 3 | | | | | |
| 1863 | 1 | OPD 3 | A40XTBL001 | TABLE | C | | 8000 | 07/12/2020 |
| 1864 | 2 | OPD 3 | A40XCHRPLT001 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 1865 | 3 | OPD 3 | A40XCHRPLT002 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 1866 | 4 | OPD 3 | A40XCHRPLT003 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 1867 | 5 | OPD 3 | A40XCHRRD001 | CHAIR BLACK | B | | 1500 | 07/10/2020 |
| 1868 | 6 | OPD 3 | A40PSNTELE001 | TELEPHONE | A | PANASONIC | 800 | 29/04/2020 |
| 1869 | 7 | OPD 3 | A40RXX001 | XEROX MACHINE | A | RICOTT | 8000 | 31/05/2020 |
| 1870 | 8 | OPD 3 | A40VDAC | AIR CONDITIONER | A | VIDEOCON | 28000 | 04/11/2020 |
| 1871 | 9 | OPD 3 | A40OFAN001 | FAN | B | ORIENT | 1700 | 24/06/2020 |
| 1872 | 10 | OPD 3 | A40ATL001 | TUBE LIGHT | B | ANCHOR | 150 | 29/06/2020 |
| 1873 | 11 | OPD 3 | A40XNB001 | NOTICE BOARD | C | | 750 | 20/07/2020 |




| | | | | | | | | |
|------|--|-------|----------------|--------------------|---|-----------|-------|------------|
| 1874 | | | | | | | | |
| 1875 | | OPD 4 | | | | | | |
| 1876 | | OPD 4 | A40MPTBD001 | PATIENT BED | C | MEDITEK | 13000 | 21/07/2020 |
| 1877 | | OPD 4 | A40XSTP001 | STEP | C | | 400 | 20/07/2020 |
| 1878 | | OPD 4 | A40XTBL001 | TABLE | C | | 8000 | 07/12/2020 |
| 1879 | | OPD 4 | A40XCHRBLK001 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 1880 | | OPD 4 | A40XCHRPLT001 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 1881 | | OPD 4 | A40XCHRPLT002 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 1882 | | OPD 4 | A40XCHRPLT003 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 1883 | | OPD 4 | A40XCBP001 | CUPBOARD | C | | 9500 | 07/11/2020 |
| 1884 | | OPD 4 | A40OFAN001 | FAN | B | ORIENT | 1700 | 24/06/2020 |
| 1885 | | OPD 4 | A40PLT001 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1886 | | OPD 4 | A40PLT002 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1887 | | OPD 4 | A40PLT003 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1888 | | OPD 4 | A40PLT004 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1889 | | OPD 4 | A40MWT001 | WATCH | B | MAYUR | 200 | 07/04/2020 |
| 1890 | | OPD 4 | A40XXVM001 | X-RAY VIEW MACHINE | A | | 2500 | 13/04/2020 |
| 1891 | | | | | | | | |
| | | | OPD 5 | | | | | |
| 1892 | | OPD 5 | A40XTBL001 | TABLE | C | | 8000 | 07/12/2020 |
| 1893 | | OPD 5 | A40XPCTBL001 | PC TABLE | C | | 1500 | 07/12/2020 |
| 1895 | | OPD 5 | A40CMNT001 | COMPUTER | A | HP | 14000 | 30/04/2020 |
| 1896 | | OPD 5 | A40PSNTELE001 | TELEPHONE | A | PANASONIC | 800 | 29/04/2020 |
| 1897 | | OPD 5 | A40NMBUPS001 | UPS | A | NUMBERIC | 8000 | 28/04/2020 |
| 1898 | | OPD 5 | A40XCBP001 | CUPBOARD | C | | 9500 | 07/11/2020 |
| 1899 | | OPD 5 | A40XCBP002 | CUPBOARD | C | | 9500 | 07/11/2020 |
| 1900 | | OPD 5 | A40XCBP003 | CUPBOARD | C | | 9500 | 07/11/2020 |
| 1901 | | OPD 5 | A40XCHRPLT001 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 1902 | | OPD 5 | A40XCHRPLT002 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 1903 | | OPD 5 | A40XCHRPLT003 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 1904 | | OPD 5 | A40XCHRPLT004 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 1905 | | OPD 5 | A40XCHRBLK001 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 1906 | | OPD 5 | A40OFAN001 | FAN | B | ORIENT | 1700 | 24/06/2020 |
| 1907 | | OPD 5 | A40XWT001 | WATCH | B | | 200 | 07/04/2020 |
| 1908 | | OPD 5 | A40XPLT001 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1909 | | OPD 5 | A40XPLT002 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1910 | | OPD 5 | A40XPLT003 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1911 | | OPD 5 | A40XPLT004 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1912 | | OPD 5 | A40EAC001 | AIR CONDITIONER | A | ETA | 28000 | 04/11/2020 |
| 1913 | | | | | | | | |
| 1914 | | | OPD 6 | | | | | |
| 1915 | | OPD 6 | A40XPTBD001 | PATIENT BED | C | | 13000 | 21/07/2020 |
| 1916 | | OPD 6 | A40XSTP001 | STEP | C | | 400 | 20/07/2020 |
| 1917 | | OPD 6 | A40PWGTMACH001 | WEIGHT MACHINE | A | PESCO | 2500 | 24/05/2020 |
| 1918 | | OPD 6 | A40XINTMTRY001 | INSTRUMENT TROLLEY | B | | 3500 | 26/06/2020 |
| 1919 | | OPD 6 | A40XTBL001 | TABLE | C | | 8000 | 07/12/2020 |
| 1920 | | OPD 6 | A40PSNCL001 | CORDLESS PHONE | A | PANASONIC | 2500 | 29/05/2020 |
| 1921 | | OPD 6 | A40OFAN001 | FAN | B | ORIENT | 1700 | 24/06/2020 |
| 1922 | | OPD 6 | A40XPLTL001 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1923 | | OPD 6 | A40XPLTL002 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1924 | | OPD 6 | A40XPLTL003 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1925 | | OPD 6 | A40XPLTL004 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1926 | | OPD 6 | A40XCHRPLT001 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 1927 | | | | | | | | |

TRUE COPY

| | | | | | | | | |
|------|----|--------|---------------|-------------------|---|-------------|-------|------------|
| 1929 | | OPD 7 | A40XTBL001 | TABLE | C | | 8000 | 07/12/2020 |
| 1930 | 2 | OPD 7 | A40XCHRBLK001 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 1931 | 3 | OPD 7 | A40AUPS001 | UPS | A | ARTIS | 5600 | 28/04/2020 |
| 1932 | 4 | OPD 7 | A40PSNCL001 | CORDLESS PHONE | A | PANASONIC | 2500 | 29/05/2020 |
| 1933 | 5 | OPD 7 | A40LST5001 | STETHOSCOPE | B | LITTMONN | 5000 | 07/03/2020 |
| 1934 | 6 | OPD 7 | A40AWT001 | WATCH | B | AJANTA | 200 | 07/04/2020 |
| 1935 | 7 | OPD 7 | A40VTV001 | TELEVISION | A | WISE | 7000 | 15/05/2020 |
| 1936 | 8 | OPD 7 | A40OFAN001 | FAN | B | ORIENT | 1700 | 24/06/2020 |
| 1937 | 9 | OPD 7 | A40XPLT001 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1938 | 10 | OPD 7 | A40XPLT002 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1939 | 11 | OPD 7 | A40XPLT003 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1940 | 12 | OPD 7 | A40XPLT004 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1941 | 13 | OPD 7 | A40XCHRPLT001 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 1942 | 14 | OPD 7 | A40XCHRPLT002 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 1943 | 15 | OPD 7 | A40XB5001 | BENCH SET | C | | 4000 | 07/09/2020 |
| 1944 | 16 | OPD 7 | A40ACPU001 | CPU | A | ACER | 14000 | 30/04/2020 |
| 1945 | 17 | OPD 7 | A40ETAAC001 | AIR CONDITIONER | A | ETA | 28000 | 04/11/2020 |
| 1946 | | | | | | | | |
| 1947 | | | OPD 8 | | | | | |
| 1948 | 1 | OPD 8 | A40XTBL001 | TABLE | C | | 8000 | 07/12/2020 |
| 1949 | 2 | OPD 8 | A40XPTBL001 | PC TABLE | C | | 1500 | 07/12/2020 |
| 1950 | 3 | OPD 8 | A40XETBL001 | EXAMINATION TABLE | B | | 18000 | 23/06/2020 |
| 1951 | 4 | OPD 8 | A40OFAN001 | FAN | B | ORIENT | 1700 | 24/06/2020 |
| 1952 | 5 | OPD 8 | A40XPLT001 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1953 | 6 | OPD 8 | A40XPLT002 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1954 | 7 | OPD 8 | A40DAC001 | AIR CONDITIONER | A | DAIKIN | 45000 | 04/11/2020 |
| 1955 | 8 | OPD 8 | A40XCHRBLK001 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 1956 | 9 | OPD 8 | A40WAMNT020 | CARDIAC MONITOR | A | WELCH ALLYN | 28000 | 04/01/2020 |
| 1957 | 10 | OPD 8 | A40XEMETRY001 | EMERGENCY TROLLEY | B | | 3500 | 21/06/2020 |
| 1958 | | | | | | | | |
| 1959 | | | | | | | | |
| 1960 | | | OPD 9 | | | | | |
| 1961 | 1 | OPD 9 | A40XTBL001 | TABLE | C | | 8000 | 07/12/2020 |
| 1962 | 2 | OPD 9 | A40XPTBL001 | PC TABLE | C | | 1500 | 07/12/2020 |
| 1963 | 3 | OPD 9 | A40XETBL001 | EXAMINATION TABLE | B | | 18000 | 23/06/2020 |
| 1964 | 4 | OPD 9 | A40OFAN001 | FAN | B | ORIENT | 1700 | 24/06/2020 |
| 1965 | 5 | OPD 9 | A40XPLT001 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1966 | 6 | OPD 9 | A40XPLT002 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1967 | 7 | OPD 9 | A40XPLT003 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1968 | 8 | OPD 9 | A40XPLT004 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1969 | 9 | OPD 9 | A40DAC001 | AIR CONDITIONER | A | DAIKIN | 45000 | 04/11/2020 |
| 1970 | 10 | OPD 9 | A40XCHRPLT001 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 1971 | 11 | OPD 9 | A40XCHRPLT002 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 1972 | 12 | OPD 9 | A40XCHRPLT003 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 1973 | | | | | | | | |
| 1974 | | | OPD 10 | | | | | |
| 1975 | 1 | OPD 10 | A40XTBL001 | TABLE | C | | 8000 | 07/12/2020 |
| 1976 | 2 | OPD 10 | A40XPTBL001 | PC TABLE | C | | 1500 | 07/12/2020 |
| 1977 | 3 | OPD 10 | A40XETBL001 | EXAMINATION TABLE | B | | 18000 | 23/06/2020 |
| 1978 | 4 | OPD 10 | A40OFAN001 | FAN | B | ORIENT | 1700 | 24/06/2020 |
| 1979 | 5 | OPD 10 | A40XPLT001 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1980 | 6 | OPD 10 | A40XPLT002 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1981 | 7 | OPD 10 | A40DAC001 | AIR CONDITIONER | A | DAIKIN | 45000 | 04/11/2020 |
| 1982 | | | | | | | | |
| 1983 | | | OPD 11 | | | | | |

Principal

RIDDHI VINAYAK COLLEGE OF NURSING (RVHSPCT), Nallasopara (W), Dist. Palghar - 401 203.



| | | | | | | | | |
|------|--|--------|---------------|-------------------|---|------------|--------|------------|
| 1984 | | OPD 11 | A40XTBL001 | TABLE | C | | 8000 | 07/12/2020 |
| 1985 | | OPD 11 | A40XPTBL001 | PC TABLE | C | | 1500 | 07/12/2020 |
| 1986 | | OPD 11 | A40HETBL001 | EXAMINATION TABLE | B | HAUSMANN | 18000 | 23/06/2020 |
| 1987 | | OPD 11 | A40OFAN001 | FAN | B | ORIENT | 1700 | 24/06/2020 |
| 1988 | | OPD 11 | A40XPTL001 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1989 | | OPD 11 | A40XPTL002 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1990 | | OPD 11 | A40DAC001 | AIR CONDITIONER | A | DAIKIN | 45000 | 04/11/2020 |
| 1991 | | OPD 11 | A40KTRM001 | MICRO | A | KERATOMETE | 180000 | 06/03/2020 |
| 1992 | | | | | | | | |
| 1993 | | | OPD 12 | | | | | |
| 1994 | | OPD 12 | A40XTBL001 | TABLE | C | | 8000 | 07/12/2020 |
| 1995 | | OPD 12 | A40XPTBL001 | PC TABLE | C | | 1500 | 07/12/2020 |
| 1996 | | OPD 12 | A40HETBL001 | EXAMINATION TABLE | B | HAUSMANN | 18000 | 23/06/2020 |
| 1997 | | OPD 12 | A40OFAN001 | FAN | B | CROMPTON | 1700 | 24/06/2020 |
| 1998 | | OPD 12 | A40XPTL001 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 1999 | | OPD 12 | A40XPTL002 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2000 | | OPD 12 | A40DAC001 | AIR CONDITIONER | A | DAIKIN | 45000 | 04/11/2020 |
| 2001 | | OPD 12 | A40XCHRBLK001 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 2002 | | OPD 12 | A40XCHRBLK002 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 2003 | | OPD 12 | A40XCHRBLK003 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 2004 | | | | | | | | |
| 2005 | | | | | | | | |
| 2006 | | | OPD 13 | | | | | |
| 2007 | | OPD 13 | A40XTBL001 | TABLE | C | | 8000 | 07/12/2020 |
| 2008 | | OPD 13 | A40XTBL002 | TABLE | C | | 8000 | 07/12/2020 |
| 2009 | | OPD 13 | A40XPTBL001 | PC TABLE | C | | 1500 | 07/12/2020 |
| 2010 | | OPD 13 | A40HETBL001 | EXAMINATION TABLE | B | HAUSMANN | 18000 | 23/06/2020 |
| 2011 | | OPD 13 | A40OFAN001 | FAN | B | CROMPTON | 1700 | 24/06/2020 |
| 2012 | | OPD 13 | A40OFAN002 | FAN | B | CROMPTON | 1700 | 24/06/2020 |
| 2013 | | OPD 13 | A40OFAN003 | FAN | B | CROMPTON | 1700 | 24/06/2020 |
| 2014 | | OPD 13 | A40OFAN004 | FAN | B | CROMPTON | 1700 | 24/06/2020 |
| 2015 | | OPD 13 | A40XPTL001 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2016 | | OPD 13 | A40XPTL002 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2017 | | OPD 13 | A40XPTL003 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2018 | | OPD 13 | A40XPTL004 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2019 | | OPD 13 | A40DAC001 | AIR CONDITIONER | A | DAIKIN | 45000 | 04/11/2020 |
| 2020 | | OPD 13 | A40XCHRBLK001 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 2021 | | | | | | | | |
| 2022 | | | OPD 14 | | | | | |
| 2023 | | OPD 14 | A40XTBL001 | TABLE | C | | 8000 | 07/12/2020 |
| 2024 | | OPD 14 | A40XTBL002 | TABLE | C | | 8000 | 07/12/2020 |
| 2025 | | OPD 14 | A40PTBLE001 | PC TABLE | C | | 1500 | 07/12/2020 |
| 2026 | | OPD 14 | A40EETBL001 | EXAMINATION TABLE | B | | 18000 | 23/06/2020 |
| 2027 | | OPD 14 | A40MPTBD001 | PATIENT BED | C | | 13000 | 21/07/2020 |
| 2028 | | OPD 14 | A40CFAN001 | FAN | B | CROMPTON | 1700 | 24/06/2020 |
| 2029 | | OPD 14 | A40XPLT001 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2030 | | OPD 14 | A40XPLT002 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2031 | | OPD 14 | A40XPLT003 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2032 | | OPD 14 | A40XPLT004 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2033 | | OPD 14 | A40DAC001 | AIR CONDITIONER | A | DAIKIN | 45000 | 04/11/2020 |
| 2034 | | | | | | | | |
| 2035 | | | OPD 15 | | | | | |
| 2036 | | OPD 15 | A40XTBL001 | TABLE | C | | 8000 | 07/12/2020 |
| 2037 | | OPD 15 | A40XTBL002 | TABLE | C | | 8000 | 07/12/2020 |
| 2038 | | OPD 15 | A40XPTBL001 | PC TABLE | C | | 1500 | 07/12/2020 |

Principal
RIDDHI VINAYAK COLLEGE OF NURSING (R.V.C.N.)
 Nallasopara (W), Dist. Palghar-401203.



TRUE COPY

| | | | | | | | | |
|------|----|--------|---------------|-------------------|---|----------|-------|------------|
| 2039 | 4 | OPD 15 | A40UETBL001 | EXAMINATION TABLE | B | UMF | 18000 | 23/06/2020 |
| 2040 | 5 | OPD 15 | A40MPTBD001 | PATIENT BED | C | MEDITEK | 13000 | 21/07/2020 |
| 2041 | 6 | OPD 15 | A40XCHRBLK001 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 2042 | 7 | OPD 15 | A40XFAN001 | FAN | B | | 1700 | 24/06/2020 |
| 2043 | 8 | OPD 15 | A40XFAN002 | FAN | B | | 1700 | 24/06/2020 |
| 2044 | 9 | OPD 15 | A40XPLT001 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2045 | 10 | OPD 15 | A40XPLT002 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2046 | 11 | OPD 15 | A40XPLT003 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2047 | 12 | OPD 15 | A40XPLT004 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2048 | 13 | OPD 15 | A40DAC001 | AIR CONDITIONER | A | DAIKIN | 45000 | 04/11/2020 |
| 2049 | | | | | | | | |
| 2050 | | | OPD 18 | | | | | |
| 2051 | 1 | OPD 18 | A40XTBL001 | TABLE | C | | 8000 | 07/12/2020 |
| 2052 | 2 | OPD 18 | A40XTBL002 | TABLE | C | | 8000 | 07/12/2020 |
| 2053 | 3 | OPD 18 | A40XPTBL001 | PC TABLE | C | | 1500 | 07/12/2020 |
| 2054 | 4 | OPD 18 | A40XETBL001 | EXAMINATION TABLE | B | | 18000 | 23/06/2020 |
| 2055 | 5 | OPD 18 | A40XFAN004 | FAN | B | | 1700 | 24/06/2020 |
| 2056 | 6 | OPD 18 | A40XPTL001 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2057 | 7 | OPD 18 | A40XPTL002 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2058 | 8 | OPD 18 | A40DAC001 | AIR CONDITIONER | A | DAIKIN | 45000 | 04/11/2020 |
| 2059 | 9 | OPD 18 | A40XCHRBLK001 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 2060 | | | OPD 19 | | | | | |
| 2061 | 1 | OPD 19 | A40XTBL001 | TABLE | C | | 8000 | 07/12/2020 |
| 2062 | 2 | OPD 19 | A40XPTBL001 | PC TABLE | C | | 1500 | 07/12/2020 |
| 2063 | 3 | OPD 19 | A40MMETBL001 | EXAMINATION TABLE | B | MID MARK | 18000 | 23/06/2020 |
| 2064 | 4 | OPD 19 | A40XFAN001 | FAN | B | | 1700 | 24/06/2020 |
| 2065 | 5 | OPD 19 | A40XPLT001 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2066 | 6 | OPD 19 | A40XPLT002 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2067 | 7 | OPD 19 | A40XPLT003 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2068 | 8 | OPD 19 | A40XPLT004 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2069 | 9 | OPD 19 | A40DAC001 | AIR CONDITIONER | A | DAIKIN | 45000 | 04/11/2020 |
| 2070 | 10 | OPD 19 | A40DAC002 | AIR CONDITIONER | A | DAIKIN | 45000 | 04/11/2020 |
| 2071 | | | | | | | | |
| 2072 | | | OPD 23 | | | | | |
| 2073 | 1 | OPD 23 | A40XPTBL001 | PC TABLE | C | | 1500 | 07/12/2020 |
| 2074 | 2 | OPD 23 | A40XFAN001 | FAN | B | | 1700 | 24/06/2020 |
| 2075 | 3 | OPD 23 | A40DAC001 | AIR CONDITIONER | A | DAIKIN | 45000 | 04/11/2020 |
| 2076 | 4 | OPD 23 | A40XPLT001 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2077 | 5 | OPD 23 | A40XPLT002 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2078 | 6 | OPD 23 | A40XPLT003 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2079 | 7 | OPD 23 | A40XPLT004 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2080 | | | | | | | | |
| 2081 | | | OPD 25 | | | | | |
| 2082 | 1 | OPD 25 | A40XTBL001 | TABLE | C | | 8000 | 07/12/2020 |
| 2083 | 2 | OPD 25 | A40PTBL001 | PC TABLE | C | | 1500 | 07/12/2020 |
| 2084 | 3 | OPD 25 | A40UETBL001 | EXAMINATION TABLE | B | UMF | 13000 | 23/06/2020 |
| 2085 | 4 | OPD 25 | A40CFAN001 | FAN | B | CROMPTON | 1700 | 24/06/2020 |
| 2086 | 5 | OPD 25 | A40DAC001 | AIR CONDITIONER | A | DAIKIN | 45000 | 04/11/2020 |
| 2087 | 6 | OPD 25 | A40XPLT001 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2088 | 7 | OPD 25 | A40XPLT002 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2089 | | | | | | | | |
| 2090 | | | OPD 26 | | | | | |
| 2091 | 1 | OPD 26 | A40XTBL001 | TABLE | C | | 8000 | 07/12/2020 |
| 2092 | 2 | OPD 26 | A40XTBL001 | TABLE | C | | 8000 | 07/12/2020 |
| 2093 | 3 | OPD 26 | A40XPTBL001 | PC TABLE | C | | 1500 | 07/12/2020 |

Principal
RIDDHI VINAYAK COLLEGE OF NURSING (RVHSPGT),
 Nallasopara (W), Dist. Palghar 401 203.



| | | | | | | | | |
|------|----|--------|---------------|---------------------|---|-----------|-------|------------|
| 2094 | | OPD 26 | A40XPTRD001 | PATIENT BED | C | | 13000 | 21/07/2020 |
| 2095 | 5 | OPD 26 | A40XFAN001 | FAN | B | | 1700 | 24/06/2020 |
| 2096 | 6 | OPD 26 | A40XFAN002 | FAN | B | | 1700 | 24/06/2020 |
| 2097 | 7 | OPD 26 | A40XPLT001 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2098 | 8 | OPD 26 | A40XPLT002 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2099 | 9 | OPD 26 | A40XPLT003 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2100 | 10 | OPD 26 | A40XPLT004 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2101 | 11 | OPD 26 | A40DAC011 | AIR CONDITIONER | A | DAIKIN | 45000 | 04/11/2020 |
| 2102 | | | | | | | | |
| 2103 | | | OPD 27 | | | | | |
| 2104 | 1 | OPD 27 | A40XTBL001 | TABLE | C | | 8000 | 07/12/2020 |
| 2105 | 2 | OPD 27 | A40XPTBL001 | PC TABLE | C | | 1500 | 07/12/2020 |
| 2106 | 3 | OPD 27 | A40XETBL001 | EXAMINATION TABLE | B | | 13000 | 23/06/2020 |
| 2107 | 4 | OPD 27 | A40XFAN001 | FAN | B | | 1700 | 24/06/2020 |
| 2108 | 5 | OPD 27 | A40XPLT001 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2109 | 6 | OPD 27 | A40XPLT002 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2110 | 7 | OPD 27 | A40DAC001 | AIR CONDITIONER | A | DAIKIN | 45000 | 04/11/2020 |
| 2111 | 8 | OPD 18 | A40XCHRBLK001 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 2112 | | | OPD 28 | | | | | |
| 2113 | 1 | OPD 28 | A40XTBL001 | TABLE | C | | 8000 | 07/12/2020 |
| 2114 | 2 | OPD 28 | A40XPTBL001 | PC TABLE | C | | 1500 | 07/12/2020 |
| 2115 | 3 | OPD 28 | A40XETBL001 | EXAMINATION TABLE | B | | 13000 | 23/06/2020 |
| 2116 | 4 | OPD 28 | A40XFAN001 | FAN | B | | 1700 | 24/06/2020 |
| 2117 | 5 | OPD 28 | A40DAC001 | AIR CONDITIONER | A | DAIKIN | 45000 | 04/11/2020 |
| 2118 | 6 | OPD 28 | A40XPLT001 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2119 | 7 | OPD 28 | A40XPLT001 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2120 | | | | | | | | |
| 2121 | | | OPD 29 | | | | | |
| 2122 | 1 | OPD 29 | A40XTBL001 | TABLE | C | | 8000 | 07/12/2020 |
| 2123 | 2 | OPD 29 | A40XPTBL001 | PC TABLE | C | | 1500 | 07/12/2020 |
| 2124 | 3 | OPD 29 | A40XETBL001 | EXAMINATION TABLE | B | | 18000 | 23/06/2020 |
| 2125 | 4 | OPD 29 | A40XFAN001 | FAN | B | | 1700 | 24/06/2020 |
| 2126 | 5 | OPD 29 | A40DAC001 | AIR CONDITIONER | A | DAIKIN | 45000 | 04/11/2020 |
| 2127 | 6 | OPD 29 | A40XPLT001 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2128 | 7 | OPD 29 | A40XPLT001 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2129 | 8 | OPD 29 | A40PSNTELE001 | TELEPHONE | A | PANASONIC | 800 | 29/04/2020 |
| 2130 | 9 | OPD 29 | A40XCHRBLK001 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 2131 | 10 | OPD 29 | A40XCHRPLT001 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 2132 | 11 | OPD 29 | A40XCHRPLT002 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 2133 | | | OPD 30 | | | | | |
| 2134 | 1 | OPD 30 | A40XTBL001 | TABLE | C | | 8000 | 07/12/2020 |
| 2135 | 2 | OPD 30 | A40XPTBL001 | PC TABLE | C | | 1500 | 07/12/2020 |
| 2136 | 3 | OPD 30 | A40XPTRD001 | PATIENT BED | C | | 13000 | 21/07/2020 |
| 2137 | 4 | OPD 30 | A40XCHRBLK001 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 2138 | 5 | OPD 30 | A40XCHRPLT001 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 2139 | 6 | OPD 30 | A40XCHRPLT002 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 2140 | 7 | OPD 30 | A40XCHRPLT003 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 2141 | 8 | OPD 30 | A40PSNTELE001 | TELEPHONE | A | PANASONIC | 800 | 29/04/2020 |
| 2142 | 9 | OPD 30 | A40DMNDBPM001 | BLOOD PRESSURE MACH | A | DIAMOND | 1800 | 05/03/2020 |
| 2143 | 10 | OPD 30 | A40STP001 | STEP | C | | 400 | 20/07/2020 |
| 2144 | 11 | OPD 30 | A40XCHR001 | CHAIR | C | | 525 | 07/10/2020 |
| 2145 | 12 | OPD 30 | A40NWGT001 | WEIGHT MACHINE | A | NOVA | 2500 | 24/05/2020 |
| 2146 | 13 | OPD 30 | A40XFAN | FAN | B | | 1700 | 24/06/2020 |
| 2147 | 14 | OPD 30 | A40DAC001 | AIR CONDITIONER | A | DAIKIN | 45000 | 04/11/2020 |

TRUE COPY

| | | | | | | | | |
|------|----|----------------------|----------------------|-----------------|---|--------------|-------|------------|
| 2149 | 16 | OPD 30 | A40XPLT001 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2150 | | | | | | | | |
| 2151 | | | ACCOUNT DEPARTMENT | | | | | |
| 2152 | 1 | A/C DEP | A40SCMNT001 | COMPUTER | A | SAMSUNG | 26500 | 30/04/2020 |
| 2153 | 2 | A/C DEP | A40ACPU001 | CPU | A | ACER | 14000 | 30/04/2020 |
| 2154 | 3 | A/C DEP | A40HPPTR001 | PRINTER | A | HP | 8000 | 22/04/2020 |
| 2155 | 4 | A/C DEP | A40SICTY001 | COUING MACHINE | A | SHINE INTERN | 4500 | 06/04/2020 |
| 2156 | 5 | A/C DEP | A40NUPS001 | UPS | A | NUMERIC | 5600 | 28/04/2020 |
| 2157 | 6 | A/C DEP | A40PSNTELE001 | TELEPHONE | A | PANASONIC | 800 | 29/04/2020 |
| 2158 | 7 | A/C DEP | A40XDTRI001 | DESK TABLE | C | | 9000 | 07/12/2020 |
| 2159 | 8 | A/C DEP | A40XC8P001 | CUPBOARD | C | | 9500 | 07/11/2020 |
| 2160 | 9 | A/C DEP | A40XC8P002 | CUPBOARD | C | | 1500 | 07/10/2020 |
| 2161 | 10 | A/C DEP | A40XCHRBLK001 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 2162 | 11 | A/C DEP | A40XCHRBLK002 | CHAIR BLACK | C | | 525 | 07/10/2020 |
| 2163 | 12 | A/C DEP | A40XCHRPLT001 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 2164 | 13 | A/C DEP | A40XCHRPLT002 | CHAIR PLASTIC | C | | 7500 | 27/05/2020 |
| 2165 | 14 | A/C DEP | A40XATMMACH001 | ATM MACHINE | A | | 45000 | 04/11/2020 |
| 2166 | 15 | A/C DEP | A40DAC001 | AIR CONDITIONER | A | DAIKIN | 1700 | 24/06/2020 |
| 2167 | 16 | A/C DEP | A40XFAN001 | FAN | B | | 16500 | 30/04/2020 |
| 2168 | 17 | A/C DEP | A40DLPTP001 | LAPTOP | A | DELL | 8000 | 07/12/2020 |
| 2169 | 18 | A/C DEP | A40XTBL001 | TABLE | C | | 1200 | 20/07/2020 |
| 2170 | 19 | A/C DEP | A40XNTBD001 | NOTICE BOARD | C | | 150 | 29/06/2020 |
| 2171 | 20 | A/C DEP | A40XTB001 | TUBE LIGHT | B | | 150 | 29/06/2020 |
| 2172 | 21 | A/C DEP | A40XTB002 | TUBE LIGHT | B | | | |
| 2173 | | | RECEPTION & DISPATCH | | | | | |
| 2174 | 1 | RECEPTION & DISPATCH | A40ACMNT001 | COMPUTER | A | ACER | 14000 | 30/04/2020 |
| 2175 | 2 | RECEPTION & DISPATCH | A40ICPU001 | CPU | A | I BALL | 14000 | 30/04/2020 |
| 2176 | 3 | RECEPTION & DISPATCH | A40DLPTP001 | LAPTOP | A | DELL | 16500 | 30/04/2020 |
| 2177 | 4 | RECEPTION & DISPATCH | A40DLPTP002 | LAPTOP | A | DELL | 16500 | 30/04/2020 |
| 2178 | 5 | RECEPTION & DISPATCH | A40NUPS001 | UPS | A | NEKONX | 8000 | 28/04/2020 |
| 2179 | 6 | RECEPTION & DISPATCH | A40TKXRXMACH001 | XEROX MACHINE | A | TASKALFA 30 | 35000 | 31/05/2020 |
| 2180 | 7 | RECEPTION & DISPATCH | A40PSNTELE001 | TELEPHONE | A | PANASONIC | 800 | 29/04/2020 |
| 2181 | 8 | RECEPTION & DISPATCH | A40PSNTELE002 | TELEPHONE | A | PANASONIC | 800 | 29/04/2020 |
| 2182 | 9 | RECEPTION & DISPATCH | A40PSNTELE003 | TELEPHONE | A | PANASONIC | 800 | 29/04/2020 |
| 2183 | 10 | RECEPTION & DISPATCH | A40PSNTELE004 | TELEPHONE | A | PANASONIC | 800 | 29/04/2020 |

Principal
RIDDHI VINAYAK COLLEGE OF NURSING (R/HSPCT),
 Nallasopara (W), Dist. Palghar 401 203.



TRUE COPY

| | | | | | | | | |
|------|----|----------------------|-----------------|-----------------|---|-----------|-------|------------|
| 2184 | 12 | RECEPTION & DISPATCH | A40PSNTELE005 | TELEPHONE | A | PANASONIC | 800 | 29/04/2020 |
| 2185 | 13 | RECEPTION & DISPATCH | A40XCHRBLK001 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 2186 | 14 | RECEPTION & DISPATCH | A40XCHRBLK002 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 2187 | 15 | RECEPTION & DISPATCH | A40XCHRBLK003 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 2188 | 16 | RECEPTION & DISPATCH | A40XCHRBLK004 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 2189 | 17 | RECEPTION & DISPATCH | A40XCHRBLK005 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 2190 | 18 | RECEPTION & DISPATCH | A40XCHRBLK006 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 2191 | 19 | RECEPTION & DISPATCH | A40WEPCPMACH001 | COUPAN MACHINE | A | WEP | 4500 | 06/05/2020 |
| 2192 | 20 | RECEPTION & DISPATCH | A40XFAN001 | FAN | B | | 1700 | 24/06/2020 |
| 2193 | 21 | RECEPTION & DISPATCH | A40XFAN002 | FAN | B | | 1700 | 24/06/2020 |
| 2194 | 22 | RECEPTION & DISPATCH | A40XFAN003 | FAN | B | | 1700 | 24/06/2020 |
| 2195 | 23 | RECEPTION & DISPATCH | A40XFAN004 | FAN | B | | 1700 | 24/06/2020 |
| 2196 | 24 | RECEPTION & DISPATCH | A40XNTBD001 | NOTICE BOARD | C | | 1200 | 20/07/2020 |
| 2197 | | | | | | | | |
| 2198 | | | MEDICAILEM | | | | | |
| 2199 | 25 | MEDICAILEM | A40ACMNT001 | COMPUTER | A | ACER | 14000 | 30/04/2020 |
| 2200 | 26 | MEDICAILEM | A40ACPU001 | CPU | A | ACER | 14000 | 30/04/2020 |
| 2201 | 27 | MEDICAILEM | A40HPPTR001 | PRINTER | A | HP | 8000 | 22/04/2020 |
| 2202 | 28 | MEDICAILEM | A40PSNTELE001 | TELEPHONE | A | PANASONIC | 800 | 29/04/2020 |
| 2203 | 29 | MEDICAILEM | A40DAC001 | AIR CONDITIONER | A | DAIKIN | 45000 | 04/11/2020 |
| 2204 | 30 | MEDICAILEM | A40XCBP001 | CUPBOARD | C | | 9500 | 07/11/2020 |
| 2205 | 31 | MEDICAILEM | A40XCBP002 | CUPBOARD | C | | 9500 | 07/11/2020 |
| 2206 | 32 | MEDICAILEM | A40XCBP003 | CUPBOARD | C | | 9500 | 07/11/2020 |
| 2207 | 33 | MEDICAILEM | A40XCHRBLK001 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 2208 | 34 | MEDICAILEM | A40XCHRBLK002 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 2209 | 35 | MEDICAILEM | A40XCHRBLK003 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 2210 | 36 | MEDICAILEM | A40XCHRPLT001 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 2211 | 37 | MEDICAILEM | A40XCHRPLT002 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 2212 | 38 | MEDICAILEM | A40XCHRPLT003 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 2213 | 39 | MEDICAILEM | A40XFAN001 | FAN | B | | 1700 | 24/06/2020 |



Principal
 RIDDHI VINAYAK COLLEGE OF
 NURSING (RVHSPCT),
 Nallasopara (Wj, Dist. Palghar 401 203)

TRUE COPY

| | | | | | | | | |
|------|----|-------------|---------------|---------------|---|------------|-------|------------|
| 2215 | 7 | MEDICAILM | A40AUPS001 | UPS | A | ARTIS | 8000 | 28/04/2020 |
| 2216 | 8 | MEDICAILM | A40HPSNR001 | SCANNER | A | HP | 8000 | 22/04/2020 |
| 2217 | | | | | | | | |
| 2218 | | | TYPIST ROOM | | | | | |
| 2219 | 1 | TYPIST RM | A40ACMNT001 | COMPUTER | A | ACER | 14000 | 30/04/2020 |
| 2220 | 2 | TYPIST RM | A40ACPU001 | CPU | A | ACER | 14000 | 30/04/2020 |
| 2221 | 3 | TYPIST RM | A40DLPTP001 | LAPTOP | A | DELL | 16500 | 30/04/2020 |
| 2222 | 4 | TYPIST RM | A40DLPTP002 | LAPTOP | A | DELL | 16500 | 30/04/2020 |
| 2223 | 5 | TYPIST RM | A40HPPTR001 | PRINTER | A | HP | 8000 | 22/04/2020 |
| 2224 | 6 | TYPIST RM | A40AUPS001 | UPS | A | ARTIS | 14000 | 30/04/2020 |
| 2225 | 7 | TYPIST RM | A40KYXRXMACHI | XEROX MACHINE | A | XEROX CERB | 35000 | 31/05/2020 |
| 2226 | 8 | TYPIST RM | A40PSNTELE001 | TELEPHONE | A | PANASONIC | 800 | 29/04/2020 |
| 2227 | 9 | TYPIST RM | A40XCHRBLK001 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 2228 | 10 | TYPIST RM | A40XCHRBLK002 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 2229 | 11 | TYPIST RM | A40XCHRBLK003 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 2230 | 12 | TYPIST RM | A40XFAN001 | FAN | A | | 1700 | 24/06/2020 |
| 2231 | 13 | TYPIST RM | A40XBL001 | TABLE | C | | 8000 | 07/12/2020 |
| 2232 | 14 | TYPIST RM | A40XBL002 | TABLE | C | | 8000 | 07/12/2020 |
| 2233 | 15 | TYPIST RM | A40XBL003 | TABLE | C | | 8000 | 07/12/2020 |
| 2234 | | | | | | | | |
| 2235 | | | RVMH OFFICE | | | | | |
| 2236 | 1 | RVMH OFFICE | A40ACMNT001 | COMPUTER | A | ACER | 14000 | 30/04/2020 |
| 2237 | 2 | RVMH OFFICE | A40ACMNT002 | COMPUTER | A | ACER | 14000 | 30/04/2020 |
| 2238 | 3 | RVMH OFFICE | A40ACMNT003 | COMPUTER | A | ACER | 14000 | 30/04/2020 |
| 2239 | 4 | RVMH OFFICE | A40ACMNT004 | COMPUTER | A | ACER | 14000 | 30/04/2020 |
| 2240 | 5 | RVMH OFFICE | A40ACMNT005 | COMPUTER | A | ACER | 14000 | 30/04/2020 |
| 2241 | 6 | RVMH OFFICE | A40LGCMTNT001 | COMPUTER | A | LG | 14000 | 30/04/2020 |
| 2242 | 7 | RVMH OFFICE | A40LGCMTNT002 | COMPUTER | A | LG | 14001 | 30/04/2020 |
| 2243 | 8 | RVMH OFFICE | A40LGCMTNT003 | COMPUTER | A | LG | 14002 | 30/4/2020 |
| 2244 | 9 | RVMH OFFICE | A40LGCPU001 | CPU | A | LG | 14000 | 30/04/2020 |
| 2245 | 10 | RVMH OFFICE | A40LGCPU002 | CPU | A | LG | 14000 | 30/04/2020 |
| 2246 | 11 | RVMH OFFICE | A40LGCPU003 | CPU | A | LG | 14000 | 30/04/2020 |
| 2247 | 12 | RVMH OFFICE | A40LGCPU004 | CPU | A | LG | 14000 | 30/04/2020 |
| 2248 | 13 | RVMH OFFICE | A40LGCPU005 | CPU | A | LG | 14000 | 30/04/2020 |
| 2249 | 14 | RVMH OFFICE | A40LGCPU006 | CPU | A | LG | 14000 | 30/04/2020 |
| 2250 | 15 | RVMH OFFICE | A40IBCPU007 | CPU | A | I BALL | 14000 | 30/04/2020 |
| 2251 | 16 | RVMH OFFICE | A40AUPS001 | UPS | A | ARTIS | 5600 | 28/04/2020 |
| 2252 | 17 | RVMH OFFICE | A40AUPS002 | UPS | A | ARTIS | 5600 | 28/04/2020 |
| 2253 | 18 | RVMH OFFICE | A40NUPS001 | UPS | A | NUBERIC | 8000 | 28/04/2020 |
| 2254 | 19 | RVMH OFFICE | A40NUPS002 | UPS | A | NUBERIC | 8000 | 28/04/2020 |
| 2255 | 20 | RVMH OFFICE | A40NUPS003 | UPS | A | NUBERIC | 8000 | 28/04/2020 |
| 2256 | 21 | RVMH OFFICE | A40DLPTP001 | LAPTOP | A | DELL | 16500 | 30/04/2020 |
| 2257 | 22 | RVMH OFFICE | A40DLPTP002 | LAPTOP | A | DELL | 16500 | 30/04/2020 |
| 2258 | 23 | RVMH OFFICE | A40DLPTP003 | LAPTOP | A | DELL | 16500 | 30/04/2020 |
| 2259 | 24 | RVMH OFFICE | A40DLPTP004 | LAPTOP | A | DELL | 16500 | 30/04/2020 |
| 2260 | 25 | RVMH OFFICE | A40DLPTP005 | LAPTOP | A | DELL | 16500 | 30/04/2020 |
| 2261 | 26 | RVMH OFFICE | A40HPLPTP001 | LAPTOP | A | HP | 16500 | 30/04/2020 |
| 2262 | 27 | RVMH OFFICE | A40HPLPTP002 | LAPTOP | A | HP | 16500 | 30/04/2020 |
| 2263 | 28 | RVMH OFFICE | A40PSNTELE001 | TELEPHONE | A | PANASONIC | 800 | 29/04/2020 |
| 2264 | 29 | RVMH OFFICE | A40PSNTELE002 | TELEPHONE | A | PANASONIC | 800 | 29/04/2020 |
| 2265 | 30 | RVMH OFFICE | A40PSNTELE003 | TELEPHONE | A | PANASONIC | 800 | 29/04/2020 |
| 2266 | 31 | RVMH OFFICE | A40PSNTELE004 | TELEPHONE | A | PANASONIC | 800 | 29/04/2020 |
| 2267 | 32 | RVMH OFFICE | A40PSNTELE005 | TELEPHONE | A | PANASONIC | 800 | 29/04/2020 |
| 2268 | 33 | RVMH OFFICE | A40PSNTELE006 | TELEPHONE | A | PANASONIC | 800 | 29/04/2020 |
| 2269 | 34 | RVMH OFFICE | A40PSNTELE007 | TELEPHONE | A | PANASONIC | 800 | 29/04/2020 |



RIDDHI VINAYAK COLLEGE OF NURSING (BVHSFCT), Nallasopara (W), Dist. Palghar - 401203
Principal

| | | | | | | | |
|------|----|---------------------------|---------------|---|-----------|-------|------------|
| 2270 | 35 | RVMH OFFICE A40RFPN1001 | PRINTER | A | HP | 8000 | 22/04/2020 |
| 2271 | 36 | RVMH OFFICE A40HPSNR001 | SCANNER | A | HP | 8000 | 07/12/2020 |
| 2272 | 37 | RVMH OFFICE A40XTBL001 | TABLE | C | | 8000 | 07/12/2020 |
| 2273 | 38 | RVMH OFFICE A40XTBL002 | TABLE | C | | 8000 | 07/12/2020 |
| 2274 | 39 | RVMH OFFICE A40XTBL003 | TABLE | C | | 8000 | 07/12/2020 |
| 2275 | 40 | RVMH OFFICE A40XTBL004 | TABLE | C | | 8000 | 07/12/2020 |
| 2276 | 41 | RVMH OFFICE A40XTBL005 | TABLE | C | | 8000 | 07/12/2020 |
| 2277 | 42 | RVMH OFFICE A40XTBL006 | TABLE | C | | 8000 | 07/12/2020 |
| 2278 | 43 | RVMH OFFICE A40XTBL007 | TABLE | C | | 8000 | 07/12/2020 |
| 2279 | 44 | RVMH OFFICE A40XTBL008 | TABLE | C | | 8000 | 07/12/2020 |
| 2280 | 45 | RVMH OFFICE A40XTBL009 | TABLE | C | | 8000 | 07/12/2020 |
| 2281 | 46 | RVMH OFFICE A40XCBP001 | CUPBOARD | C | | 9500 | 07/11/2020 |
| 2282 | 47 | RVMH OFFICE A40XCBP002 | CUPBOARD | C | | 9500 | 07/11/2020 |
| 2283 | 48 | RVMH OFFICE A40XCBP003 | CUPBOARD | C | | 9500 | 07/11/2020 |
| 2284 | 49 | RVMH OFFICE A40XCBP004 | CUPBOARD | C | | 9500 | 07/11/2020 |
| 2285 | 50 | RVMH OFFICE A40XCBP005 | CUPBOARD | C | | 9500 | 07/11/2020 |
| 2286 | 51 | RVMH OFFICE A40XCBP006 | CUPBOARD | C | | 9500 | 07/11/2020 |
| | 52 | RVMH OFFICE A40XCBP007 | CUPBOARD | C | | 9500 | 07/11/2020 |
| | 53 | RVMH OFFICE A40XCBP008 | CUPBOARD | C | | 9500 | 07/11/2020 |
| 2287 | 54 | RVMH OFFICE A40XCBP009 | CUPBOARD | C | | 9500 | 07/11/2020 |
| 2290 | 55 | RVMH OFFICE A40XBD001 | BENCH DESK | C | | 4500 | 07/09/2020 |
| 2291 | 56 | RVMH OFFICE A40XDRWR001 | DRAWER | C | | 4500 | 13/07/2020 |
| 2292 | 57 | RVMH OFFICE A40XDRWR002 | DRAWER | C | | 12000 | 25/07/2020 |
| 2293 | 58 | RVMH OFFICE A40XLKR001 | LOCKER | C | | 1500 | 07/10/2020 |
| 2294 | 59 | RVMH OFFICE AXCHRBLK001 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 2295 | 60 | RVMH OFFICE AXCHRBLK002 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 2296 | 61 | RVMH OFFICE AXCHRBLK003 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 2297 | 62 | RVMH OFFICE AXCHRBLK004 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 2298 | 63 | RVMH OFFICE AXCHRBLK005 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 2299 | 64 | RVMH OFFICE AXCHRBLK006 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 2300 | 65 | RVMH OFFICE AXCHRBLK007 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 2301 | 66 | RVMH OFFICE AXCHRBLK008 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 2302 | 67 | RVMH OFFICE AXCHRBLK009 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 2303 | 68 | RVMH OFFICE AXCHRBLK010 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 04 | 69 | RVMH OFFICE AXCHRBLK011 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| | 70 | RVMH OFFICE AXCHRBLK012 | CHAIR BLACK | C | | 525 | 07/10/2020 |
| 2304 | 71 | RVMH OFFICE A40XCHRPLT001 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 2307 | 72 | RVMH OFFICE A40XCHRPLT002 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 2308 | 73 | RVMH OFFICE A40XCHRPLT003 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 2309 | 74 | RVMH OFFICE A40XCHRPLT004 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 2310 | 75 | RVMH OFFICE A40XCHRPLT005 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 2311 | 76 | RVMH OFFICE A40XCHRPLT006 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 2312 | 77 | RVMH OFFICE A40XCHRPLT007 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 2313 | 78 | RVMH OFFICE A40XCHRPLT008 | CHAIR PLASTIC | C | | 15300 | 24/06/2020 |
| 2314 | 79 | RVMH OFFICE A40XFAN001 | FAN 9 | B | | 2100 | 29/06/2020 |
| 2315 | 80 | RVMH OFFICE A40XTL001 | TUBE LIGHT | B | | | |
| 2316 | | | | | | | |
| 2317 | | | | | | | |
| 2318 | | HELP DESK | | | | 24000 | 07/12/2020 |
| 2319 | | HELP DESK A40XTBL001 | TABLE | | | 800 | 29/04/2020 |
| 2320 | | HELP DESK A40PSNTELE001 | TELEPHONE | A | PANASONIC | 1500 | 07/10/2020 |
| 2321 | | HELP DESK A40XCHRBLK001 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 2322 | | HELP DESK A40XCHRBLK002 | CHAIR BLACK | C | | 200 | 07/04/2020 |
| 2323 | | HELP DESK A40ARVMHW001 | WATCH | B | RVMH | 1200 | 20/07/2020 |

[Handwritten Signature]


Principal

RIDDHI VINAYAK COLLEGE OF NURSING (RVVSPCT), Nallasopara (W), Dist. Palghar 401 203



Principal

RIDDHI VINAYAK COLLEGE OF NURSING (RVVSPCT), Nallasopara (W), Dist. Palghar 401 203



TRUE COPY

| | | | | | | | | |
|------|----|------------|-----------------|-------------------|---|-------------|--------|------------|
| 2325 | | | | | | | | |
| 2326 | | | GROUND FLOOR | | | | | |
| 2327 | 1 | GF | A40XFAN001 | FAN 65 | B | | 110500 | 24/06/2020 |
| 2328 | 2 | GF | A40XTL001 | TUBE LIGHT 136 | B | | 20400 | 29/06/2020 |
| 2329 | 3 | GF | A40XPL001 | PANEL LIGHT 63 | B | | 56700 | 29/06/2020 |
| 2330 | 4 | GF | A40XCTL001 | 2*2 LIGHT 6 | B | | 2500 | 29/06/2020 |
| 2331 | 5 | GF | A40LGTV001 | TELEVISION | A | LG | 35000 | 15/05/2020 |
| 2332 | 6 | GF | A40VTV001 | TELEVISION | A | WISE | 35000 | 15/05/2020 |
| 2333 | 7 | GF | A40XBD001 | BENCH DESK 57 | C | | 541500 | 07/09/2020 |
| 2334 | 8 | GF | A40XBS001 | BENCH SOFA 8 | C | | 48000 | 07/09/2020 |
| 2335 | 9 | GF | A40XSCBP001 | SMALL CUPBOARD | C | | 4500 | 07/11/2020 |
| 2336 | 10 | GF | A40XWT001 | WATCH | B | | 200 | 07/04/2020 |
| 2337 | 11 | GF | A40XWHCHR001 | WHEEL CHAIR 5 | C | | 27500 | 21/07/2020 |
| 2338 | 12 | GF | A40SSTCHR001 | STRETCHER 2 | C | STRYKER | 24000 | 21/07/2020 |
| 2339 | 13 | GF | A40XARCOMP001 | AIR COMPRESSOR | A | | 258000 | 16/05/2020 |
| 2340 | 14 | GF | A40PWRGRT001 | GENERATOR 160 KVA | A | POWERIC | 414889 | 30/05/2020 |
| 2341 | 15 | GF | A40PWRGRT002 | GENERATOR 160 KVA | A | POWERIC | 414889 | 30/05/2020 |
| 2342 | 16 | GF | A40PWRGRT003 | GENERATOR 15KVA | A | POWERIC | 250000 | 30/05/2020 |
| 2343 | 17 | GF | A40KGRT001 | GENERATOR 30 KVA | A | KOEL | 500000 | 30/05/2020 |
| 2344 | 18 | GF | A40XKCBP001 | KEY CUPBOARD | C | | 9000 | 07/11/2020 |
| 2345 | 19 | GF | A40XKCBP001 | NEWS PAPER STAND | C | | 4500 | 07/11/2020 |
| 2346 | | | | | | | | |
| 2347 | | | GF KITCHEN | | | | | |
| 2348 | 1 | GF KITCHEN | A40XEHMACH001 | WATER HOT MACHINE | A | | 18000 | 06/06/2020 |
| 2349 | 2 | GF KITCHEN | A40DOMACH001 | OVEN MACHINE | A | DAEVOD | 15000 | 06/07/2020 |
| 2350 | 3 | GF KITCHEN | A40XFAN001 | FAN 4 | B | | 6800 | 24/06/2020 |
| 2351 | 4 | GF KITCHEN | A40XSCPB001 | STORE CUPBOARD | C | | 4500 | 07/11/2020 |
| 2352 | 5 | GF KITCHEN | A40XCBP001 | CUPBOARD | C | | 9500 | 07/11/2020 |
| 2353 | 6 | GF KITCHEN | A40XCBP002 | CUPBOARD | C | | 9500 | 07/11/2020 |
| 2354 | 7 | GF KITCHEN | AVWT001 | WATCH | B | VICTOR | 200 | 07/04/2020 |
| 2355 | 8 | GF KITCHEN | A40XCHRPLT001 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 2356 | | | | | | | | |
| 2357 | | | PANTRY | | | | | |
| 2358 | 1 | PANTRY | A40PFRG0001 | REFRIGERATOR | A | PEPCICO | 27000 | 14/05/2020 |
| 2359 | 2 | PANTRY | A40PETEEMACH001 | TEE MACHINE | A | PRIME ENTER | 18000 | 06/08/2020 |
| 2360 | 3 | PANTRY | A40MSODAMACH001 | SODA MACHINE | A | MATERX | 115000 | 06/09/2020 |
| 2361 | 4 | PANTRY | A40XTBL001 | TABLE 6 | C | | 48000 | 07/12/2020 |
| 2362 | 5 | PANTRY | A40STBL001 | STEEL TABLE | C | | 12000 | 07/12/2020 |
| 2363 | 6 | PANTRY | A40STBL002 | STEEL TABLE | C | | 12000 | 07/12/2020 |
| 2364 | 7 | PANTRY | A40XFAN001 | FAN | B | | 1700 | 24/06/2020 |
| 2365 | 8 | PANTRY | A40XFAN002 | FAN | B | | 1700 | 24/06/2020 |
| 2366 | 9 | PANTRY | A40XFAN003 | FAN | B | | 1700 | 24/06/2020 |
| 2367 | 10 | PANTRY | A40XCBP001 | CUPBOARD | C | | 9500 | 07/11/2020 |
| 2368 | 11 | PANTRY | A40XCHRBLK001 | CHAIR BLACK | C | | 1500 | 07/10/2020 |
| 2369 | 12 | PANTRY | A40XCHRPLT001 | CHAIR PLASTIC | C | | 525 | 07/10/2020 |
| 2370 | 13 | PANTRY | A40WESTFRG001 | REFRIGERATOR | A | WESTREN | 32000 | 14/05/2020 |
| 2371 | 14 | PANTRY | A40BLFRG001 | REFRIGERATOR | A | BLUE STAR | 27500 | 14/05/2020 |
| 2372 | 15 | PANTRY | A40BLFRG002 | REFRIGERATOR | A | | 22000 | 14/05/2020 |
| 2373 | | | | | | | | |
| 2374 | | | DR CATEEN | | | | | |
| 2375 | 1 | DR CANTEEN | A82DAC001 | AIR CONDITIONER | A | DAIKIN | 45000 | 04/11/2020 |
| 2376 | 2 | DR CANTEEN | A82XLTL001 | LUNCH TABLE | C | | 8000 | 07/12/2020 |
| 2377 | 3 | DR CANTEEN | A82XLTL002 | LUNCH TABLE | C | | 8000 | 07/12/2020 |
| 2378 | 4 | DR CANTEEN | A82XLTL003 | LUNCH TABLE | C | | 8000 | 07/12/2020 |
| 2379 | 5 | DR CANTEEN | A82XLTL004 | LUNCH TABLE | C | | 8000 | 07/12/2020 |

RIDDHI VINA
NURSING
Nallasopara (V)



| | | | | | | | |
|------|-------------|---------------------------|-------------------|---|-----------|--------|------------|
| 2380 | DR CANTEEN | A82XLTL005 | LUNCH TABLE | C | | 8000 | 07/12/2020 |
| 2381 | DR CANTEEN | A82XCHRPLT001 | CHAIR PLASTIC 20 | C | | 10500 | 07/10/2020 |
| 2382 | DR CANTEEN | A82OFAN001 | FAN | B | ORIENT | 1700 | 24/06/2020 |
| 2383 | DR CANTEEN | A82OFAN002 | FAN | B | ORIENT | 1700 | 24/06/2020 |
| 2384 | DR CANTEEN | A82OFAN003 | FAN | B | ORIENT | 1700 | 24/06/2020 |
| 2385 | DR CANTEEN | A82OFAN004 | FAN | B | ORIENT | 1700 | 24/06/2020 |
| 2386 | DR CANTEEN | A82XPL001 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2387 | DR CANTEEN | A82XPL002 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2388 | DR CANTEEN | A82XPL003 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2389 | DR CANTEEN | A82XPL004 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2390 | | | | | | | |
| 2391 | | CANTEEN | | | | | |
| 2392 | CANTEEN | A82XLTL001 | LUNCH TABLE 11 | C | | 88000 | 07/12/2020 |
| 2393 | CANTEEN | A82XCHRPLT001 | CHAIR PLASTIC 21 | C | | 11025 | 07/10/2020 |
| 2394 | CANTEEN | A82OFAN001 | FAN 12 | B | | 20400 | 24/06/2020 |
| 2395 | CANTEEN | A82XPL001 | PANEL LIGHT 12 | B | | 10800 | 29/06/2020 |
| 2396 | | | | | | | |
| 2397 | | FLOWERES SHOP | | | | | |
| 2398 | FLOWERES S | A82EAC001 | AIR CONDITIONER | A | ETA | 28000 | 04/11/2020 |
| 2399 | FLOWERES S | A82XDTBL001 | LUNCH TABLE | C | | 8000 | 07/12/2020 |
| 2400 | FLOWERES S | A82XDTBL002 | LUNCH TABLE | C | | 8000 | 07/12/2020 |
| 2401 | FLOWERES S | A82XDTBL003 | LUNCH TABLE | C | | 8000 | 07/12/2020 |
| 2402 | FLOWERES S | A82XDTBL004 | LUNCH TABLE | C | | 8000 | 07/12/2020 |
| 2403 | FLOWERES S | A82XDTBL005 | LUNCH TABLE | C | | 8000 | 07/12/2020 |
| 2404 | FLOWERES S | A82XCHRPLT001 | CHAIR PLASTIC 14 | C | | 7350 | 07/10/2020 |
| 2405 | FLOWERES S | A82XFAN001 | FAN 4 | B | | 6800 | 24/06/2020 |
| 2406 | FLOWERES S | A82XTL001 | TUBE LIGHT 6 | B | | 900 | 29/06/2020 |
| 2407 | | | | | | | |
| 2408 | | BANK | | | | | |
| 2409 | BANK | A83XWDBD001 | WOODEN BED 5 | C | | 47500 | 15/07/2020 |
| 2410 | BANK | A83XPTBD001 | 1 KEY BED | C | | 8330 | 07/08/2020 |
| 2411 | BANK | A83XBD001 | BENCH DESK2 | C | | 9000 | 07/09/2020 |
| 2412 | BANK | A83XFAN001 | FAN 3 | B | | 5100 | 24/06/2020 |
| 2413 | BANK | A83XTL001 | TUBE LIGHT 8 | B | | 1200 | 29/06/2020 |
| 2414 | | | | | | | |
| 2415 | | SERVER ROOM | | | | | |
| 2416 | SERVER ROC | A84ETAAC001 | AIR CONDITIONER | A | ETA | 28000 | 04/11/2020 |
| 2417 | SERVER ROC | A84IBAMSER001 | SERVER UNIT | A | IBAM | 400000 | 06/11/2020 |
| 2418 | SERVER ROC | A84IBAMSER002 | SERVER UNIT SMALL | A | IBAM | 45000 | 06/11/2020 |
| 2419 | SERVER ROC | A84PSNTDA001 | TDA100 | A | PANASONIC | 35000 | 29/05/2020 |
| 2420 | SERVER ROC | A84CPDVR001 | DVR 3 | A | CP PLUS | 40000 | 06/12/2020 |
| 2421 | SERVER ROC | A84AAMP001 | AMPLIFIER MACHINE | A | AHUJA | 7500 | 13/06/2020 |
| 2422 | SERVER ROC | A84LGCMT001 | COMPUTER | A | LG | 26500 | 30/04/2020 |
| 2423 | SERVER ROC | A84NUPS001 | UPS | A | NUBERIC | 35000 | 28/04/2020 |
| 2424 | SERVER ROC | A84XDTBL001 | DESK TABLE | C | | 8000 | 07/12/2020 |
| 2425 | SERVER ROC | A84XDTBL002 | DESK TABLE | C | | 8000 | 07/12/2020 |
| 2426 | SERVER ROC | A84XDTBL003 | DESK TABLE | C | | 8000 | 07/12/2020 |
| 2427 | SERVER ROC | A84XDTBL004 | DESK TABLE | C | | 8000 | 07/12/2020 |
| 2428 | SERVER ROC | A84XFAN001 | FAN 4 | B | | 6800 | 24/06/2020 |
| 2429 | SERVER ROC | A84XTL001 | TUBE LIGHT 10 | B | | 1500 | 29/06/2020 |
| 2430 | SERVER ROC | A84XRUNDSTL001 | ROUND STOOL 5 | C | | 1275 | 16/07/2020 |
| 2431 | | | | | | | |
| 2432 | | 1 ST FLOOR AHU ROOM C LAB | | | | | |
| 2433 | 1 FLR AHU R | A85XWDBD001 | WOODEN BED | C | | 9500 | 15/07/2020 |
| 2434 | 1 FLR AHU R | A85XWDBD002 | WOODEN BED | C | | 9500 | 15/07/2020 |



Principal
RIDDHIVINAYAK COLLEGE OF NURSING (RVNSPCT), Nallasopara (W), Dist. Palghar 401 203

[Handwritten Signature]

Principal
RIDDHIVINAYAK COLLEGE OF NURSING (RVNSPCT), Nallasopara (W), Dist. Palghar 401 203

Principal

TRUE COPY

| | | | | | | | |
|------|-------------|--------------------------------|------------------|---|-----|---------|------------|
| 2435 | 1 FLR AHU R | A85XCBD001 | CUPBOARD | C | | 9500 | 07/11/2020 |
| 2436 | 1 FLR AHU R | A85XDK001 | TABLE | C | | 8000 | 07/12/2020 |
| 2437 | 1 FLR AHU R | A85XTL001 | TUBE LIGHT | B | | 150 | 29/06/2020 |
| 2438 | 1 FLR AHU R | A85XTL002 | TUBE LIGHT | B | | 150 | 29/06/2020 |
| 2439 | 1 FLR AHU R | A85XFAN001 | FAN | B | | 1700 | 24/06/2020 |
| 2440 | 1 FLR AHU R | A85XFAN002 | FAN | B | | 1700 | 24/06/2020 |
| 2441 | | | | | | | |
| 2442 | | 1 ST FLOOR AHU ROOM STAIR CASE | | | | | |
| 2443 | 1 FLR AHU R | A85XWDBD001 | WOODEN BED | C | | 9500 | 15/07/2020 |
| 2444 | 1 FLR AHU R | A85XWDBD002 | WOODEN BED | C | | 9500 | 15/07/2020 |
| 2445 | 1 FLR AHU R | A85XWDBD003 | WOODEN BED | C | | 9500 | 15/07/2020 |
| 2446 | 1 FLR AHU R | A85XWDBD004 | WOODEN BED | C | | 9500 | 15/07/2020 |
| 2447 | 1 FLR AHU R | A85XFAN001 | FAN | B | | 9500 | 24/06/2020 |
| 2448 | 1 FLR AHU R | A85XFAN002 | FAN | B | | 1700 | 24/06/2020 |
| 2449 | 1 FLR AHU R | A85XTL001 | TUBE LIGHT | B | | 1700 | 29/06/2020 |
| 2450 | 1 FLR AHU R | A85XTL002 | TUBE LIGHT | B | | 150 | 29/06/2020 |
| 2451 | 1 FLR AHU R | A85XCHRPLT001 | CHAIR PLASTIC | C | | 150 | 07/10/2020 |
| 2452 | 1 FLR AHU R | A85XCHRPLT002 | CHAIR PLASTIC | C | | 525 | 07/10/ |
| 2453 | | | | | | | |
| 2454 | | GROUND FLOOR ELECTRIC ROOM 1 | | | | | |
| 2455 | GRD FR ELE | A86XMPU001 | MAIN PANEL UNIT | A | | 600000 | 06/01/2020 |
| 2456 | GRD FR ELE | A86XCOU001 | CHANGE OVER UNIT | A | L&N | 200000 | 06/01/2020 |
| 2457 | GRD FR ELE | A86XCOU002 | CHANGE OVER UNIT | A | L&N | 200000 | 06/01/2020 |
| 2458 | GRD FR ELE | A86XTL001 | TUBE LIGHT | B | | 150 | 29/06/2020 |
| 2459 | GRD FR ELE | A86XTL002 | TUBE LIGHT | B | | 150 | 29/06/2020 |
| 2460 | GRD FR ELE | A86XTL003 | TUBE LIGHT | B | | 150 | 29/06/2020 |
| 2461 | GRD FR ELE | A86XFAN001 | FAN | B | | 1700 | 24/06/2020 |
| 2462 | | | | | | | |
| 2463 | | GROUND FLOOR ELECTRIC ROOM 2 | | | | | |
| 2464 | GRD FR ELE | A86XMPU001 | MAIN UNIT PANEL | A | | 600000 | 06/01/2020 |
| 2465 | GRD FR ELE | A86UPSOPP001 | UPS OUTPUT PANEL | A | | 400000 | 28/04/2020 |
| 2466 | GRD FR ELE | A86XFAN001 | FAN | B | | 1700 | 24/06/2020 |
| 2467 | GRD FR ELE | A86XTL001 | TUBE LIGHT | B | | 150 | 29/06/2020 |
| 2468 | GRD FR ELE | A86XTL002 | TUBE LIGHT | B | | 150 | 29/06/2020 |
| 2469 | GRD FR ELE | A86XCBD001 | CUPBOARD | C | | 9500 | 07/11/ |
| 2470 | GRD FR ELE | A86XCHRPLT001 | CHAIR PLASTIC | C | | 525 | 07/10/ |
| 2471 | GRD FR ELE | A6XLDRO01 | LADDER | C | | 3500 | 28/07/2020 |
| 2472 | | | | | | | |
| 2473 | | 1 ST FLOOR ELECTRIC ROOM | | | | | |
| 2474 | 1 FR ELE RM | A86XMPU001 | MAIN PANEL UNIT | A | | 1000000 | 06/01/2020 |
| 2475 | 1 FR ELE RM | A86XFAN001 | FAN | B | | 1700 | 24/06/2020 |
| 2476 | 1 FR ELE RM | A86XFAN001 | FAN | B | | 1700 | 24/06/2020 |
| 2477 | 1 FR ELE RM | A86XTL001 | TUBE LIGHT | B | | 150 | 29/06/2020 |
| 2478 | | | | | | | |
| 2479 | | 2ND FLOOR ELECTRIC ROOM | | | | | |
| 2480 | 2 FR ELE RM | A86XMPU001 | MAIN PANEL UNIT | A | | 1000000 | 06/01/2020 |
| 2481 | 2 FR ELE RM | A86XFAN001 | FAN | B | | 170 | 24/06/2020 |
| 2482 | 2 FR ELE RM | A86XFAN002 | FAN | B | | 170 | 24/06/2020 |
| 2483 | 2 FR ELE RM | A86XTL001 | TUBE LIGHT | B | | 150 | 29/06/2020 |
| 2484 | | | | | | | |
| 2485 | | 3RD FLOOR ELECTRIC ROOM | | | | | |
| 2486 | 3 FR ELE RM | A86XMPU001 | MAIN PANEL UNIT | A | | 1000000 | 06/01/2020 |
| 2487 | 3 FR ELE RM | A86XFAN001 | FAN | B | | 1700 | 24/06/2020 |




RIDDHI VINAYAK NURSI
Paikar (W) Paikar 401 203.

| | | | | | | | | |
|------|--|-----------|--------------|---------------------|---|----------|-------|------------|
| 2490 | | | | | | | | |
| 2491 | | | GIFT SHOP | | | | | |
| 2492 | | GIFT SHOP | A87ETAAC001 | AIR CONDITIONER | A | ETA | 28000 | 04/11/2020 |
| 2493 | | GIFT SHOP | A87XFAN001 | FAN | B | | 1700 | 24/06/2020 |
| 2494 | | GIFT SHOP | A87XTL001 | TUBE LIGHT | B | | 150 | 29/06/2020 |
| 2495 | | GIFT SHOP | A87XTL002 | TUBE LIGHT | B | | 150 | 29/06/2020 |
| 2496 | | GIFT SHOP | A87XTL003 | TUBE LIGHT | B | | 150 | 29/06/2020 |
| 2497 | | GIFT SHOP | A87XTL004 | TUBE LIGHT | B | | 150 | 29/06/2020 |
| 2498 | | GIFT SHOP | A87XTL005 | TUBE LIGHT | B | | 150 | 29/06/2020 |
| 2499 | | GIFT SHOP | A87XTL006 | TUBE LIGHT | B | | 150 | 29/06/2020 |
| 2500 | | GIFT SHOP | A87XWMCBD01 | WALL MOUNT CUPBOARD | C | | 25000 | 07/11/2020 |
| 2501 | | GIFT SHOP | A87XSCBD001 | CUPBOARD SMALL | C | | 4500 | 07/11/2020 |
| 2502 | | GIFT SHOP | A87XSCBD002 | CUPBOARD SMALL | C | | 4500 | 07/11/2020 |
| 2503 | | GIFT SHOP | A87XFLRPT001 | FLOWER POT 8 | C | | 7600 | 14/07/2020 |
| 2504 | | GIFT SHOP | A87XDTBL | DINING TABLE | C | | 6500 | 07/12/2020 |
| 2505 | | | | | | | | |
| 2506 | | | ROOM NO 301 | | | | | |
| 2507 | | ROOM NO 3 | A40HRPTBD001 | PATIENT BED | C | HILL ROM | 18000 | 21/07/2020 |
| 2508 | | ROOM NO 3 | A40XWDBD001 | WOODEN BED | C | | 9500 | 15/07/2020 |
| 2509 | | ROOM NO 3 | A40VTV001 | TELEVISION | A | WISE | 7000 | 15/05/2020 |
| 2510 | | ROOM NO 3 | A40VFRG001 | REFRIGERATOR | A | VIDEOCON | 9000 | 14/05/2020 |
| 2511 | | ROOM NO 3 | A40EAC001 | AIR CONDITIONER | A | ETA | 28000 | 04/11/2020 |
| 2512 | | ROOM NO 3 | A40XMDTRY001 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 2513 | | ROOM NO 3 | A40XTVTBL001 | TV TABLE | C | | 2200 | 07/12/2020 |
| 2514 | | ROOM NO 3 | A40PFAN001 | FAN | B | POLYCAB | 1700 | 24/06/2020 |
| 2515 | | ROOM NO 3 | A40PFAN002 | FAN | B | POLYCAB | 1700 | 24/06/2020 |
| 2516 | | ROOM NO 3 | A40XPLT001 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2517 | | ROOM NO 3 | A40XPLT002 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2518 | | ROOM NO 3 | A40XPLT003 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2519 | | | | | | | | |
| 2520 | | | ROOM NO 302 | | | | | |
| 2521 | | ROOM NO 3 | A40HRPTBD001 | PATIENT BED | C | HILL ROM | 18000 | 21/07/2020 |
| 2522 | | ROOM NO 3 | A40XWDBD001 | WOODEN BED | C | | 9500 | 15/07/2020 |
| 2523 | | ROOM NO 3 | A40VTV001 | TELEVISION | A | WISE | 7000 | 15/05/2020 |
| 2524 | | ROOM NO 3 | A40VFRG001 | REFRIGERATOR | A | VIDEOCON | 9000 | 14/05/2020 |
| 2525 | | ROOM NO 3 | A40EAC001 | AIR CONDITIONER | A | ETA | 28000 | 04/11/2020 |
| 2526 | | ROOM NO 3 | A40XTVTBL001 | TV TABLE | C | | 2200 | 07/12/2020 |
| 2527 | | ROOM NO 3 | A40PFAN001 | FAN | B | POLYCAB | 1700 | 24/06/2020 |
| 2528 | | ROOM NO 3 | A40PFAN002 | FAN | B | POLYCAB | 1700 | 24/06/2020 |
| 2529 | | ROOM NO 3 | A40XPLT001 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2530 | | ROOM NO 3 | A40XPLT002 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2531 | | ROOM NO 3 | A40XPLT003 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2532 | | | | | | | | |
| 2533 | | | ROOM NO 303 | | | | | |
| 2534 | | ROOM NO 3 | A40HRPTBD001 | PATIENT BED | C | HILL ROM | 18000 | 21/07/2020 |
| 2535 | | ROOM NO 3 | A40XWDBD001 | WOODEN BED | C | | 9500 | 15/07/2020 |
| 2536 | | ROOM NO 3 | A40VTV001 | TELEVISION | A | WISE | 7000 | 15/05/2020 |
| 2537 | | ROOM NO 3 | A40VFRG001 | REFRIGERATOR | A | VIDEOCON | 9000 | 14/05/2020 |
| 2538 | | ROOM NO 3 | A40EAC001 | AIR CONDITIONER | A | ETA | 28000 | 04/11/2020 |
| 2539 | | ROOM NO 3 | A40XMDTRY001 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 2540 | | ROOM NO 3 | A40XTVTBL001 | TV TABLE | C | | 2200 | 07/12/2020 |
| 2541 | | ROOM NO 3 | A40PFAN001 | FAN | B | POLYCAB | 1700 | 24/06/2020 |
| 2542 | | ROOM NO 3 | A40PFAN002 | FAN | B | POLYCAB | 1700 | 24/06/2020 |
| 2543 | | ROOM NO 3 | A40XPLT001 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2544 | | ROOM NO 3 | A40XPLT002 | PANEL LIGHT | B | | 900 | 29/06/2020 |



Principal

RIDDHI VINAYAK COLLEGE OF NURSING
Nallasopara, Palghar



Principal


TRUE COPY

| | | | | | | | | |
|------|-----------|--------------|---------------------|---|----------|-------|------------|--|
| 2490 | | | | | | | | |
| 2491 | | | GIFT SHOP | | | | | |
| 2492 | GIFT SHOP | A87ETAAC001 | AIR CONDITIONER | A | ETA | 28000 | 04/11/2020 | |
| 2493 | GIFT SHOP | A87XFAN001 | FAN | B | | 1700 | 24/06/2020 | |
| 2494 | GIFT SHOP | A87XTL001 | TUBE LIGHT | B | | 150 | 29/06/2020 | |
| 2495 | GIFT SHOP | A87XTL002 | TUBE LIGHT | B | | 150 | 29/06/2020 | |
| 2496 | GIFT SHOP | A87XTL003 | TUBE LIGHT | B | | 150 | 29/06/2020 | |
| 2497 | GIFT SHOP | A87XTL004 | TUBE LIGHT | B | | 150 | 29/06/2020 | |
| 2498 | GIFT SHOP | A87XTL005 | TUBE LIGHT | B | | 150 | 29/06/2020 | |
| 2499 | GIFT SHOP | A87XTL006 | TUBE LIGHT | B | | 150 | 29/06/2020 | |
| 2500 | GIFT SHOP | A87XWMCBD01 | WALL MOUNT CUPBOARD | C | | 25000 | 07/11/2020 | |
| 2501 | GIFT SHOP | A87XSCBD001 | CUPBOARD SMALL | C | | 4500 | 07/11/2020 | |
| 2502 | GIFT SHOP | A87XSCBD002 | CUPBOARD SMALL | C | | 4500 | 07/11/2020 | |
| 2503 | GIFT SHOP | A87XFLRPT001 | FLOWER POT 8 | C | | 7600 | 14/07/2020 | |
| 2504 | GIFT SHOP | A87XDTBL | DINING TABLE | C | | 6500 | 07/12/2020 | |
| 2505 | | | | | | | | |
| 2506 | | | ROOM NO 301 | | | | | |
| 2507 | ROOM NO 3 | A40HRPTBD001 | PATIENT BED | C | HILL ROM | 18000 | 21/07/2020 | |
| 2508 | ROOM NO 3 | A40XWDBD001 | WOODEN BED | C | | 9500 | 15/07/2020 | |
| 2509 | ROOM NO 3 | A40VTV001 | TELEVISION | A | WISE | 7000 | 15/05/2020 | |
| 2510 | ROOM NO 3 | A40VFRG001 | REFRIGERATOR | A | VIDEOCON | 9000 | 14/05/2020 | |
| 2511 | ROOM NO 3 | A40EAC001 | AIR CONDITIONER | A | ETA | 28000 | 04/11/2020 | |
| 2512 | ROOM NO 3 | A40XMDTRY001 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 | |
| 2513 | ROOM NO 3 | A40XTVTBL001 | TV TABLE | C | | 2200 | 07/12/2020 | |
| 2514 | ROOM NO 3 | A40PFAN001 | FAN | B | POLYCAB | 1700 | 24/06/2020 | |
| 2515 | ROOM NO 3 | A40PFAN002 | FAN | B | POLYCAB | 1700 | 24/06/2020 | |
| 2516 | ROOM NO 3 | A40XPLT001 | PANEL LIGHT | B | | 900 | 29/06/2020 | |
| 2517 | ROOM NO 3 | A40XPLT002 | PANEL LIGHT | B | | 900 | 29/06/2020 | |
| 2518 | ROOM NO 3 | A40XPLT003 | PANEL LIGHT | B | | 900 | 29/06/2020 | |
| 2519 | | | | | | | | |
| 2520 | | | ROOM NO 302 | | | | | |
| 2521 | ROOM NO 3 | A40HRPTBD001 | PATIENT BED | C | HILL ROM | 18000 | 21/07/2020 | |
| 2522 | ROOM NO 3 | A40XWDBD001 | WOODEN BED | C | | 9500 | 15/07/2020 | |
| 2523 | ROOM NO 3 | A40VTV001 | TELEVISION | A | WISE | 7000 | 15/05/2020 | |
| 2524 | ROOM NO 3 | A40VFRG001 | REFRIGERATOR | A | VIDEOCON | 9000 | 14/05/2020 | |
| 2525 | ROOM NO 3 | A40EAC001 | AIR CONDITIONER | A | ETA | 28000 | 04/11/2020 | |
| 2526 | ROOM NO 3 | A40XTVTBL001 | TV TABLE | C | | 2200 | 07/12/2020 | |
| 2527 | ROOM NO 3 | A40PFAN001 | FAN | B | POLYCAB | 1700 | 24/06/2020 | |
| 2528 | ROOM NO 3 | A40PFAN002 | FAN | B | POLYCAB | 1700 | 24/06/2020 | |
| 2529 | ROOM NO 3 | A40XPLT001 | PANEL LIGHT | B | | 900 | 29/06/2020 | |
| 2530 | ROOM NO 3 | A40XPLT002 | PANEL LIGHT | B | | 900 | 29/06/2020 | |
| 2531 | ROOM NO 3 | A40XPLT003 | PANEL LIGHT | B | | 900 | 29/06/2020 | |
| 2532 | | | | | | | | |
| 2533 | | | ROOM NO 303 | | | | | |
| 2534 | ROOM NO 3 | A40HRPTBD001 | PATIENT BED | C | HILL ROM | 18000 | 21/07/2020 | |
| 2535 | ROOM NO 3 | A40XWDBD001 | WOODEN BED | C | | 9500 | 15/07/2020 | |
| 2536 | ROOM NO 3 | A40VTV001 | TELEVISION | A | WISE | 7000 | 15/05/2020 | |
| 2537 | ROOM NO 3 | A40VFRG001 | REFRIGERATOR | A | VIDEOCON | 9000 | 14/05/2020 | |
| 2538 | ROOM NO 3 | A40EAC001 | AIR CONDITIONER | A | ETA | 28000 | 04/11/2020 | |
| 2539 | ROOM NO 3 | A40XMDTRY001 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 | |
| 2540 | ROOM NO 3 | A40XTVTBL001 | TV TABLE | C | | 2200 | 07/12/2020 | |
| 2541 | ROOM NO 3 | A40PFAN001 | FAN | B | POLYCAB | 1700 | 24/06/2020 | |
| 2542 | ROOM NO 3 | A40PFAN002 | FAN | B | POLYCAB | 1700 | 24/06/2020 | |
| 2543 | ROOM NO 3 | A40XPLT001 | PANEL LIGHT | B | | 900 | 29/06/2020 | |
| 2544 | ROOM NO 3 | A40XPLT002 | PANEL LIGHT | B | | 900 | 29/06/2020 | |



Principal
RIDDHI VINAYAK COLLEGE OF NURSING

Principal
RIDDHI VINAYAK COLLEGE OF NURSING
Palghar, Maharashtra



Principal

TRUE COPY

| | | | | | | | |
|------|-----------|----------------------|------------------|---|----------|-------|------------|
| 2600 | ROOM NO 3 | A40XPLT001 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2601 | ROOM NO 3 | A40XPLT002 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2602 | ROOM NO 3 | A40XPLT003 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2603 | | | | | | | |
| 2604 | | ROOM NO 308 | | | | | |
| 2605 | ROOM NO 3 | A40SYKPTBD001 | PATIENT BED | C | STRYKER | 18000 | 21/07/2020 |
| 2606 | ROOM NO 3 | A40XWDBD001 | WOODEN BED | C | | 9500 | 15/07/2020 |
| 2607 | ROOM NO 3 | A40VTV001 | TELEVISION | A | WISE | 7000 | 15/05/2020 |
| 2608 | ROOM NO 3 | A40VFRG001 | REFRIGERATOR | A | VIDEOCON | 9000 | 14/05/2020 |
| 2609 | ROOM NO 3 | A40DAC001 | AIR CONDITIONER | A | DAIKIN | 36000 | 04/11/2020 |
| 2610 | ROOM NO 3 | A40XMDTRY001 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 2611 | ROOM NO 3 | A40XTVBL001 | TV TABLE | C | | 2200 | 07/12/2020 |
| 2612 | ROOM NO 3 | A40PFAN001 | FAN | B | POLYCAB | 1700 | 24/06/2020 |
| 2613 | ROOM NO 3 | A40PFAN002 | FAN | B | POLYCAB | 1700 | 24/06/2020 |
| 2614 | ROOM NO 3 | A40XPLT001 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2615 | ROOM NO 3 | A40XPLT002 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2616 | ROOM NO 3 | A40XPLT003 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2617 | | | | | | | |
| 2618 | | ROOM NO 309 | | | | | |
| 2619 | ROOM NO 3 | A40SYKPTBD001 | PATIENT BED | C | STRYKER | 18000 | 21/07/2020 |
| 2620 | ROOM NO 3 | A40XWDBD001 | WOODEN BED | C | | 9500 | 15/07/2020 |
| 2621 | ROOM NO 3 | A40VTV001 | TELEVISION | A | WISE | 7000 | 15/05/2020 |
| 2622 | ROOM NO 3 | A40VFRG001 | REFRIGERATOR | A | VIDEOCON | 9000 | 14/05/2020 |
| 2623 | ROOM NO 3 | A40DAC001 | AIR CONDITIONER | A | DAIKIN | 36000 | 04/11/2020 |
| 2624 | ROOM NO 3 | A40XMDTRY001 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 2625 | ROOM NO 3 | A40XTVBL001 | TV TABLE | C | | 2200 | 07/12/2020 |
| 2626 | ROOM NO 3 | A40PFAN001 | FAN | B | POLYCAB | 1700 | 24/06/2020 |
| 2627 | ROOM NO 3 | A40PFAN002 | FAN | B | POLYCAB | 1700 | 24/06/2020 |
| 2628 | ROOM NO 3 | A40XPLT001 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2629 | ROOM NO 3 | A40XPLT002 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2630 | ROOM NO 3 | A40XPLT003 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2631 | | | | | | | |
| 2632 | | ROOM NO 310 | | | | | |
| 2633 | ROOM NO 3 | A40SYKPTBD001 | PATIENT BED | C | STRYKER | 18000 | 21/07/2020 |
| 2634 | ROOM NO 3 | A40XWDBD001 | WOODEN BED | C | | 9500 | 15/07/2020 |
| 2635 | ROOM NO 3 | A40VTV001 | TELEVISION | A | WISE | 7000 | 15/05/2020 |
| 2636 | ROOM NO 3 | A40VFRG001 | REFRIGERATOR | A | VIDEOCON | 9000 | 14/05/2020 |
| 2637 | ROOM NO 3 | A40DAC001 | AIR CONDITIONER | A | DAIKIN | 36000 | 04/11/2020 |
| 2638 | ROOM NO 3 | A40XMDTRY001 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 2639 | ROOM NO 3 | A40XTVBL001 | TV TABLE | C | | 2200 | 07/12/2020 |
| 2640 | ROOM NO 3 | A40PFAN001 | FAN | B | POLYCAB | 1700 | 24/06/2020 |
| 2641 | ROOM NO 3 | A40PFAN002 | FAN | B | POLYCAB | 1700 | 24/06/2020 |
| 2642 | ROOM NO 3 | A40XPLT001 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2643 | ROOM NO 3 | A40XPLT002 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2644 | ROOM NO 3 | A40XPLT003 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2645 | ROOM NO 3 | A40HRFDT001 | FOOD TROLLEY | B | HILL ROM | 9000 | 25/06/2020 |
| 2646 | | ROOM NO 311 SUPER DX | | | | | |
| 2647 | ROOM NO 3 | A40HRPTBD001 | PATIENT BED | C | HILL ROM | 18000 | 21/07/2020 |
| 2648 | ROOM NO 3 | A40VTV001 | TELEVISION | A | WISE | 7000 | 15/05/2020 |
| 2649 | ROOM NO 3 | A40VFRG001 | REFRIDGERATOR | A | VIDEOCON | 9000 | 14/05/2020 |
| 2650 | ROOM NO 3 | A40DAC001 | AIR CONDITIONER | A | DAIKIN | 36000 | 04/11/2020 |
| 2651 | ROOM NO 3 | A40TVBL001 | TV TABLE | C | | 2200 | 07/12/2020 |
| 2652 | ROOM NO 3 | A40WDBD001 | WOODEN BED | C | | 9500 | 15/07/2020 |
| 2653 | ROOM NO 3 | A40WDBD002 | WOODEN BED | C | | 9500 | 15/07/2020 |
| 2654 | ROOM NO 3 | A40PFAN001 | FAN | B | POLYCAB | 1700 | 24/06/2020 |

TRUE COPY

| | | | | | | | |
|------|-----------|-------------------------|------------------|---|----------|-------|------------|
| 2655 | ROOM NO 3 | A40PFAN002 | FAN | B | POLYCAB | 1700 | 24/06/2020 |
| 2656 | ROOM NO 3 | A40XPLT001 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2657 | ROOM NO 3 | A40XPLT002 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2658 | ROOM NO 3 | A40XPLT003 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2659 | ROOM NO 3 | A40XPLT004 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2660 | ROOM NO 3 | A40XPLT005 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2661 | ROOM NO 3 | A40XPLT006 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2662 | ROOM NO 3 | A40XPLT007 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2663 | ROOM NO 3 | A40XPLT008 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2664 | ROOM NO 3 | A40XPLT009 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2665 | ROOM NO 3 | A40XMDTRY001 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 2666 | ROOM NO 3 | A40HRFDT001 | FOOD TROLLEY | B | HILL ROM | 9000 | 25/06/2020 |
| 2667 | | | | | | | |
| 2668 | | ROOM NO 312 SUPER DX | | | | | |
| 2669 | ROOM NO 3 | A40HRPTBD001 | PATIENT BED | C | HILL ROM | 18000 | 21/07/2020 |
| 2670 | ROOM NO 3 | A40XWDBD001 | WOODEN BED | C | | 9500 | 15/07/2020 |
| 2671 | ROOM NO 3 | A40XWDBD002 | WOODEN BED | C | | 9500 | 15/07/2020 |
| 2672 | ROOM NO 3 | A40VTV001 | TELEVISION | A | WISE | 7000 | 15/05/2020 |
| 2673 | ROOM NO 3 | A40VFRG001 | REFRIDGERATOR | A | VIDEOCON | 9000 | 14/05/2020 |
| 2674 | ROOM NO 3 | A40XTVTBL001 | TV TABLE | C | | 2200 | 07/12/2020 |
| 2675 | ROOM NO 3 | A40PFAN001 | FAN | B | POLYCAB | 1700 | 24/06/2020 |
| 2676 | ROOM NO 3 | A40PFAN002 | FAN | B | POLYCAB | 1700 | 24/06/2020 |
| 2677 | ROOM NO 3 | A40PFAN003 | FAN | B | POLYCAB | 1700 | 24/06/2020 |
| 2678 | ROOM NO 3 | A40XPLT001 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2679 | ROOM NO 3 | A40XPLT002 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2680 | ROOM NO 3 | A40XPLT003 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2681 | ROOM NO 3 | A40XPLT004 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2682 | ROOM NO 3 | A40XPLT005 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2683 | ROOM NO 3 | A40XPLT006 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2684 | ROOM NO 3 | A40XPLT007 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2685 | ROOM NO 3 | A40XPLT008 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2686 | ROOM NO 3 | A40XPLT009 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2687 | ROOM NO 3 | A40XMDTRY001 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 2688 | ROOM NO 3 | A40HRFDT001 | FOOD TROLLEY | B | HILL ROM | 9000 | 25/06/2020 |
| 2689 | | | | | | | |
| 2690 | | ROOM NO NO 313 SUPER DX | | | | | |
| 2691 | ROOM NO 3 | A40SYKPTBD001 | PATIENT BED | C | STRYKER | 18000 | 21/07/2020 |
| 2692 | ROOM NO 3 | A40XWDBD001 | WOODEN BED | C | | 9500 | 15/07/2020 |
| 2693 | ROOM NO 3 | A40XWDBD002 | WOODEN BED | C | | 9500 | 15/07/2020 |
| 2694 | ROOM NO 3 | A40VTV001 | TELEVISION | A | WISE | 7000 | 15/05/2020 |
| 2695 | ROOM NO 3 | A40VFRG001 | REFRIDGERATOR | A | VIDEOCON | 9000 | 14/05/2020 |
| 2696 | ROOM NO 3 | A40DAC001 | AIR CONDITIONER | A | DAIKIN | 36000 | 04/11/2020 |
| 2697 | ROOM NO 3 | A40PFAN001 | FAN | B | POLYCAB | 1700 | 24/06/2020 |
| 2698 | ROOM NO 3 | A40PFAN002 | FAN | B | POLYCAB | 1700 | 24/06/2020 |
| 2699 | ROOM NO 3 | A40PFAN003 | FAN | B | POLYCAB | 1700 | 24/06/2020 |
| 2700 | ROOM NO 3 | A40XMDTRY001 | MEDICINE TROLLEY | B | | 4000 | 26/06/2020 |
| 2701 | ROOM NO 3 | A40XPLT001 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2702 | ROOM NO 3 | A40XPLT002 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2703 | ROOM NO 3 | A40XPLT003 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2704 | ROOM NO 3 | A40XPLT004 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2705 | ROOM NO 3 | A40XPLT005 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2706 | ROOM NO 3 | A40XPLT006 | PANEL LIGHT | B | | 900 | 29/06/2020 |
| 2707 | ROOM NO 3 | A40XPLT007 | PANEL LIGHT | B | | 900 | 29/06/2020 |

| | | | | | | | |
|-----|--------------|----------------|----------------------------------|---|-------------|--------|------------|
| 710 | ROOM NO 3 | A40XTVBL001 | TV TABLE | C | | 2200 | 07/12/2020 |
| 711 | ROOM NO 3 | A40HRFDT001 | FOOD TROLLEY | B | HILL ROM | 9000 | 25/06/2020 |
| 712 | DX ROOM | A40MBED001 | 1 KEY BED 60 | C | MEDITEK | 960000 | 07/08/2020 |
| 713 | DX ROOM | A40XWDBD001 | WOODEN BED 55 | C | | 522500 | 15/07/2020 |
| 714 | DX ROOM | A40XTBL001 | WOODEN TABLE 17 | C | | 51000 | 07/12/2020 |
| 715 | | | | | | | |
| 716 | | | CONFERENCE HALL | | | | |
| 717 | CONFERENCE | A40CVRHDMI001 | HONEYWELL HDMI TO V | B | CONVERTOR | 9000 | 08/02/2020 |
| 718 | CONFERENCE | A40WMSPTR001 | PROJECTOR WALL MOUN | B | WALL MOUN | 22000 | 08/02/2020 |
| 719 | CONFERENCE | A40PTRLP001 | PROJECTOR LAMPS 6 | B | PROJECTORS | 90725 | 08/02/2020 |
| 720 | CONFERENCE | A40WMSPTR001 | PROJECTOR WALL MOUN | B | WALL MOUN | 6600 | 08/02/2020 |
| 721 | CONFERENCE | A40SLTRHDMI001 | HDMI SPLITTER 8 PORT | B | SPLITTER | 2599 | 08/02/2020 |
| 722 | CONFERENCE | A40SLTRHDMI001 | HDMI SWITCHER/SPLITT | B | SPLITTER | 10625 | 08/02/2020 |
| 723 | CONFERENCE | A40RDERDR001 | ELGATO RECORDER 1 | B | RECORDING D | 18448 | 08/02/2020 |
| 724 | CONFERENCE | A40SLTRHDMI001 | HDMI SPLITTER 8 PORT | B | SPLITTER | 3700 | 08/02/2020 |
| 725 | CONFERENCE | A40XMIC001 | MIC 1 | B | | 1200 | 08/02/2020 |
| 726 | | | 1ST FLOOR WAITING AREA | | | | |
| 727 | 1ST FLOOR VA | A40XBD001 | BENCH DESK 13 | C | | 123500 | 07/09/2020 |
| 728 | 1ST FLOOR VA | A40XBS001 | BENCH SOFA | C | | 8000 | 07/09/2020 |
| 729 | 1ST FLOOR VA | A40XCHRSTL001 | CHAIR STEEL 13 | C | | 65000 | 07/10/2020 |
| 730 | 1ST FLOOR VA | A40XTV001 | TELEVISION | A | | 7000 | 15/05/2020 |
| 731 | 1ST FLOOR VA | A40XFAN001 | FAN 7 | B | | 11900 | 24/06/2020 |
| 732 | 1ST FLOOR VA | A40XTL001 | TUBE LIGHT 20 | B | | 3000 | 29/06/2020 |
| 733 | | | | | | | |
| 734 | | | PARAMEDICAL - DEPT. OF NURSING | | | | |
| 735 | DEP OF NUR | A40XDKTBL001 | DESK TABLE | C | | 9000 | 07/12/2020 |
| 736 | DEP OF NUR | A40XTBL001 | TABLE 13 | C | | 39000 | 07/12/2020 |
| 737 | DEP OF NUR | A40AWTBRD001 | WHITE BOARD | C | ALKOSIGN | 5000 | 20/07/2020 |
| 738 | DEP OF NUR | A40XWDBRD001 | WOODEN BOARD | C | | 5000 | 20/07/2020 |
| 739 | DEP OF NUR | A40XMLBRD001 | METAL BOARD | C | | 5000 | 20/07/2020 |
| 740 | DEP OF NUR | A40XFAN001 | FAN 4 | B | | 6800 | 24/06/2020 |
| 741 | DEP OF NUR | A40XTL001 | TUBE LIGHT 6 | B | | 900 | 29/06/2020 |
| 742 | | | | | | | |
| 743 | | | | | | | |
| 744 | | | PARAMEDICAL - DEPT. OF PATHOLOGY | | | | |
| 745 | DEP OF PATH | A40XDKTBL001 | DESK TABLE | C | | 9000 | 07/12/2020 |
| 746 | DEP OF PATH | A40XTBL001 | TABLE 15 | C | | 45000 | 07/12/2020 |
| 747 | DEP OF PATH | A40XCHRPLT001 | CHAIR PLASTIC 20 | C | | 10500 | 07/10/2020 |
| 748 | DEP OF PATH | A40AWTBRD001 | WHITE BOARD | C | ALKOSIGN | 5000 | 20/07/2020 |
| 749 | DEP OF PATH | A40XWDBRD001 | WOODEN BOARD | C | | 5000 | 20/07/2020 |
| 750 | DEP OF PATH | A40XMLBRD001 | METAL BOARD | C | | 5000 | 20/07/2020 |
| 751 | DEP OF PATH | A40XFAN001 | FAN 4 | B | | 6800 | 24/06/2020 |
| 752 | DEP OF PATH | A40XTL001 | TUBE LIGHT 6 | B | | 900 | 29/06/2020 |
| 753 | | | | | | | |
| 754 | | | PARAMEDICAL - DEPT. OF RADIOLOGY | | | | |
| 755 | DEP OF RAD | A40XDKTBL001 | DESK TABLE | C | | 9000 | 07/12/2020 |
| 756 | DEP OF RAD | A40XTBL001 | TABLE 15 | C | | 45000 | 07/12/2020 |
| 757 | DEP OF RAD | A40XCHRPLT001 | CHAIR PLASTIC 20 | C | | 10500 | 07/10/2020 |
| 758 | DEP OF RAD | A40AWTBRD001 | WHITE BOARD | C | ALKOSIGN | 5000 | 20/07/2020 |
| 759 | DEP OF RAD | A40XWDBRD001 | WOODEN BOARD | C | | 5000 | 20/07/2020 |
| 760 | DEP OF RAD | A40XMLBRD001 | METAL BOARD 2 | C | | 10000 | 20/07/2020 |
| 761 | DEP OF RAD | A40XFAN001 | FAN 4 | B | | 6800 | 24/06/2020 |
| 762 | DEP OF RAD | A40XTL001 | TUBE LIGHT 6 | B | | 900 | 29/06/2020 |
| 763 | DEP OF RAD | A40XPIPE001 | PIPE SCREEN 2 INHCS 2 | C | | | |
| 764 | | | | | | | |

Principal



RIDDHI VINAYAK COLLEGE OF NURSING (RVHSPCT), Nallasopara (W), Dist. Palghar




TRUE COPY

| PARAMEDICAL - DEPT. OF DIALYSIS | | | | | | | | |
|---------------------------------|-------------|---------------|--|---|------------|--|--------|------------|
| 2765 | | | | | | | | |
| 2766 | DEP OF DIAL | A40XDKTBL001 | DESK TABLE | C | | | 9000 | 07/12/2020 |
| 2767 | DEP OF DIAL | A40XTBL001 | TABLE 12 | C | | | 36000 | 07/12/2020 |
| 2768 | DEP OF DIAL | A40AWTBRD001 | WHITE BOARD | C | ALKOSIGN | | 5000 | 20/07/2020 |
| 2769 | DEP OF DIAL | A40XMLBRD002 | METAL BOARD 2 | C | | | 10000 | 20/07/2020 |
| 2770 | DEP OF DIAL | A40XFAN001 | FAN 4 | B | | | 6800 | 24/06/2020 |
| 2771 | DEP OF DIAL | A40XTL001 | TUBE LIGHT 6 | B | | | 900 | 29/06/2020 |
| 2772 | | | | | | | | |
| 2773 | | | | | | | | |
| 2774 | | | CONFERENCE ROOM | | | | | |
| 2775 | CONFERENC | A40XDSKTBL001 | DESK TABLE | C | | | 9000 | 07/12/2020 |
| 2776 | CONFERENC | A40XCPBRD001 | CUPBOARD 3 | C | | | 28500 | 07/11/2020 |
| 2777 | CONFERENC | A40XDRWR001 | DRAWER 3 | C | | | 13500 | 13/07/2020 |
| 2778 | CONFERENC | A40XBS001 | BENCH SOFA 3 | C | | | 45000 | 07/09/2020 |
| 2779 | CONFERENC | A40XCHRRD001 | CHAIR RED 9 | B | | | 7200 | 07/01/2020 |
| 2780 | CONFERENC | A40XBLCHR001 | CHAIR BLACK | C | | | 1500 | 07/10/2020 |
| 2781 | CONFERENC | A40DLPTP001 | LAPTOP | A | DELL | | 16500 | 30/04/2020 |
| 2782 | CONFERENC | A40EPTR001 | SCANNER | A | EPSON | | 12000 | 22/04/2020 |
| 2783 | CONFERENC | A40KFRG001 | REFRIDGERATOR | A | KELVINATER | | 9000 | 14/05/2020 |
| 2784 | CONFERENC | A40ETAAC001 | AIR CONDITIONER | A | ETA | | 28000 | 04/11/2020 |
| 2785 | CONFERENC | A40PSNTELE001 | TELEPHONE | A | PANASONIC | | 800 | 29/04/2020 |
| 2786 | CONFERENC | A40PFAN003 | FAN 2 | B | ORIENT | | 3400 | 24/06/2020 |
| 2787 | CONFERENC | A40XPLT001 | PANEL LIGHT 4 | B | | | 3600 | 29/06/2020 |
| 2788 | CONFERENC | A40XTVTBL001 | TABLE 4 | C | | | 12000 | 07/12/2020 |
| 2789 | CONFERENC | A36XNTBD001 | NOTICE BOARD | C | | | 1200 | 20/07/2020 |
| 2790 | | | | | | | | |
| 2791 | | | 1ST FLOOR SUPER DX RELATIVE WATING AREA | | | | | |
| 2792 | DX RELATIVE | A40XBS001 | BENCH SOFA 3 | C | | | 45000 | 07/09/2020 |
| 2793 | DX RELATIVE | A40XCHRS001 | CHAIR SOFA 5 | C | | | 25000 | 07/09/2020 |
| 2794 | DX RELATIVE | A40PFAN003 | FAN 4 | B | ORIENT | | 6800 | 24/06/2020 |
| 2795 | DX RELATIVE | A40XPLT001 | PANEL LIGHT 6 | B | | | 5400 | 29/05/2020 |
| 2796 | DX RELATIVE | A26DKAC001 | AIR CONDITIONER | A | DAIKIN | | 110000 | 04/11/2020 |
| 2797 | | | | | | | | |
| 2798 | | | RJ DEPT | | | | | |
| 2799 | RJ DPET | A40ACMNT001 | COMPUTER | A | ACER | | 14000 | 30/04/2020 |
| 2800 | RJ DPET | A40ACPU001 | CPU | A | ACER | | 14000 | 30/04/2020 |
| 2801 | RJ DPET | A40NUPS001 | UPS | A | NUBERIC | | 8000 | 28/04/2020 |
| 2802 | RJ DPET | A40HPPTR001 | PRINTER | A | HP | | 8000 | 22/04/2020 |
| 2803 | RJ DPET | A40PSNTELE001 | TELEPHONE | A | PANASONIC | | 800 | 29/04/2020 |
| 2804 | RJ DPET | A40XBLCHR001 | CHAIR BLACK 2 | B | | | 3000 | 07/10/2020 |
| 2805 | RJ DPET | A40XCHRPLT001 | CHAIR PLASTIC | C | | | 525 | 07/10/2020 |
| 2806 | | | | | | | | |
| 2807 | | | FEMALE WAED | | | | | |
| 2808 | FEMALE WA | A40SYKPTBD001 | PATIENT BED 10 | C | HILL ROM | | 18000 | 21/07/2020 |
| 2809 | FEMALE WA | A40PFAN003 | FAN 20 | B | POLYCAB | | 34000 | 24/06/2020 |
| 2810 | FEMALE WA | A40XMDTRY001 | MEDICINE TROLLEY 10 | B | | | 40000 | 26/06/2020 |
| 2811 | FEMALE WA | A40XPLT001 | PANEL LIGHT 34 | B | | | 30600 | 29/06/2020 |
| 2812 | FEMALE WA | A40XIVS001 | IV STAND 10 | B | | | 6000 | 27/06/2020 |
| 2813 | FEMALE WA | A40XDSKTBL001 | DESK TABLE | C | | | 9000 | 07/12/2020 |
| 2814 | | | | | | | | |
| 2815 | | | MATERNITY WARD | | | | | |
| 2816 | MATERNITY | A40XPTBD001 | 1 KEY BED | C | | | 8330 | 07/08/2020 |
| 2817 | MATERNITY | A40XPTBD001 | 1 KEY BED | C | | | 8330 | 07/08/2020 |
| 2818 | MATERNITY | A40XPTBD001 | 1 KEY BED | C | MEDITEK | | 19125 | 07/08/2020 |

Principal
RIDDHI VINAYAK COLLEGE OF NURSING
NURSING DEPT
Palghar (W), Dist. Palghar
401203

| | | | | | | | | |
|------|---|-------------------|-------------------|-----------------------|---|-------------|--------|------------|
| 2821 | | MATERNITY | A40HRPTBD002 | PATIENT BED | C | HILL ROM | 18000 | 21/07/2020 |
| 2822 | | MATERNITY | A40HRPTBD003 | PATIENT BED | C | HILL ROM | 18000 | 21/07/2020 |
| 2823 | | MATERNITY | A40HRPTBD004 | PATIENT BED | C | HILL ROM | 18000 | 21/07/2020 |
| 2824 | | MATERNITY | A40XMDTRY001 | MEDICINE TROLLEY 5 | B | | 20000 | 26/06/2020 |
| 2825 | | MATERNITY | A40XIVS001 | IV STAND 3 | B | | 1800 | 27/06/2020 |
| 2826 | | MATERNITY | A40XPLT001 | PANEL LIGHT 12 | B | | 10800 | 29/06/2020 |
| 2827 | | MATERNITY | A40PFAN003 | FAN 6 | B | POLYCAB | 10200 | 24/06/2020 |
| 2828 | | | | | | | | |
| 2829 | | | CARDIAC AMBULANCE | | | | | |
| 2830 | | CARDIAC AM | A26WAMNT020 | CARDIAC MONITOR | A | WELCH ALLYN | 28000 | 04/01/2020 |
| 2831 | | CARDIAC AM | A26MMNT012 | CARDIAC MONITOR | A | MEDICOFITS | 35000 | 04/01/2020 |
| 2832 | | CARDIAC AM | A43ALOVENT001 | O SIRIS VENTILATOR | A | AIR LIQUIDE | 300000 | 04/03/2020 |
| 2833 | | CARDIAC AM | A43ALOVENT001 | O SIRIS VENTILATOR | A | AIR LIQUIDE | 300000 | 04/03/2020 |
| 2834 | | CARDIAC AM | A28OT3BPLDEFF001 | DEFIBRILATOR | A | BPL | 80000 | 04/05/2020 |
| 2835 | | CARDIAC AM | A31HPDEF001 | DEFIBRILATOR | A | HEWLETT | 20000 | 04/05/2020 |
| 2836 | | CARDIAC AM | A31SUCTNMACH001 | SUCTION MACHINE | A | | 21500 | 04/08/2020 |
| 2837 | | CARDIAC AM | A31SUCTNMACH001 | SUCTION MACHINE | A | | 21500 | 04/08/2020 |
| 2838 | | CARDIAC AM | A31XHGT001 | HGT MACHINE | A | NIKODING 1 | 2000 | 18/05/2020 |
| 2839 | | CARDIAC AM | A31XHGT001 | HGT MACHINE | A | NIKODING 1 | 2000 | 18/05/2020 |
| 2840 | | CARDIAC AM | A40DMNDBPM001 | BLOOD PRESSURE MACH | A | DIAMOND | 1800 | 05/03/2020 |
| 2841 | | CARDIAC AM | A40DMNDBPM001 | BLOOD PRESSURE MACH | A | DIAMOND | 1800 | 05/03/2020 |
| 2842 | | CARDIAC AM | A40MSTS001 | STETHOSCOPE | B | MICRO TONE | 950 | 07/03/2020 |
| 2843 | | CARDIAC AM | A40MSTS001 | STETHOSCOPE | B | MICRO TONE | 950 | 07/03/2020 |
| 2844 | | CARDIAC AM | A26XFLM 001 | FLOW METER | A | | 850 | 04/09/2020 |
| 2845 | | CARDIAC AM | A26XFLM 001 | FLOW METER | A | | 850 | 04/09/2020 |
| 2846 | | CARDIAC AM | A26BRYP001 | SYRINGE PUMP | A | B BRAUN | 35000 | 04/02/2020 |
| 2847 | | CARDIAC AM | A26BRYP002 | SYRINGE PUMP | A | B BRAUN | 35000 | 04/02/2020 |
| 2848 | | CARDIAC AMBULANCE | | OXYGEN CYLINDER JAMBO | | | 12000 | 29/05/2020 |
| 2849 | | CARDIAC AMBULANCE | | OXYGEN CYLINDER JAMBO | | | 12000 | 29/05/2020 |
| 2850 | | CARDIAC AMBULANCE | | OXYGEN CYLINDER JAMBO | | | 12000 | 29/05/2020 |
| 2851 | | CARDIAC AMBULANCE | | OXYGEN CYLINDER JAMBO | | | 12000 | 29/05/2020 |
| 2852 | | CARDIAC AM | A26XO2001 | OXYGEN CYLINDER SMALL | A | | 4500 | 29/05/2020 |
| 2853 | | CARDIAC AMBULANCE | | OXYGEN CYLINDER SMALL | A | | 4500 | 29/05/2020 |
| 2854 | | | | | | | | |
| 2855 | | | | | | | | |
| 2856 | | | GASTROLOGY DEPT | | | | | |
| 2857 | 1 | GASTROLOG | A40OLPVP001 | VIDEO PROCESSOR | A | OLYMPUS | | |
| 2858 | 2 | GASTROLOG | A40OLPLHTR001 | LIGHT SOURCE | A | OLYMPUS | | |
| 2859 | 3 | GASTROLOG | A40OLPSP001 | SCOPE | A | OLYMPUS | | |
| 2860 | 4 | GASTROLOG | A40OLPSP002 | SCOPE | A | OLYMPUS | | |
| 2861 | 5 | GASTROLOG | A40OLPSP003 | SCOPE | A | OLYMPUS | | |
| 2862 | 6 | GASTROLOG | A40OLPSP004 | SCOPE | A | OLYMPUS | | |
| 2863 | | | | | | | | |
| 2864 | | | BRONCHOSCOPE DEPT | | | | | |
| 2865 | | | A40OLPBROSP001 | BRONCHOSCOPE | A | OLYMPUS | | |
| 2866 | | | | COMPUTER | A | ACER | | |
| 2867 | | | | CPU | A | ACER | | |
| 2868 | | | | UPS | A | NUBERIC | | |
| 2869 | | | | | | | | |

Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203



TOTAL EXPE 101852480

TRUE COPY

RIDDHI VINAYAK COLLEGE OF NURSING-NALLASOPARA WEST

CLINICAL POSTING BEDS DETAILS

| S.NO: | NAME & ADDRESS OF AFFILIATED HOSPITAL | NO: OF BED |
|----------------------------|--|-------------------|
| PARENT HOSPITAL | | |
| 1 | Riddhi Vinayak Multispecialty Hospital, Near Railway Car shed Nallasopara West PIN 401203 | 200 |
| 2 | Padmavati Maternity Hospital, Shop No 2, Jesal Park Rd, near Jain Temple, Jesal Park, Bhayendar East, Maharashtra, PIN 401105 | 30 |
| AFFILIATED HOSPITAL | | |
| 3 | SANJEEVANI HOSPITAL, Vartak Ward, Virar West, Virar, Maharashtra PIN 401303 | 500 |
| 4 | Vasai Virar Municipal Corporation General Hospital, Prince Park Road, Padman Sarkar Nagar, Virat Nagar, Virar West, PIN 401303 | 192 |
| 5 | VIBHAS Psychiatry Hospital and Rehabilitation Centre Bungalow no 1, 2, Kishor Kunj, Opposite Old VIVA College, Narangi Bypass Rd, Virar West, Maharashtra 401303 | 60 |
| 6 | Wadia Children Hospital Acharya Donde Marg, Parel, Mumbai -400012 (Opposite KEM Hospital) | 300 |
| 7 | Kasturba Hospital for Infectious Diseases, Sane Guruji Marg, Arya Nagar, Chinchpokli, Mumbai, Maharashtra PIN 400011 | 926 |
| 8 | Chaitanya Hospital Near Daynesh Bus Stop, Bhagirathi Nagar, Warje, Pune, Maharashtra - 411058 | 200 |

Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203.



RIDDHI VINAYAK COLLEGE OF NURSING

MINUTES OF MEETING

DATE: 11/10/2024

THEORY - Workload

START TIME: 10 AM

END TIME: 12 Noon

| S R · N O | AGENDA | DISCUSSION | PASSED BY | FOLLOW UP/ACTION | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|----------------------|--|--|--|-----------------|---------|-------|-----------------|----------------------|-----------------------|--|-----------------|----------------------------|----------|--|---------------------------|---|-------------------|---|--------------|----------|--------------|-----------------------|--------------|----------|--|-------------|----------|--|--------------|----------|---|--------------|----------|----------------------------------|--|
| 1 | Discuss ion on hours Allotme nt of subject | <p>A meeting was held on 11/10/24 at board room. Mam distributed syllabus from Sem I to VI among teachers:-</p> <table border="1" style="width: 100%; border-collapse: collapse; margin: 10px 0;"> <thead> <tr> <th colspan="5" style="text-align: center;">DISTRIBUTION OF THEORY & PRATICAL HOURS</th> </tr> <tr> <th style="width: 15%;">Name of teacher</th> <th style="width: 20%;">Subject</th> <th style="width: 10%;">Units</th> <th style="width: 20%;">Allocated hours</th> <th style="width: 35%;">Total Theory & hours</th> </tr> </thead> <tbody> <tr> <td rowspan="2" style="text-align: center;">Dr. Anupama Oka</td> <td><u>SEM-IV</u> Pharmacolog y - II</td> <td>Unit - 4 & 5</td> <td>5 Hours + 3 Hours =8hrs</td> <td rowspan="2" style="text-align: center;">22 HOURS</td> </tr> <tr> <td><u>SEM-VI</u> Nursing Management</td> <td>Unit - 2,4,7 and 14</td> <td>2hours+ 4 hours + 4 hours + 4 hours =14hrs</td> </tr> <tr> <td rowspan="5" style="text-align: center;">Ms. Usha Menon</td> <td><u>SEM-I</u> Communicati ve English</td> <td>All Units</td> <td>40 hours</td> <td rowspan="5" style="text-align: center;">162 HOURS</td> </tr> <tr> <td>Applied psychology</td> <td>All Units</td> <td>60 hours</td> </tr> <tr> <td><u>SEM- IV</u> Pharmacology - II</td> <td>Unit - 8</td> <td>10 Hours</td> </tr> <tr> <td>Profession & professional Ethics</td> <td>ALL Units</td> <td>20 hours</td> </tr> <tr> <td><u>SEM-V</u> Introduction to Forensic Nursing & Indian Laws</td> <td>All Units</td> <td>20 hours</td> </tr> </tbody> </table> | DISTRIBUTION OF THEORY & PRATICAL HOURS | | | | | Name of teacher | Subject | Units | Allocated hours | Total Theory & hours | Dr. Anupama Oka | <u>SEM-IV</u> Pharmacolog y - II | Unit - 4 & 5 | 5 Hours + 3 Hours =8hrs | 22 HOURS | <u>SEM-VI</u> Nursing Management | Unit - 2,4,7 and 14 | 2hours+ 4 hours + 4 hours + 4 hours =14hrs | Ms. Usha Menon | <u>SEM-I</u> Communicati ve English | All Units | 40 hours | 162 HOURS | Applied psychology | All Units | 60 hours | <u>SEM- IV</u> Pharmacology - II | Unit - 8 | 10 Hours | Profession & professional Ethics | ALL Units | 20 hours | <u>SEM-V</u> Introduction to Forensic Nursing & Indian Laws | All Units | 20 hours | Ms. Varsha & Ms. Flavia | Hours allotted and distributed by Anupama Mam will be taken by the respective teachers |
| DISTRIBUTION OF THEORY & PRATICAL HOURS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Name of teacher | Subject | Units | Allocated hours | Total Theory & hours | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Dr. Anupama Oka | <u>SEM-IV</u> Pharmacolog y - II | Unit - 4 & 5 | 5 Hours + 3 Hours =8hrs | 22 HOURS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | <u>SEM-VI</u> Nursing Management | Unit - 2,4,7 and 14 | 2hours+ 4 hours + 4 hours + 4 hours =14hrs | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Ms. Usha Menon | <u>SEM-I</u> Communicati ve English | All Units | 40 hours | 162 HOURS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Applied psychology | All Units | 60 hours | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | <u>SEM- IV</u> Pharmacology - II | Unit - 8 | 10 Hours | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Profession & professional Ethics | ALL Units | 20 hours | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | <u>SEM-V</u> Introduction to Forensic Nursing & Indian Laws | All Units | 20 hours | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVNCS),
Nallasopara (W), Dist. Palghar 401 203.



| | | | | | |
|--------------------|--------------------------|---|-----------------------------------|--------------------|-----------|
| | | | | | |
| | | Child health nursing I | Unit- 2 and some topics of unit 1 | 12 hours | |
| Ms. Pragati Murkar | <u>SEM-I</u> | Sociology | Unit - 1,2,3 & 4 | (1+15+8+8)32 hours | 195 HOURS |
| | | Nursing foundation I | Unit - 8 | 6 hours | |
| | <u>SEM - IV</u> | Pharmacology - II | Unit - 3 & 6 | 7 hours + 2 hours | |
| | <u>SEM - V</u> | Mental Health Nursing I | All Units | 60 hours | |
| | | Education technology in nursing education | All units | 40 hours | |
| | <u>SEM -VI</u> | Nursing Management | Unit - 11,12 and 15 | 8 hours | |
| | Mental Health Nursing II | All Units | 40 hours | | |

Principal

RIDDHI VINAYAK COLLEGE OF NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203.



| | | | | |
|------------------------------|--|----------------------------|----------------------|-----------|
| Ms. Flavia D'sa | <u>SEM – I</u> Anatomy & physiology | Unit -1 Unit – 4 | 12 hours 17 hours | 147 HOURS |
| | <u>SEM – II</u> Nursing foundation II | Unit -4 & 6 | 36 hours | |
| | <u>SEM – III</u> Adult health nursing- I | Unit – 2 & 4 | 41 hours | |
| | <u>SEM – IV</u> Adult health nursing- II | Unit – 6(half) and 1 and 2 | 16 hours + 10 | 83 HOURS |
| Pharmacology – II | Unit - 1 | 4 hours | | |
| SEM-VI Nursing Management | Unit – 1,8,10 and 17 | 11 hours | | |
| Ms. Sana | <u>SEM-II</u> Health Informative | Unit - 1,2,3 and 4 | 24 hours | 83 HOURS |
| | <u>SEM – IV</u> Adult health Nursing – II | Unit – 7,8,5 and 12 | 4+12+10+5=31 hrs | |
| | Pharmacology – II | Unit – 6 | 2 hours | |

Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203.



| | | | | | |
|-----------------|--|--|---------------------|-------------------------------|-----------|
| | | <u>SEM- VI</u> Mental health Nsg-II | Unit - | 20 hours | |
| | | Nursing Management | Unit - 6 | 6 hours | |
| Ms. Manila Nair | | <u>SEM- I</u> Anatomy & physiology | Unit - 10 & 11 | 14 hours | 175 HOURS |
| | | Nursing foundation I | Unit - 9 | 30 hours | |
| | | <u>SEM- II</u> Biochemistry | Unit - 2,3 & 4 | 20 hours | |
| | | <u>SEM-IV</u> Genetics | Units - 3 and 5 | 5 hours | |
| | | Pharmacology - II | Unit - 8 | 10 hours | |
| | | <u>SEM - V</u> Child Health Nursing-I | Units - 1,3,4,5 & 6 | 48 hours | |
| | | <u>SEM -VI</u> Nursing Management | Unit - 3and 9 | 8 hours | |
| | | Child Health Nursing | Unit - All Units | 40 hours | |
| Ms. Manisha | | <u>SEM- I</u> Anatomy & physiology | Unit - 2 and 8 | 6 hours + 15 hours = 21 hours | 92 HOURS |



Principal
RIDDHI VINAYAK COLLEGE
NURSING (RVHSPCT),
Nallasopara (W) Dist. Belgaon 491 209.



| | | | | |
|-----------------|--|-------------------------|------------------------------|-----------|
| | Nursing Foundation-I | Unit - 5,10 and 12 | 4+5+8 = 17 hours | |
| | <u>SEM- III</u> Adult health Nursing- I | Units - 3,5 & 9 | 6+16+8= 30 hours | |
| | <u>SEM-IV</u> Adult health nursing II | Unit - 3 | 19 hours | |
| | Pharmacology - II | Unit - 2 and 3(1topi c) | 4+1 = 5 hours | |
| Ms. Varsha Kale | <u>SEM- I</u> Nursing . foundation- I | Units - 3 | 12 hours | 148 HOURS |
| | Sociology | Units-6 | 15 hours | |
| | <u>SEM - IV</u> Pharmacology - II | Unit - 6 & 7 | 1 hours + 7 hours | |
| | <u>SEM - V</u> Community health nursing I | All Units | 100 hours | |
| | <u>SEM -VI</u> Nursing Management | Unit - 13 and 16 | 8 hours + 5 hours = 13 hours | |



Principal
 RIDDHI VINAYAK COLLEGE OF
 NURSING (RVHSPCT),
 Walsapatti (M), Dist. Belghar 401 203.

| | | | | |
|------------------|--|---------------------------|-----------------------|----------------------|
| Ms. Pratiksha | SEM-I Nursing foundation I | Units - 8 and 11 | 7 hours + 8 hours | 97 HOURS |
| | Anatomy and physiology | Units - 6,7 & 9 | 35 hours | |
| | SEM- II Biochemistry | Units - 1,5,6,7 & 8 | 19 hours | |
| | Nutrition | Units - 6,11 and 13 | 9 hours | |
| | Nursing foundation II | Units - 11 & 15 | 11 hours + 6 hours | |
| | SEM - IV Pharmacolog y - II | Unit -6 | 2 hours | |
| Ms. Chinmayee | SEM-I Anatomy and physiology | Units - 3 | 14 hours | 37 HOURS |
| | SEM- IV AHN-II | Unit - | 15 hours | |
| | SEM- VI OBGY | Units - | 8 hours | |
| Ms. Pramodini | SEM -I Anatomy and physiology | Units - 5 | 18 hours | 109 HOURS |
| | Nursing foundation I | Units - 4 | 11 hours | |



Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara, Dist. Palghar 401 203.

| | | | | |
|--------------------------------|---|---|--------------------------|-----------------|
| | SEM – II Nursing foundation II | Units – 9 Unit – 7,12 and 13 | 42 hours 26 hours | |
| | SEM – IV Adult health nursing – II | Unit – 4 | 6 hours | |
| | Genetics | Unit – 1(half), 2 and 4 | 5 hours | |
| | Pharmacolog y -II | Unit -6 | 1 hour | |
| Ms. Varsha Rani | SEM- I Nursing foundation I | Units – 14 + first aid modul e | 20 hours | 79 HOURS |
| | SEM- II Nursing foundation II | Units – 3 &5 | 10 hours + 20 hours | |
| | Nutrition | Unit- 1,5 and 8- | 10 hours | |
| | SEM – III Adult health nursing - I | Unit – 1 | 10 hours | |



Principal
**RIDDHI VINAYAK COLLEGE OF
 NURSING (RVHSPCT),**
 Nallasopara (W), Dist. Palghar 401 203.



| | | | | | |
|-----------------------|--|---|-----------------|---|----------------------|
| | | SEM – IV Adult health nursing – II | Unit – 12 | 5 hours | |
| | | Pharmacolog y – II | Unit – 3 & 6 | 2 hours + 2 hours | |
| Ms. Ujwala | SEM-I Nursing foundation I | Units - 2 7 and 13 | First- aid | 5 hours + 3 hours + 6 hours+8 hours = 22 hours 20 hours | 115 HOURS |
| | SEM- II Nursing foundation II | Units - 8 & 14 | | 15 hours + 6 hours | |
| | Health Informative | Unit- 6,7,8,9 and 10 | | 16 hours | |
| | Sociology | Unit – 5 and 7 | | 8+5= 13 hours | |
| | SEM -III MSN-I | Unit- 11 | | 23 hours | |
| Ms. Nupur | SEM-I FON-I | Unit- 14 Unit -6 | | 40 hours 35 hours | 131 HOURS |
| | SEM – II FON-II | Unit -2 | | 21 hours | |



Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203.

| | | | | | |
|-----------------------|--|---|--|-----------------------|----------------------|
| | | <u>SEM-III</u> MSN -I | Unit-6 | 25 hours | |
| | | <u>SEM-IV</u> MSN-II | Unit - 10 | 10 hours | |
| Ms. Kamal | | <u>SEM-II</u> | | | 65 HOURS |
| | | Nutrition | Units - 2,3,4,7 ,9,10 and 12 | 25 hours | |
| | | <u>SEM-III-</u> Microbiology & Infection Control | All Units | 40 hours | |
| Ms. Pushpa | | <u>SEM-I</u> Nursing Foundation I | Unit-1 | 5 hours | 113 HOURS |
| | | <u>SEM-II</u> Nursing Foundation II | Unit- 10 and 16 Unit - 1(health assessment) | 17 hours 20 hours | |
| | | <u>SEM-III</u> AHN -I | Unit - 7,8 and 10 | 10+10+20= 40 hours | |



Principal



RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203.

| | | | | | | | |
|--|--|----------------------------------|--------------------------------|--|--|--|--|
| | | SEM -IV AHN -II | Unit-1 and 11 | | | | |
|--|--|----------------------------------|--------------------------------|--|--|--|--|



Signature of Minutes Recorder

Ms. Manila Nair



Signature of Principal

Dr. Anupama Oka



Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203.

RIDDHI VINAYAK COLLEGE OF NURSING
BSC NURSING
CLINICAL SUPERVISION WORKLOAD

Practical Workload

| BSC HOURS | GNM HOURS | TOTAL HORS | MONTHS | DAYS | SUPERVISORS |
|-----------|-----------|------------|--------|------|-----------------|
| 480 | | 480 | 3 | | MS. FLAVIA |
| 720 | 320 | 1040 | 6 | 15 | MS. PRATIKSHA |
| 480 | 400 | 880 | 5 | 15 | MS. NUPUR |
| 480 | 400 | 880 | 5 | 15 | MS. UJWALA |
| 480 | 400 | 880 | 5 | 15 | MS. PUSHPA |
| 560 | 560 | 1120 | 7 | | MS. KAMAL |
| 240 | 320 | 560 | 3 | 15 | MS. MANILA |
| 400 | 480 | 880 | 5 | 15 | MS. VARSHA |
| 400 | 800 | 1200 | 6 | 15 | MS. CHINMAYEE |
| 480 | | 480 | 3 | | MS. PRAGATI |
| 480 | 320 | 800 | 5 | | MS. SANA |
| 560 | 560 | 1120 | 7 | | MS. PRAMODINI |
| 400 | 680 | 1080 | 6 | 21 | MS. STEFFI |
| 480 | 680 | 1160 | 7 | 7 | MS. VARSHA RANI |



PROF. DR. ANUPAMA OKA
SIGNATURE OF PRINCIPAL

Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203.



RIDDHI VINAYAK COLLEGE OF NURSING
BSC NURSING
CLINICAL SUPERVISION WORKLOAD

| SEMESTER | SUBJECT | AREA OF POSTING | TOTAL HOURS | WEEKS | MONTHS | ALLOTTED SUPERVISORS |
|----------|------------------------------|-----------------------------|----------------------------|-------|---------------|----------------------|
| 1ST | FON-I | RVMH | 160 | 4 | 1 | MS. FLAVIA |
| | | | | | | MS. PRATIKSHA |
| 2ND | FON-II | RVMH | 320 | 8 | 2 | MS. FLAVIA |
| | | | | | | MS. PRATIKSHA |
| 3RD | AHN-I | RVMH | 480 | 12 | 3 | MS. NUPUR |
| | | | | | | MS. UJWALA |
| 4TH | AHN-II | RVMH | 480 | 12 | 3 | MS. PUSHPA |
| | | | | | | MS. VARSHA RANI |
| 5TH | CHILD HEALTH NURSING | WADIA | 160 | 4 | 1 | MS. MANILA |
| | | | | | | MS. PRATIKSHA |
| | COMMUNITY HEALTH NURSING- I | COMMUNITY AREA | 160 | 4 | 1 | MS. VARSHA |
| | | | | | | MS. CHINMAYEE |
| | MENTAL HEALTH NURSING | VIBHAS/ VISHAKHA/ CHAITANYA | 80 (AS PER MUHS) | 4 | 1 | MS. PRAGATI |
| | | | 160(DUE TO THE PERMISSION) | | | MS. SANA |
| 6TH | CHILD HEALTH NURSING | WADIA | 80 | 2 | 15 DAYS | MS. MANILA |
| | | | | | | MS. PRATIKSHA |
| | MENTAL HEALTH NURSING | VIBHAS/ VISHAKHA/ CHAITANYA | 160 (AS PER MUHS) | 8 | 2 | MS. PRAGATI |
| | | | 320(DUE TO THE PERMISSION) | | | MS. SANA |
| | MANAGEMENT | RVMH | 80 | 2 | 15 DAYS | MS. VARSHA |
| | | | | | MS. CHINMAYEE | |
| 7TH | COMMUNITY HEALTH NURSING -II | COMMUNITY AREA | 160 | 4 | 1 | MS. VARSHA |
| | | | | | | MS. CHINMAYEE |
| | OBGY-II | WADIA | 320 | 8 | 2 | MS. PRAMODINI |
| | | | | | | MS. KAMAL |

SIGNATURE OF PRINCIPAL

PROF. DR. ANUPAMA OKA

Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203.



RIDDHI VINAYAK COLLEGE OF NURSING
GNM
CLINICAL SUPERVISION WORKLOAD

| YEAR | SUBJECT | AREA OF POSTING | TOTAL HOURS | WEEKS | MONTHS | ALLOTTED SUPERVISORS |
|------|------------------------------|-----------------------------|------------------------------|-------|----------|--|
| 1ST | FON-I | RVMH | 680 | 22 | 4 M 7 D | MS. STEFFI MS. VARSHA RANI |
| | COMMUNITY HEALTH NURSING | COMMUNITY AREA | 320 | 8 | 2 | MS. VARSHA MS. CHINMAYEE |
| 2ND | MEDICAL SURGICAL NURSING | RVMH | 800 | 20 | 5 | MS. NUPUR |
| | | | (FOR 10 WEEKS 2 SUPERVISORS) | | | MS. UJWALA MS. PUSHPA MS. STEFFI |
| | CHILD HEALTH NURSING | RVMH | 320 | 8 | 2 | MS. MANILA MS. PRATIKSHA |
| | MENTAL HEALTH NURSING | VIBHAS/ VISHAKHA/ CHAITANYA | 320 | 8 | 2 | MS. SANA MS. CHINMAYEE |
| 3RD | OBGY | RVMH | 560 | 14 | 3 M 15 D | MS. PRAMODINI MS. KAMAL |
| | COMMUNITY HEALTH NURSING- II | COMMUNITY AREA | 160 | 4 | 1 | MS. VARSHA MS. CHINMAYEE |

SIGNATURE OF PRINCIPAL
 PROF. DR. ANUPAMA OKA

Principal
 RIDDHI VINAYAK COLLEGE OF
 NURSING (RVHSPCT),
 Nallasopara (W), Dist. Palghar 401 203.



(Handwritten signature)

Chaitanya Institute
Pune
Mental Health Nursing

Gmail

Search mail

Compose

Inbox 244

Starred

Snoozed

Sent

Drafts

More

els

Conversation History

Dr Anupama Oka 238

social folder

For any details contact

Anto Augustine
Coordinator 9763130364
Chaitanya Institute for Mental Health, Pune.

On Tue, Jan 7, 2025 at 2:44 PM Anto Augustine <anto.augustine2005@gmail.com> wrote:
Madam

Greetings from Chaitanya Institute for Mental Health, Pune

Regarding your application seeking clinical posting of B.Sc nursing Students

You can place the students per your schedule from 2nd May 2025 to 16th May 2025, Please note that Rs. 350 will be charged per student per day towards accommodation, Food and placement fees (For teachers Rs.250 per day). The fee should be paid on the first day of your placement.

Your accommodation and placement will be arranged at Chaitanya Institute for Mental Health, Popular Prestige Commercial Complex, Next to Flyover Warje, Pune - 411052. (When you are coming from Mumbai you can get down at Warje, it is on the way to Pune)

For any further details contact

Anto Augustine
Coordinator 9763130364
Chaitanya Institute for Mental Health, Pune.

Principal
**RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),**
Nallasopara (W), Dist. Palghar 401 203.



Compose

244

Inbox

Starred

Snoozed

Sent

Drafts

More

rels

Conversation History

Dr Anupama Oka

social folder

93

For any details contact

Anto Augustine
Coordinator 9763130364
Chaitanya Institute for Mental Health, Pune.

On Tue, Jan 7, 2025 at 2:44 PM, Anto Augustine <anto.augustine2005@gmail.com> wrote:

Madam
Greetings from Chaitanya Institute for Mental Health, Pune

Regarding your application seeking clinical posting of B.Sc nursing Students
You can place the students per your schedule from 2nd May 2025 to 16th May 2025. Please note that Rs. 350 will be charged per student per day towards
accommodation, Food and placement fees (For teachers Rs.250 per day). The fee should be paid on the first day of your placement.

Your accommodation and placement will be arranged at Chaitanya Institute for Mental Health, Popular Prestige Commercial Complex, Next to Flyover Warje, Pune -
411052. (When you are coming from Mumbai you can get down at Warje, it is on the way to Pune)

For any further details contact

Anto Augustine
Coordinator 9763130364
Chaitanya Institute for Mental Health, Pune.



Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203.

Wadia Posting
CHILD HEALTH NURSING

Gmail

Manila Nair <manila.nair2017@gmail.com>

: Permission for Clinical Posting in Pediatric Areas(Pediatrics Medical, Surgical, NICU,PICU, OPD, Immunization clinic, School Health Clinic & Child Guidance Clinic)of 38 Students

Manila Pillai <manilapillai23@gmail.com>
manila.nair2017@gmail.com

Mon, Jun 3, 2024 at 3:43 PM

----- Forwarded message -----

From: Dr. Nidhi Jain <bj.nursingsuperintendent@wadiahospitals.org>

Sent: Thu, 16 May 2024, 09:34

Subject: RE: Permission for Clinical Posting in Pediatric Areas(Pediatrics Medical, Surgical, NICU,PICU, OPD, Immunization clinic, School Health Clinic & Child Guidance Clinic)of 38 Students

Manila Pillai <manilapillai23@gmail.com>, <dranupamaoka@gmail.com>

Usha Menon <usha19menon@gmail.com>, Santosh Chavan <santosh.chavan@wadiahospitals.org>

Dear Madam/Sir,

Thank you for showing interest to place your BSc. Nursing students (38) in our Hospital for the clinical experience.

Permission for the same has been granted.

For your kind information that food & accommodation will not be provided.

Clinical posting charges per student : Rs 2000/- per month

Daily food charges per student: Rs 1500/- per month

Kindly note that accommodation for the students will not be provided by the Hospital.

Principal

RIDDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT)

Nallasopara (W), Dist. Palghar 40, 203.



Send reminder e-mail a month before the posting.

; & Regards,

Wadia Hospitals
Dr. Nidhi Jain | Nursing Superintendent
Bai Jerbai Wadia Hospital For Children

Tel : 022 24197200, ext. 232

Acharya Donde Marg, Parel, Mumbai – 400 012

www.wadiahospitals.org



Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Nallasopara (W), Dist. Palghar 401 203.

Tanila Pillai [mailto:manilapillai23@gmail.com]
Friday, May 14, 2024 4:22 PM
Nursing Superintendent@wadiahospitals.org; dranuparmaoka@gmail.com
1 Menon
Permission for Clinical Posting in Pediatric Areas (Pediatrics Medical, Surgical, NICU, PICU, OPD, Immunization clinic, School Health Clinic & Child Guidance
38 Students

pected Sir/Madam,
Greetings!

Re: the telephonic communication of Principal Prof. Dr. Anupama Oka with the Nursing Superintendent, sending herewith the HOD of Pediatric Department, Ms. Manila Nair (contact no. 9511219935) for the clinical posting permission of the above mentioned subject matter (29th July 2024 to 25th August 2024 - 4week postings in 5th semester, and 10 weeks during the 6th semester posting).

Enclosed herewith please find the MRP, CRP, Objectives, Areas of Posting along with the students list.

Thank you for the needful and oblige.

Thank you for your Constant support.

Regards

Manila Nair

(Child Health Nursing)

Attachments

image001.gif
1K

image002.png
11K



**Riddhi Vinayak
Hospitals**

Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVHSPCT),
Mallasopara (W), Dist. Palghat 401 203.





image004.jpg
5K

Vadia Hospitals

image001.gif
1K

Principal
RIDDHI VINAYAK COLLEGE OF
NURSING (RVH&PCT)
Nallasopara (W), Dist. Palghar-401 203.

